



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40409007-011
Harvest/Lot ID: 0001 3428 6431 3795
Batch#: 0001 3428 6431 3795
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 2063 9069 0001 6425
Batch Date: 04/01/24
Sample Size Received: 16 gram
Total Amount: 872.00 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 04/08/24
Sampled: 04/09/24
Completed: 04/12/24
Sampling Method: SOP.T.20.010

Apr 12, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

79.936%

Total THC/Container : 799.36 mg



Total CBD

0.203%

Total CBD/Container : 2.03 mg



Total Cannabinoids

94.624%

Total Cannabinoids/Container : 946.24 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.370	89.586	ND	0.232	0.051	0.267	2.962	ND	ND	ND	0.156
mg/unit	13.70	895.86	ND	2.32	0.51	2.67	29.62	ND	ND	ND	1.56
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1067g

Extraction date:
04/09/24 14:12:40

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA071421POT
Instrument Used : DA-LC-003
Analyzed Date : 04/09/24 14:50:22

Reviewed On : 04/10/24 08:41:25
Batch Date : 04/09/24 13:40:21

Dilution : 400
Reagent : 032924.R01; 060723.24; 030824.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
04/12/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40409007-011
Harvest/Lot ID: 0001 3428 6431 3795

Batch# : 0001 3428 6431 3795
Sample Size Received : 16 gram
Total Amount : 872.00 units
Completed : 04/12/24 Expires: 04/12/25
Ordered : 04/09/24
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	48.57	4.857	SABINENE	0.007	ND	ND
LIMONENE	0.007	13.10	1.310	SABINENE HYDRATE	0.007	ND	ND
BETA-MYRCENE	0.007	12.71	1.271	VALENCENE	0.007	ND	ND
LINALOOL	0.007	6.28	0.628	ALPHA-CEDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	4.83	0.483	ALPHA-PHELLANDRENE	0.007	ND	ND
FARNESENE	0.001	1.90	0.190	ALPHA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	1.84	0.184	CIS-NEROLIDOL	0.007	ND	ND
ALPHA-HUMULENE	0.007	1.59	0.159	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	1.31	0.131				
ALPHA-TERPINEOL	0.007	1.30	0.130	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
ALPHA-PINENE	0.007	1.02	0.102	3605, 585, 1440	0.213g	04/09/24 16:28:50	3605
ALPHA-BISABOLOL	0.007	0.83	0.083	Analysis Batch : DA071411TER			Reviewed On : 04/10/24 09:49:55
BORNEOL	0.013	0.51	0.051	Instrument Used : DA-GCMS-004			Batch Date : 04/09/24 13:10:55
TRANS-NEROLIDOL	0.007	0.51	0.051	Analysis Date : 04/09/24 16:29:16			
ALPHA-TERPINOLENE	0.007	0.32	0.032	Dilution : 10			
CAMPHENE	0.007	0.28	0.028	Reagent : 022224.01			
CARYOPHYLLENE OXIDE	0.007	0.24	0.024	Consumables : 947.109; 230613-634-D; CE0123			
3-CARENE	0.007	ND	ND	Pipette : DA-063			
CAMPHOR	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
Total (%)			4.857				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/12/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40409007-011
 Harvest/Lot ID: 0001 3428 6431 3795
 Batch# : 0001 3428 6431 3795 Sample Size Received : 16 gram
 Total Amount : 872.00 units
 Sampled : 04/09/24 Completed : 04/12/24 Expires: 04/12/25
 Ordered : 04/09/24 Sample Method : SOP.T.20.010



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2882g Extraction date: 04/09/24 17:53:50 Extracted by: 450,3379 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch: DA071405PES Reviewed On: 04/11/24 10:18:49 Instrument Used: DA-LCMS-003 (PES) Batch Date: 04/09/24 12:09:02 Analyzed Date: 04/09/24 18:06:12 Dilution: 250 Reagent: 040224.R43; 040423.08 Consumables: 326250IW Pipette: N/A					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2882g Extraction date: 04/09/24 17:53:50 Extracted by: 450,3379 Analysis Method: SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch: DA071406VOL Reviewed On: 04/11/24 10:17:33 Instrument Used: DA-GCMS-010 Batch Date: 04/09/24 12:10:13 Analyzed Date: 04/09/24 18:39:04 Dilution: 250 Reagent: 040224.R43; 040423.08; 031824.R05; 031824.R06 Consumables: 326250IW; 14725401 Pipette: DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 04/12/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40409007-011

Harvest/Lot ID: 0001 3428 6431 3795

 Batch# : 0001 3428 6431
 3795

Sampled : 04/09/24

Ordered : 04/09/24

Sample Size Received : 16 gram

Total Amount : 872.00 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0291g	Extraction date: 04/11/24 20:54:24	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 04/11/24 21:44:24
Analytical Batch : DA07148450L	Batch Date : 04/10/24 15:52:45
Instrument Used : DA-GCMS-003	
Analyzed Date : 04/10/24 16:29:54	

Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; G201-100
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40409007-011

Harvest/Lot ID: 0001 3428 6431 3795

Batch#: 0001 3428 6431 3795

Sampled : 04/09/24

Ordered : 04/09/24

Sample Size Received : 16 gram

Total Amount : 872.00 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4044, 3390, 585, 1440
 Weight: 1.0012g
 Extraction date: 04/09/24 14:26:13
 Extracted by: 4044,3390
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA071402MIC
 Reviewed On : 04/11/24 16:40:36
 Batch Date : 04/09/24 11:55:09
 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021
 Analyzed Date : 04/10/24 13:01:23
 Dilution : N/A
 Reagent : 032624.35; 031824.R18; 091523.45
 Consumables : 7569004024
 Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440
 Weight: 0.2882g
 Extraction date: 04/09/24 17:53:50
 Extracted by: 450,3379
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
 Analytical Batch : DA071407MYC
 Instrument Used : N/A
 Analyzed Date : 04/09/24 18:05:17
 Reviewed On : 04/10/24 12:19:53
 Batch Date : 04/09/24 12:11:52
 Dilution : 250
 Reagent : 040224.R43; 040423.08
 Consumables : 326250IW
 Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4451, 585, 1440
 Weight: 1.0012g
 Extraction date: 04/09/24 14:26:13
 Extracted by: 4044,3390
 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA071423TYM
 Instrument Used : N/A
 Analyzed Date : N/A
 Reviewed On : 04/12/24 16:29:00
 Batch Date : 04/09/24 13:48:49
 Dilution : N/A
 Reagent : 032624.35; 031824.R19
 Consumables : N/A
 Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440
 Weight: 0.2666g
 Extraction date: 04/09/24 16:31:03
 Extracted by: 1022
 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA071426HEA
 Instrument Used : DA-ICPMS-004
 Analyzed Date : 04/10/24 10:12:52
 Reviewed On : 04/10/24 12:21:49
 Batch Date : 04/09/24 14:45:00
 Dilution : 50
 Reagent : 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06
 Consumables : 179436; 34623011; 210508058
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40409007-011
Harvest/Lot ID: 0001 3428 6431 3795
Batch# : 0001 3428 6431 3795
Sample Size Received : 16 gram
Total Amount : 872.00 units
Sampled : 04/09/24
Completed : 04/12/24 Expires: 04/12/25
Ordered : 04/09/24
Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
--	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA071430FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 04/10/24 03:06:43
Reviewed On : 04/11/24 10:08:06
Batch Date : 04/10/24 03:04:12

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.452	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 0.879g	Extraction date: 04/10/24 15:46:39	Extracted by: 4444
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA071420WAT
Instrument Used : DA256 Rotronic HygroPalm
Analyzed Date : 04/10/24 15:33:28
Reviewed On : 04/10/24 18:32:58
Batch Date : 04/09/24 13:15:40

Dilution : N/A
Reagent : 022024.29
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.