

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

SUNNYSIDE DA40409007-017 **Kaycha Labs**

Cresco Live Sgr 1g - Petrol Station (H) Petrol Station (H) Matrix: Derivative



Type: Sugar Wax Sample:DA40409007-017 Harvest/Lot ID: 2063 9069 0001 4849 Batch#: 2063 9069 0001 4849 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6430 5216 Batch Date: 04/02/24 Sample Size Received: 16 gram Total Amount: 698.00 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 04/08/24 Sampled: 04/09/24 Completed: 04/12/24


Pages 1 of 6

Sampling Method: SOP.T.20.010

PASSED

MISC.


Apr 12, 2024 | Sunnyside




indiantown, FL, 34956, US

0001342084305216

CRESCO





Sunnyside

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 04/12/24



..... Cresco Live Sgr 1g - Petrol Station (H) Petrol Station (H) Matrix : Derivative Type: Sugar Wax



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40409007-017 Harvest/Lot ID: 2063 9069 0001 4849

Batch# : 2063 9069 0001 4849 Sampled : 04/09/24 Ordered : 04/09/24

Sample Size Received : 16 gram Total Amount : 698.00 units Completed : 04/12/24 Expires: 04/12/25 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	25.55	2.555		SABINENE HYDRA	TE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	9.00	0.900		VALENCENE		0.007	ND	ND	
IMONENE	0.007	3.87	0.387		ALPHA-CEDRENE		0.007	ND	ND	
LPHA-HUMULENE	0.007	3.75	0.375		ALPHA-PHELLAND	RENE	0.007	ND	ND	
ETA-MYRCENE	0.007	3.42	0.342		ALPHA-TERPINENE		0.007	ND	ND	
LPHA-BISABOLOL	0.007	1.03	0.103		ALPHA-TERPINOLE	NE	0.007	ND	ND	
NALOOL	0.007	0.99	0.099		CIS-NEROLIDOL		0.007	ND	ND	
LPHA-TERPINEOL	0.007	0.68	0.068		GAMMA-TERPINEN	E	0.007	ND	ND	
ENCHYL ALCOHOL	0.007	0.67	0.067		Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
RANS-NEROLIDOL	0.007	0.60	0.060		3605, 585, 1440	0.2356g		04/09/24 16		3605
ETA-PINENE	0.007	0.38	0.038			P.T.30.061A.FL, SOP.T.40.061A.F	L			
CIMENE	0.007	0.37	0.037		Analytical Batch : DA Instrument Used : DA					4/11/24 09:03:21)9/24 13:14:09
ARNESENE	0.001	0.32	0.032		Analyzed Date : 04/0			Batch	Date: 04/0	J9/24 13:14:U9
LPHA-PINENE	0.007	0.24	0.024		Dilution : 10					
ARYOPHYLLENE OXIDE	0.007	0.23	0.023		Reagent : 022224.01					
CARENE	0.007	ND	ND			09; 230613-634-D; CE0123				
DRNEOL	0.013	ND	ND		Pipette : DA-063					
AMPHENE	0.007	ND	ND		Terpenoid testing is pe	formed utilizing Gas Chromatography	Mass Spect	rometry. For all I	Hower sampl	les, the Total Terpenes % is dry-weight corrected.
AMPHOR	0.007	ND	ND							
DROL	0.007	ND	ND							
JCALYPTOL	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
OBORNEOL	0.007	ND	ND							
OPULEGOL	0.007	ND	ND							
	0.007	ND	ND							
EROL		ND	ND							
IEROL PULEGONE	0.007	ND	ND							
	0.007	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/24

PASSED

TESTED



. Cresco Live Sgr 1g - Petrol Station (H) Petrol Station (H) Matrix : Derivative Type: Sugar Wax



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40409007-017 Harvest/Lot ID: 2063 9069 0001 4849

Batch#: 2063 9069 0001 4849 Sampled : 04/09/24 Ordered : 04/09/24

Sample Size Received : 16 gram Total Amount : 698.00 units Completed : 04/12/24 Expires: 04/12/25 Sample Method : SOP.T.20.010

Page 3 of 6

Ц С
Pesticide

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	nom	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	1.1.	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND			0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM				0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010				
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZEN	E (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND		Weight:		ion date:		Fortune at a stall	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	0.2999g		4 17:53:53		Extracted I 450,3379	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.10	5			SOP T 40 101)
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	211 2 (Odified the	,, 5011150120	211 2 (Dame),	50111101202		.,,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071405PE	S		Reviewed (On:04/11/24	L0:19:08	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-00			Batch Date	:04/09/24 12	:09:02	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :04/09/24 18:0	5:12					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 040224.R43: 040423	0.00					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	5.08					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is	performed utilizir	na Liauid Chron	natography Ti	riple-Ouadrupo	e Mass Spectror	metrv in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER2		5 1		1		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio			Extracted b	by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2999g	04/09/24	17:53:53		450,3379	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.15						
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA071406V				:04/11/24 10:		
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-0 Analyzed Date : 04/09/24 18:3		Ba	atch Date :0	4/09/24 12:10	:13	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 040224.R43; 040423	3.08: 031824 R0*	5: 031824.R06				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 147		.,				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-2	218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is accordance with F.S. Rule 64ER2		ng Gas Chroma	tography Trip	le-Quadrupole	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/24

PASSED

PASSED



Page 4 of 6

Cresco Live Sgr 1g - Petrol Station (H) Petrol Station (H) Matrix : Derivative Type: Sugar Wax



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

kaycha°

LABS

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.reyna@crescolabs.com Sample : DA40409007-017 Harvest/Lot ID: 2063 9069 0001 4849

Batch#: 2063 9069 0001 4849 Sampled: 04/09/24 Ordered: 04/09/24 Sample Size Received : 16 gram Total Amount : 698.00 units Completed : 04/12/24 Expires: 04/12/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
P-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0209g	Extraction date: 04/11/24 20:54:26	5		xtracted by: 50
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA071484SOL nstrument Used : DA-GCMS-003 Analyzed Date : 04/10/24 16:29:54			d On : 04/11/24 21:45:33 te : 04/10/24 15:52:45		

Reagent : 030420.09 Consumables : 429651; G201-100 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/24

PASSED

PASSED



. Cresco Live Sgr 1g - Petrol Station (H) Petrol Station (H) Matrix : Derivative Type: Sugar Wax



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40409007-017 Harvest/Lot ID: 2063 9069 0001 4849

Batch# : 2063 9069 0001 4849 Sampled : 04/09/24 Ordered : 04/09/24

Sample Size Received : 16 gram Total Amount : 698.00 units Completed : 04/12/24 Expires: 04/12/25 Sample Method : SOP.T.20.010

Page 5 of 6

ſĘ.	Micro	bial			PAS	SED	သို့	Му	cotoxi	ns			PAS	SED
Analyte		LOI	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREIIS			Not Present	PASS	Level	AFLATOXIN	12		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	51		0.002	ppm	ND	PASS	0.02
	A SPECIFIC GEN	IE		Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	to.	E	xtracted	2011
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000		0	0.2999g	04/09/24 17:5			50,3379	Jy.
Analyzed by: Weight: Extraction date: Extracted by: 4044, 3390, 585, 1440 0.9686g 04/09/24 14:26:16 4044,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA071402MIC Reviewed On : 04/11/24						0		L (Davie), h:DA0714 d:N/A		L (Davie) Revie	wed On : 0	. (Gainesvi 4/10/24 13 09/24 12:3	3:48:43	
DA-020,fisherk sotemp Heat I	ermocycler DA-0 orand Isotemp He Block DA-021 : 04/10/24 13:01	at Block DA-(:09		Reagent : 0402 Consumables : Pipette : N/A	326250IW	Liquid Chromatog	raphy with Triple	e-Quadrupo	le Mass Spe	ectrometry	in
Reagent : 0326 Consumables : Pipette : N/A	Weig	ght: Ext	raction date:		Extracted b	oy:	Hg		avy Me	etals			PAS	SED
1451, 585, 144		-	/09/24 14:26:		4044,3390		Metal			LOD	Units	Result	Pass /	Action
	d: SOP.T.40.208 h: DA071423TY			19.FL viewed On : 04/1	2/24 16:22	0.10							Fail	Level
	ed : Incubator (25			ch Date : 04/09			TOTAL CONT	AMINANT	LOAD METAL	5 0.080	ppm	ND	PASS	1.1
nalyzed Date	: N/A						ARSENIC			0.020	ppm	ND	PASS	0.2
ilution : N/A							CADMIUM			0.020	ppm	ND	PASS	0.2
	524.35; 031824.F	R19					MERCURY			0.020	ppm	ND	PASS	0.2
consumables : Pipette : N/A	N/A						LEAD			0.020	ppm	ND	PASS	0.5
Total yeast and	mold testing is perf		MPN and tradit	ional culture base	d techniques	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2352g	Extraction da 04/09/24 16:			Extracted	by:
accordance with	F.S. Rule 64ER20-3	39.					Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA0714 d:DA-ICPI	MS-004	Review		/10/24 12: 9/24 14:45		

Dilution: 50 Reagent : 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06

Consumables : 179436: 34623011: 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/24



Cresco Live Sgr 1g - Petrol Station (H) Petrol Station (H) Matrix : Derivative Type: Sugar Wax



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Filth/Foreign

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.reyna@crescolabs.com
 Sample : DA4009007-017

 Harvest/Lot ID: 2063 9069 0001 4849

 Batch# : 2063 9069 0001 4849

 4849

4849 Sampled : 04/09/24 Ordered : 04/09/24

PASSED

Sample Size Received : 16 gram Total Amount : 698.00 units Completed : 04/12/24 Expires: 04/12/25 Sample Method : SOP.T.20.010

	Mate	rial						
Analyte Filth and Forei	gn Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level		
Analyzed by: 1879, 585, 1440		Weight: NA	Extraction N/A	on date:	Extr N/A	acted by:		
Analysis Method Analytical Batch Instrument Used Analyzed Date : (: DA071430FIL : Filth/Foreign	- Material Micro	oscope			./24 10:08:11 24 03:04:12		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A	/A							
Filth and foreign m technologies in acc				spection utilizi	ing naked ey	e and microscope		
(\bigcirc)	Wate	r Activ	ity		ΡΑ	SSED		

Analyte Water Activity		LOD 0.010	Units aw	Result 0.471	P/F PASS	Action Level 0.85		
Analyzed by: 4444, 585, 1440	Weight: 1.631g		traction d /10/24 15		Extracted by: 4444			
Analysis Method : SOP. Analytical Batch : DAO Instrument Used : DA2 Analyzed Date : 04/10/	71420WAT 56 Rotronic Hy	groPaln	n	Reviewed Or Batch Date :				
Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/24

PASSED

Page 6 of 6