




# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample:** DA40409007-027  
**Harvest/Lot ID:** 0001 3428 6430 5212  
**Batch#:** 0001 3428 6430 5212  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility :** FL - Indiantown (3734)  
**Source Facility :** FL - Indiantown (3734)  
**Seed to Sale#** 0001 3428 6431 5890  
**Batch Date:** 04/04/24  
**Sample Size Received:** 35 gram  
**Total Amount:** 601.00 units  
**Retail Product Size:** 7 gram  
**Retail Serving Size:** 7 gram  
**Servings:** 1  
**Ordered:** 04/08/24  
**Sampled:** 04/09/24  
**Completed:** 04/12/24  
**Sampling Method:** SOP.T.20.010

Apr 12, 2024 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 5

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
**NOT TESTED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**PASSED**

### MISC.


 Terpenes  
**TESTED**


### Cannabinoid

**PASSED**

**Total THC**
**25.466%**

Total THC/Container : 1782.62 mg


**Total CBD**
**0.062%**

Total CBD/Container : 4.34 mg


**Total Cannabinoids**
**30.022%**

Total Cannabinoids/Container : 2101.54 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	0.678	28.265	ND	0.071	0.024	0.081	0.863	ND	ND	ND	0.040
mg/unit	47.46	1978.55	ND	4.97	1.68	5.67	60.41	ND	ND	ND	2.80
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

 Analyzed by:  
 3335, 585, 1440

 Weight:  
 0.2076g

 Extraction date:  
 04/09/24 15:20:26

 Extracted by:  
 3335

 Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA071422POT  
 Instrument Used : DA-LC-002  
 Analyzed Date : 04/09/24 15:21:20

 Reviewed On : 04/10/24 08:42:01  
 Batch Date : 04/09/24 13:43:51

 Dilution : 400  
 Reagent : 032924.R01; 060723.24; 030824.R01  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 04/12/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Rollins x Sgr Ddy (S)  
Rollins x Sugar Daddy (S)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40409007-027

Harvest/Lot ID: 0001 3428 6430 5212

Batch# : 0001 3428 6430  
5212

Sampled : 04/09/24  
Ordered : 04/09/24

Sample Size Received : 35 gram

Total Amount : 601.00 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	112.91	1.613		VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	44.59	0.637		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	25.69	0.367		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	17.15	0.245		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	8.12	0.116		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	3.71	0.053		CIS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	2.80	0.040		GAMMA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	2.80	0.040		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-TERPINEOL	0.004	2.80	0.040		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	2.10	0.030		Analyzed by: 3605, 585, 1440	Weight: 1.0488g	Extraction date: 04/09/24 16:34:01	Extracted by: 3605	
ALPHA-PINENE	0.007	2.10	0.030		Analysis Batch : DA071414TER				
FARNESENE	0.001	1.05	0.015		Instrument Used : DA-GCMS-009				
3-CARENE	0.007	ND	ND		Analyzed Date : 04/09/24 16:34:28				
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 022224.01				
CAMPHOR	0.007	ND	ND		Consumables : 947.109; 230613-634-D; CE0123				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-063				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						

Total (%) 1.613

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/12/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Rollins x Sgr Ddy (S)  
Rollins x Sugar Daddy (S)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40409007-027

Harvest/Lot ID: 0001 3428 6430 5212

Batch# : 0001 3428 6430

5212

Sampled : 04/09/24

Ordered : 04/09/24

Sample Size Received : 35 gram

Total Amount : 601.00 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.9956g	Extraction date: 04/09/24 18:04:14	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA071412PES		Reviewed On : 04/10/24 11:48:30			
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 04/09/24 13:12:12			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 04/09/24 18:05:01					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 040224.R43; 040423.08					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.9956g	Extraction date: 04/09/24 18:04:14	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA071415VOL		Reviewed On : 04/10/24 12:17:21			
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 04/09/24 13:13:49			
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 04/09/24 18:39:13					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 040224.R43; 040423.08; 031824.R05; 031824.R06					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/12/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Rollins x Sgr Ddy (S)  
Rollins x Sugar Daddy (S)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40409007-027

Harvest/Lot ID: 0001 3428 6430 5212

Batch# : 0001 3428 6430  
5212

Sampled : 04/09/24  
Ordered : 04/09/24


Sample Size Received : 35 gram

Total Amount : 601.00 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS			Not Present	PASS						
ASPERGILLUS NIGER			Not Present	PASS						
ASPERGILLUS FUMIGATUS			Not Present	PASS						
ASPERGILLUS FLAVUS			Not Present	PASS						
SALMONELLA SPECIFIC GENE			Not Present	PASS						
ECOLI SHIGELLA			Not Present	PASS						
TOTAL YEAST AND MOLD	10	CFU/g	9000	PASS	100000					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.0134g	Extraction date: 04/09/24 14:26:19	Extracted by: 4044,3390							
Analytical Batch : DA071402MIC						Reviewed On : 04/11/24 16:40:54				
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Batch Date : 04/09/24 11:55:09				
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA071402MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021										
Analysis Date : 04/10/24 13:01:23										
Dilution : N/A										
Reagent : 032624.35; 031824.R18; 091523.45										
Consumables : 7569004024										
Pipette : N/A										
Analysis Method : SOP.T.40										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/12/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Rollins x Sgr Ddy (S)  
Rollins x Sugar Daddy (S)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40409007-027

Harvest/Lot ID: 0001 3428 6430 5212

Batch# : 0001 3428 6430  
5212

Sampled : 04/09/24  
Ordered : 04/09/24

Sample Size Received : 35 gram

Total Amount : 601.00 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	10.53	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4444, 585, 1440	Weight: 0.513g	Extraction date: 04/10/24 15:25:27	Extracted by: 4444		
Analysis Method : SOP.T.40.090 Analytical Batch : DA071430FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/10/24 03:06:43						Analysis Method : SOP.T.40.021 Analytical Batch : DA071417MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 04/10/24 15:18:46					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.493	PASS	0.65
Analyzed by: 4444, 585, 1440	Weight: 1.66g	Extraction date: 04/10/24 15:36:54	Extracted by: 4444		
Analysis Method : SOP.T.40.019 Analytical Batch : DA071418WAT Instrument Used : DA256 Rotronic HygroPalm Analyzed Date : 04/10/24 15:33:53					
Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/12/24