

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

Supply Shake 14g - Grntz (I) Gruntz (I) Matrix: Flower Type: Flower-Cured



PASSED

Sample:DA40409007-030 Harvest/Lot ID: 4006 2575 6155 1264 Batch#: 4006 2575 6155 1264 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 2063 9069 0001 6638 Batch Date: 04/01/24 Sample Size Received: 42 gram Total Amount: 426.00 units Retail Product Size: 14 gram Retail Serving Size: 14 gram Servings: 1 Ordered: 04/08/24 Sampled: 04/09/24 Completed: 04/12/24 Sampling Method: SOP.T.20.010

Pages 1 of 5

Apr 12, 2024 | Sunnyside 22205 Sw Martin Hwv


SUPPLY

SUNNYSIDE 40409007-030

Contraction of the

indiantown, FL, 34956, US





Sunnyside

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 04/12/24



Kaycha Labs

Supply Shake 14g - Grntz (I) Gruntz (I) Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Terpenes

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.reyna@crescolabs.com
 Sample : DA40409007-030

 Harvest/Lot ID: 4006 2575 6155 1264

 Batch#: 4006 2575 6155
 Sample

 1264
 Total Ar

 Sample0: 04/09/24
 Complee

 Ordered: 04/09/24
 Sample

55 1264 Sample Size Received : 42 gram Total Amount : 426.00 units Completed : 04/12/24 Expires: 04/12/25 Sample Method : SOP.T.20.010

Page 2 of 5

TESTED

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LO (%		t %	Result (%)
TAL TERPENES	0.007	188.86	1.349		ALPHA-CEDRENE	0.0	07 ND	ND	
TA-CARYOPHYLLENE	0.007	57.96	0.414		ALPHA-PHELLANDRENE	0.0)7 ND	ND	
NALOOL	0.007	36.68	0.262		ALPHA-TERPINENE	0.0)7 ND	ND	
MONENE	0.007	29.82	0.213		ALPHA-TERPINOLENE	0.0)7 ND	ND	
PHA-HUMULENE	0.007	18.34	0.131		BETA-MYRCENE	0.0)7 ND	ND	
PHA-TERPINEOL	0.004	9.94	0.071		CIS-NEROLIDOL	0.0	07 ND	ND	
NCHYL ALCOHOL	0.007	9.80	0.070		GAMMA-TERPINENE	0.0	07 ND	ND	
PHA-BISABOLOL	0.007	8.12	0.058		TRANS-NEROLIDOL	0.0	07 ND	ND	
RNESENE	0.001	7.70	0.055		Analyzed by:	Weight:	Extraction	date:	Extracted by:
TA-PINENE	0.007	6.02	0.043		3605, 585, 1440	1.0558g	04/09/24 1	6:34:02	3605
PHA-PINENE	0.007	4.48	0.032		Analysis Method : SOP.T.30.061A.FL, SO	OP.T.40.061A.FL			
CARENE	0.007	ND	ND		Analytical Batch : DA071414TER Instrument Used : DA-GCMS-009				04/11/24 12:13:11 1/09/24 13:13:45
RNEOL	0.013	ND	ND		Analyzed Date : 04/09/24 16:34:28		Bate	n Date : 04	/09/24 13:13:45
MPHENE	0.007	ND	ND		Pilution : 10				
MPHOR	0.007	ND	ND		Reagent : 022224.01				
RYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.109; 230613-634-D;	; CE0123			
DROL	0.007	ND	ND		Pipette : DA-063				
CALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas	Chromatography Mass S	pectrometry. For a	l Flower sam	ples, the Total Terpenes % is dry-weight corrected.
NCHONE	0.007	ND	ND						
RANIOL	0.007	ND	ND						
RANYL ACETATE	0.007	ND	ND						
JAIOL	0.007	ND	ND						
XAHYDROTHYMOL	0.007	ND	ND						
OBORNEOL	0.007	ND	ND						
	0.007	ND	ND						
DPULEGOL		ND	ND						
	0.007								
ROL	0.007	ND	ND						
ROL			ND ND						
EROL CIMENE JLEGONE	0.007	ND							
OPULEGOL EROL CIMENE JLEGONE ABINENE BRINENE HYDRATE	0.007	ND ND	ND						

Total (%)

1.349

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/24



4131 SW 47th AVENUE SUITE 1408

Certificate of Analysis

1264

Sample : DA40409007-030

Batch#: 4006 2575 6155

Sampled : 04/09/24

Ordered : 04/09/24

Harvest/Lot ID: 4006 2575 6155 1264

DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

..... Supply Shake 14g - Grntz (I) Gruntz (I) Matrix : Flower Type: Flower-Cured



PASSED

PASSED

Page 3 of 5

R÷ 0

22205 Sw Martin Hwy indiantown, FL, 34956, US

Telephone: (772) 631-0257

Email: renee.revna@crescolabs.com

Sunnyside

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	maa	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND				0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010				
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	maa	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND				0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCN			0.1	PASS	
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010				ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: We	eight: Extrac	tion date:		Extracted	bv:
DIMETHOATE	0.010		0.1	PASS	ND			24 18:04:15		3379	,.
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (G	ainesville), SOP.T.30.10	2.FL (Davie),	SOP.T.40.101	.FL (Gainesville),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA071412PES	\ \		n:04/10/24 1 04/09/24 13		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES Analyzed Date : 04/09/24 18:05:01)	Batch Date	:04/09/24 13	:12:12	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 040224.R43; 040423.08					
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010		0.1	PASS	ND ND	Pipette : N/A					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perforn	ned utilizing Liquid Chror	natography Tri	iple-Quadrupo	le Mass Spectror	netry in
HEXYTHIAZOX	0.010			PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010 0.010	1.1.	0.1	PASS	ND	Analyzed by: Wei 450, 585, 1440 0.96		ion date: 4 18:04:15		Extracted 3379	l by:
IMIDACLOPRID					ND	Analysis Method :SOP.T.30.151.FL (G			SOP T 40 15		
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA071415VOL		eviewed On :			
MALATHION	0.010 0.010		0.2 0.1	PASS	ND	Instrument Used : DA-GCMS-001		atch Date : 04			
METALAXYL			0.1	PASS	ND	Analyzed Date :04/09/24 18:39:13					
METHIOCARB	0.010			PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1	PASS		Reagent: 040224.R43; 040423.08; 03	31824.R05; 031824.R06				
MEVINPHOS	0.010		0.1		ND ND	Consumables : 326250IW; 14725401 Pipette : DA-080: DA-146: DA-218					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perform	and utilizing Cos Character	to graphy Tri-I	o Quadrua -!-	Mass Coostrana	truin
NALED	0.010	hbw	0.25	rass	NU	accordance with F.S. Rule 64ER20-39.	neu utilizing Gas Chroma	tography rripl	e-Quadrupole	mass spectrome	su y In

Sample Size Received : 42 gram

Completed : 04/12/24 Expires: 04/12/25

Total Amount : 426.00 units

Sample Method : SOP.T.20.010

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/24



Kaycha Labs

Supply Shake 14g - Grntz (I) Gruntz (I) Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40409007-030 Harvest/Lot ID: 4006 2575 6155 1264 Batch# : 4006 2575 6155 Sample 1264 Total Ar

Sampled : 04/09/24 Ordered : 04/09/24 Sample Size Received : 42 gram Total Amount : 426.00 units Completed : 04/12/24 Expires: 04/12/25 Sample Method : SOP.T.20.010

Page 4 of 5

Œ.	Micro	bial			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LO	D Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GEN	IE		Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE		10	CFU/g	Not Present 270	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 0.9664g	Extraction d 04/09/24 18			Extracted 3379	l by:
Analyzed by: Weight: Extraction date: Extracted by: 4044, 3390, 585, 1440 0.9583g 04/10/24 10:08:46 3390,4044 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA071424MIC Reviewed On : 04/11/24								FL (Davie), :h : DA071 ed : N/A	, SOP.T.40.102 419MYC	Revie	wed On : (L (Gainesvi)4/10/24 13 /09/24 13:3	1:46:55	
Biosystems The DA-020,fisherb Isotemp Heat B	ed : PathogenDx 9 ermocycler DA-1 prand Isotemp He Block DA-021 : 04/10/24 13:00	71,fisherbrar at Block DA-	nd Isotemp He	at Block 13:51	Date : 04/0 :19)9/24	Dilution : 250 Reagent : 040 Consumables : Pipette : N/A	326250IW	I					
	524.32; 032624.3 7569004010; 75 Weig	69004024	18; 091523.44		Extracted k	2011	accordance wit	h F.S. Rule 6		etals	e-Quadrupo		PAS	
4451, 585, 144	o 0.95	83g 04	/10/24 10:08:4	16	3390,4044		Metal			LOD	Units	Result	Pass /	Action
	d: SOP.T.40.208				12/24 16:22	1.25	Metal			LOD	Units	Result	Fail	Level
	h : DA071425TYM d : Incubator (25			riewed On : 04/1 ch Date : 04/09			TOTAL CONT	AMINANT	LOAD META	LS 0.080	ppm	ND	PASS	1.1
Analyzed Date					,		ARSENIC			0.020	ppm	ND	PASS	0.2
Dilution : N/A							CADMIUM			0.020	ppm	ND	PASS	0.2
	524.32; 032624.3	36; 031824.R	19				MERCURY			0.020	ppm	ND	PASS	0.2
Consumables :	N/A						LEAD			0.020	ppm	<0.100	PASS	0.5
	mold testing is perf		g MPN and tradit	ional culture base	ed technique	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2572g	Extraction da 04/09/24 17:0			tracted k 022,4056	
accordance with	F.S. Rule 64ER20-3	39.					Analysis Metho Analytical Bato Instrument Us Analyzed Date	ch:DA071 ed:DA-ICP	30.082.FL, SOF 428HEA PMS-004	Review		/10/24 19: 9/24 16:52		
							Dilution : 50	824 R05· 0	132524 R03· 04	0524.R11: 040	824 R16· (140824 B1	7.02052	1 01.

Reagent: 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06 Consumables: 179436; 34623011; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/24



Kaycha Labs

. Supply Shake 14g - Grntz (I) Gruntz (I) Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee revna@crescolabs.com Sample : DA40409007-030 Harvest/Lot ID: 4006 2575 6155 1264 Batch#: 4006 2575 6155 1264

Sampled : 04/09/24 Ordered : 04/09/24

Sample Size Received : 42 gram Total Amount : 426.00 units Completed : 04/12/24 Expires: 04/12/25 Sample Method : SOP.T.20.010



Filth/Foreign Material





Page 5 of 5

Analyte Filth and Foreign Mate	LOI rial 0.1	O Units	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD 1.00	Units %	Result 12.10	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: NA	Extract N/A	ion date:	Extra N/A	cted by:	Analyzed by: 4444, 585, 1440	Weight: 0.504g		Atraction d 4/10/24 15			xtracted by: 444
Analysis Method : SOP.T.4 Analytical Batch : DA0714: Instrument Used : Filth/For Analyzed Date : 04/10/24 (30FIL eign Material M	icroscope		On : 04/11/ :e : 04/10/24	24 10:09:01 4 03:04:12	Analysis Method : SOP.T.40 Analytical Batch : DA07141 Instrument Used : DA-003 M Analyzed Date : 04/10/24 1	7MOI Moisture A	nalyzer		Reviewed On Batch Date :		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 0201 Consumables : N/A Pipette : DA-066	.24.02					
Filth and foreign material insp technologies in accordance w			nspection utilizi	ng naked eye	and microscope	Moisture Content analysis utiliz	zing loss-on	-drying	technology	in accordance	with F.S. R	ule 64ER20-39.
() wa	ter Acti	vity		PAS	SSED							

Analyte Water Activity	-	L OD 0.010	Units aw	Result 0.478	P/F PASS	Action Level
Analyzed by: 4444, 585, 1440	Weight: 1.445g		traction d /10/24 15			tracted by: 144
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA2 Analyzed Date : 04/10	71418WAT 256 Rotronic Hyg	ıroPaln	n	Reviewed Or Batch Date :		
Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/12/24