

Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix: Derivative Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40416009-010

Harvest/Lot ID: 0001 3428 6432 1315

Batch#: 0001 3428 6432 1315

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 0001 3428 6432 1315

Batch Date: 04/09/24

Sample Size Received: 33 units Total Amount: 1250 units

Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram

Servings: 1 Ordered: 04/09/24

Sampled: 04/16/24 Completed: 04/18/24

Sampling Method: SOP.T.20.010

PASSED

22205 Sw Martin Hwy

Apr 18, 2024 | Sunnyside

indiantown, FL, 34956, US



Pages 1 of 6

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **PASSED**



PASSED



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes

TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container: 422.69 mg



Total CBD

Total CBD/Container: 1.34 mg

Reviewed On: 04/17/24 09:20:49

Batch Date: 04/16/24 13:33:27



Total Cannabinoids 90.007%

Total Cannabinoids/Container: 450.04

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.474	0.074	0.267	ND	0.396	2.619	ND	0.975	0.614	ND	0.588
mg/unit	422.37	0.37	1.34	ND	1.98	13.10	ND	4.88	3.07	ND	2.94
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
alyzed by:	5, 1440			Weight: 0.1065q		traction date: 4/16/24 14:30:38			Extrac 1665,	ted by:	

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA071685POT

Instrument Used: DA-LC-003 Analyzed Date: 04/16/24 14:31:32

Dilution: 400

Reagent: 032924.R01; 071222.01; 031524.R01 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40416009-010 Harvest/Lot ID: 0001 3428 6432 1315

Batch#:0001 3428 6432

Sampled: 04/16/24 Ordered: 04/16/24

Sample Size Received: 33 units Total Amount : 1250 units

Completed: 04/18/24 Expires: 04/18/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	10.51	2.101			VALENCENE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	2.16	0.432			ALPHA-CEDRENE		0.007	ND	ND		
IMONENE	0.007	2.00	0.400			ALPHA-PHELLANDRENE		0.007	ND	ND		
BETA-MYRCENE	0.007	1.56	0.312			ALPHA-PINENE		0.007	ND	ND		
INALOOL	0.007	1.05	0.209			ALPHA-TERPINENE		0.007	ND	ND		
ALPHA-BISABOLOL	0.007	1.00	0.200			ALPHA-TERPINOLENE		0.007	ND	ND		
LPHA-HUMULENE	0.007	0.78	0.156			CIS-NEROLIDOL		0.007	ND	ND		
UAIOL	0.007	0.44	0.088			GAMMA-TERPINENE		0.007	ND	ND		
LPHA-TERPINEOL	0.004	0.35	0.069			Analyzed by:	Weight:		Extraction d	late:		Extracted by:
ENCHYL ALCOHOL	0.007	0.34	0.067			3605, 585, 1440	0.2103g		04/16/24 14			3605
ARNESENE	0.001	0.27	0.054			Analysis Method : SOP.T.30.061A.FL, S	OP.T.40.061A.FL					
RANS-NEROLIDOL	0.007	0.23	0.046		Ĩ	Analytical Batch : DA071680TER Instrument Used : DA-GCMS-008					: 04/17/24 09:20:50 04/16/24 12:57:24	
ARYOPHYLLENE OXIDE	0.007	0.19	0.037		İ	Analyzed Date: 04/16/24 14:32:15			Batch	Date:	J4/10/24 12:37:24	
ETA-PINENE	0.007	0.16	0.031			Dilution: 10						
-CARENE	0.007	ND	ND		Ì	Reagent: 022224.01						
ORNEOL	0.013	ND	ND			Consumables: 947.109; 230613-634-D); CE0123					
CAMPHENE	0.007	ND	ND			Pipette : DA-063						
CAMPHOR	0.007	ND	ND			Terpenoid testing is performed utilizing Gas	Chromatography M	iss Spectn	ometry. For all	Flower sa	mpies, the Total Terpenes % I	s ary-weight corrected.
EDROL	0.007	ND	ND									
UCALYPTOL	0.007	ND	ND									
ENCHONE	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
HEXAHYDROTHYMOL	0.007	ND	ND									
SOBORNEOL	0.007	ND	ND									
SOPULEGOL	0.007	ND	ND									
IEROL	0.007	ND	ND									
CIMENE	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
SABINENE	0.007	ND	ND									
SABINENE HYDRATE	0.007	ND	ND									
otal (%)			2.101									

2.101 Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** renee.revna@crescolabs.com Sample : DA40416009-010 Harvest/Lot ID: 0001 3428 6432 1315

Batch#:0001 3428 6432

1315 Sampled: 04/16/24 Ordered: 04/16/24 Sample Size Received: 33 units Total Amount: 1250 units

Completed: 04/18/24 Expires: 04/18/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010) ppm	Level 5	PASS	ND			0.010		Level	DACC	ND
TOTAL DIMETHOMORPH		ppm ppm	0.2	PASS	ND	OXAMYL		0.010		0.5	PASS	ND
TOTAL PERMETHRIN		ppm ppm	0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PYRETHRINS		ppm ppm	0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
		ppm ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINETORAM TOTAL SPINOSAD		ppm ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE		ppm ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL		ppm ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID) ppm	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB		ppm ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
AZOXYSTROBIN		ppm ppm	0.1	PASS	ND	SPIROTETRAMAT						
BIFENAZATE		ppm ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENTHRIN) ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BOSCALID		ppm ppm	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
CARBARYL		ppm ppm	0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBOFURAN		ppm ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE		ppm ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE		ppm ppm	1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS		ppm ppm	0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE		ppm ppm	0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS		ppm ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE		ppm ppm	0.1	PASS	ND			0.010		0.5	PASS	ND
DIAZINON		ppm ppm	0.1	PASS	ND	CYFLUTHRIN *						
DICHLORVOS) ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DIMETHOATE) ppm	0.1	PASS	ND	Analyzed by:	Weight:		ion date:		Extracted	d by:
ETHOPROPHOS) ppm	0.1	PASS	ND	3379, 585, 1440	0.2382g		4 16:58:15	COD T 40 101	3379	,
ETOFENPROX	0.010) ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101 SOP.T.40.102.FL (Davie)	.FL (Gainesville), SC	JP.1.30.10	z.FL (Davie	, SOP.1.40.101	FL (Gainesville),
ETOXAZOLE) ppm	0.1	PASS	ND	Analytical Batch : DA071681PES			Reviewed	On:04/18/24	09:44:26	
FENHEXAMID	0.010) ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003				e:04/16/24 13		
FENOXYCARB	0.010) ppm	0.1	PASS	ND	Analyzed Date : 04/16/24 17:01:	:43					
FENPYROXIMATE	0.010) ppm	0.1	PASS	ND	Dilution: 250						
FIPRONIL	0.010) ppm	0.1	PASS	ND	Reagent: 041624.R13; 040423.	08					
FLONICAMID	0.010) ppm	0.1	PASS	ND	Consumables: 326250IW Pipette: N/A						
FLUDIOXONIL	0.010) ppm	0.1	PASS	ND	Testing for agricultural agents is p	erformed utilizing Lig	nuid Chron	natography 1	rinle-Ouadruno	le Mass Spectror	netry in
HEXYTHIAZOX	0.010) ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20		quiu ciiioii	iacograpity	Tipic Quadrapo	ie mass spectror	
IMAZALIL	0.010) ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted	l by:
IMIDACLOPRID	0.010) ppm	0.4	PASS	ND	450, 585, 1440	0.2382g	04/16/24	16:58:15		3379	
KRESOXIM-METHYL	0.010) ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151						
MALATHION	0.010) ppm	0.2	PASS	ND	Analytical Batch : DA071682V0I				:04/18/24 09:		
METALAXYL	0.010) ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-003 Analyzed Date : 04/16/24 18:07:		Ва	itch Date :	04/16/24 13:09	:03	
METHIOCARB	0.010) ppm	0.1	PASS	ND	Dilution: 250	.50					
METHOMYL	0.010) ppm	0.1	PASS	ND	Reagent: 041624.R13; 040423.	08: 031824.R05: 03	1824.R06				
MEVINPHOS	0.010) ppm	0.1	PASS	ND	Consumables : 326250IW; 1472						
MYCLOBUTANIL	0.010) ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-21	18					
NALED	0.010) ppm	0.25	PASS	ND	Testing for agricultural agents is p		as Chromat	ography Tri	ole-Quadrupole	Mass Spectrome	try in
						accordance with F.S. Rule 64ER20	-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40416009-010 Harvest/Lot ID: 0001 3428 6432 1315

Batch#:0001 3428 6432

Sampled: 04/16/24 Ordered: 04/16/24 Sample Size Received: 33 units Total Amount: 1250 units

Completed: 04/18/24 Expires: 04/18/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

_		

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.02g	Extraction date: 04/17/24 13:21:46			xtracted by: 50

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA071700SOL Instrument Used: DA-GCMS-002

Analyzed Date : $04/16/24\ 17:05:58$ Dilution: 1

Reagent: 030923.29 Consumables: 429651; 304486 Pipette: DA-309 25 uL Syringe 35028 Reviewed On: 04/17/24 14:32:04 Batch Date: 04/16/24 16:22:58

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolabs.com Sample : DA40416009-010 Harvest/Lot ID: 0001 3428 6432 1315

Batch#: 0001 3428 6432

Sampled: 04/16/24 **Ordered**: 04/16/24 Sample Size Received: 33 units Total Amount: 1250 units Completed: 04/18/24 Expires: 04/18/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Ac Le
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.
ECOLI SHIGELLA TOTAL YEAST AND MOLD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2382g	Extraction da 04/16/24 16:			Extracted 3379	l by:

Analyzed by: Weight: **Extraction date:** Extracted by: 3621, 585, 1440 04/16/24 14:41:47 0.9635g

Analysis Method: SOP.T.40.056C. SOP.T.40.058.FL. SOP.T.40.209.FL

Analytical Batch: DA071663MIC

Reviewed On: 04/18/24 Batch Date: 04/16/24

Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block

DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : N/A

Reagent: 032624.16; 032624.18; 041124.R11; 091523.44
Consumables: 7569004028

Pipette: N/A

Analyzed by: 4044, 585, 1440	Weight: 0.9635g	Extraction date: 04/16/24 14:41:47	Extracted by: 3390

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA071689TYM **Reviewed On:** 04/18/24 16:16:58 Instrument Used : Incubator (25-27*C) DA-097 Batch Date: 04/16/24 13:48:41 Analyzed Date : N/A

Reagent: 032624.16; 032624.18; 031824.R19; 041124.R12

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

÷.	

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight:	Extraction da			Extracted	l by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA071683MYC Reviewed On: 04/17/24 09:16:04 Instrument Used : N/A Batch Date: 04/16/24 13:10:26

Analyzed Date: 04/16/24 17:02:08 Dilution: 250

Reagent: 041624.R13; 040423.08 Consumables: 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Reviewed On: 04/17/24 11:00:13 Batch Date: 04/16/24 10:34:24

Analyzed by: 1022, 585, 1440 **Extraction date** 0.2442g 04/16/24 14:43:28 1022 Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA071669HEA Instrument Used : DA-ICPMS-004

Analyzed Date : N/A

Reagent: 032824.R05; 041524.R04; 041524.R01; 041524.R02; 020524.01; 032824.R06

Consumables: 179436; 34623011; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolabs.com Sample : DA40416009-010 Harvest/Lot ID: 0001 3428 6432 1315

Batch#:0001 3428 6432

Sampled: 04/16/24 Ordered: 04/16/24 Sample Size Received: 33 units Total Amount: 1250 units Completed: 04/18/24 Expires: 04/18/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA071728FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 04/17/24 14:57:09 Batch Date: 04/17/24 14:19:49

Analyzed Date : 04/17/24 14:29:37

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 04/17/24 20:17:24

Batch Date: 04/16/24 11:48:43

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.449	PASS	0.85

Extraction date: 04/17/24 13:44:30 Extracted by: 4444 Analyzed by: 4444, 585, 1440 Weight: 1.18g

Analysis Method: SOP.T.40.019 Analytical Batch: DA071675WAT

Instrument Used : DA256 Rotronic HygroPalm Analyzed Date: 04/17/24 13:07:54

Dilution: N/A

Reagent: 022024.29 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/18/24

pass/fail does not include the MU. Any calculated totals may contain rounding errors