

Kaycha Labs

Supply Vape Cartridge 500mg - Face on Fire (S) x Mln Fzz (S)

Face on Fire x Melon fizz Matrix: Derivative Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40416009-012

Harvest/Lot ID: 2063 9069 0001 4784

Batch#: 2063 9069 0001 4784

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 0001 3428 6431 6208

Batch Date: 04/02/24

Sample Size Received: 15.5 gram Total Amount: 2557.00 units Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram

Servings: 1 Ordered: 04/15/24 Sampled: 04/16/24

Completed: 04/18/24 Revision Date: 04/19/24

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 6

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US







Heavy Metals PASSED



Microbials



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



Filth **PASSED**



Water Activity **PASSED**



Moisture



Terpenes TESTED

PASSED



Cannabinoid

Apr 19, 2024 | Sunnyside

Total THC 80.585%

Total THC/Container: 402.93 mg




Total CBD 0.226%

Total CBD/Container: 1.13 mg



Total Cannabinoids 85.401%

Total Cannabinoids/Container: 427.01 ma



04/16/24 14:30:39

Reviewed On: 04/17/24 09:20:57

Batch Date: 04/16/24 13:33:27

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA071685POT

Instrument Used: DA-LC-003 Analyzed Date: 04/16/24 14:31:32

Reagent: 032924.R01; 071222.01; 031524.R01 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 04/18/24



Kaycha Labs

Supply Vape Cartridge 500mg - Face on Fire (S) x Mln Fzz (S)

Face on Fire x Melon fizz Matrix: Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40416009-012 Harvest/Lot ID: 2063 9069 0001 4784

Batch#: 2063 9069 0001

Sampled: 04/16/24 Ordered: 04/16/24

Sample Size Received: 15.5 gram Total Amount: 2557.00 units Completed: 04/18/24 Expires: 04/19/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/un	t %	Result (%)
OTAL TERPENES	0.007	24.85	4.969		SABINENE HYDRATE	0.007	ND	ND	
IMONENE	0.007	7.28	1.455		VALENCENE	0.007	ND ND	ND	
BETA-CARYOPHYLLENE	0.007	5.47	1.093		ALPHA-CEDRENE	0.007	ND ND	ND	
BETA-MYRCENE	0.007	4.87	0.974		ALPHA-PHELLANDRENE	0.007	ND ND	ND	
INALOOL	0.007	1.85	0.369		ALPHA-TERPINENE	0.007	ND	ND	
ETA-PINENE	0.007	1.31	0.262		CIS-NEROLIDOL	0.007	ND ND	ND	
LPHA-BISABOLOL	0.007	0.93	0.186		GAMMA-TERPINENE	0.007	ND ND	ND	
ENCHYL ALCOHOL	0.007	0.77	0.153		TRANS-NEROLIDOL	0.007	ND ND	ND	
LPHA-PINENE	0.007	0.61	0.122		Analyzed by:	Weight:	Extraction	date:	Extracted by:
LPHA-TERPINEOL	0.004	0.60	0.120	i		0.2478g	04/16/24		3605
ARYOPHYLLENE OXIDE	0.007	0.37	0.073	'i	Analysis Method : SOP.T.30.061A.FL, SOP.	T.40.061A.FL			
LPHA-HUMULENE	0.007	0.31	0.061		Analytical Batch : DA071680TER Instrument Used : DA-GCMS-008				04/17/24 09:20:58 4/16/24 12:57:24
GUAIOL	0.007	0.25	0.049		Analyzed Date: 04/16/24 14:32:15		Bat	.n Date : 0	4/10/24 12.37:24
LPHA-TERPINOLENE	0.007	0.16	0.032		Dilution: 10				
AMPHENE	0.007	0.10	0.020		Reagent: 022224.01				
-CARENE	0.007	ND	ND		Consumables: 947.109; 230613-634-D; C	E0123			
ORNEOL	0.013	ND	ND		Pipette : DA-063				
AMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chr	romatography Mass Sp	ectrometry. For a	II Flower sar	nples, the Total Terpenes % is dry-weight corrected.
EDROL	0.007	ND	ND						
UCALYPTOL	0.007	ND	ND						
ARNESENE	0.001	ND	ND						
ENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
IEXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
CIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
OLEGONE									
SABINENE	0.007	ND	ND						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/18/24



Kaycha Labs

Supply Vape Cartridge 500mg - Face on Fire (S) x Mln Fzz (S)

Face on Fire x Melon fizz Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** renee.reyna@crescolabs.com Sample : DA40416009-012 Harvest/Lot ID: 2063 9069 0001 4784

Batch#: 2063 9069 0001

Sampled: 04/16/24 Ordered: 04/16/24 Sample Size Received: 15.5 gram
Total Amount: 2557.00 units

Completed: 04/18/24 Expires: 04/19/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	P. P.	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010	P. P.	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND				0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		ppm		PASS	
CEQUINOCYL	0.010	P. P.	0.1	PASS	ND	PYRIDABEN		ppm	0.2		ND
ETAMIPRID	0.010	P. P.	0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
OXYSTROBIN	0.010	P. P.	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)			0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS PASS	ND	PARATHION-METHYL *		PPM	0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		1		ND			PPM	0.7	PASS	ND
LORPYRIFOS	0.010		0.1	PASS PASS	ND ND	CAPTAN *		PPM	0.7	PASS	ND
OFENTEZINE	0.010			PASS		CHLORDANE *					
UMAPHOS	0.010		0.1		ND	CHLORFENAPYR *		PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010	1.1.	0.1	PASS	ND ND	Analyzed by: Weig	ht: Extrac	tion date:		Extracted	d by:
METHOATE			0.1	PASS	ND	3379, 585, 1440 0.28	lg 04/16/2	24 16:58:15		3379	
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gair	nesville), SOP.T.30.10	02.FL (Davie)	, SOP.T.40.101	FL (Gainesville),
OFENPROX	0.010	P. P.	0.1	PASS	ND	SOP.T.40.102.FL (Davie)			• 04/10/04	00.44.20	
OXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA071681PES Instrument Used : DA-LCMS-003 (PES)			On:04/18/24 (:04/16/24 13		
NHEXAMID NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : 04/16/24 17:01:43		Duten Dute	104/10/24 13	.04.43	
	0.010		0.1	PASS	ND	Dilution: 250					
NPYROXIMATE PRONIL	0.010		0.1	PASS	ND	Reagent: 041624.R13; 040423.08					
ONICAMID	0.010		0.1	PASS	ND	Consumables: 326250IW					
UDIOXONIL	0.010	P. P.	0.1	PASS	ND	Pipette : N/A					
XYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents is performed accordance with F.S. Rule 64ER20-39.	ı utilizing Liquid Chroi	matography T	ripie-Quadrupo	ie mass Spectror	netry in
AZALIL	0.010	P. P.	0.1	PASS	ND	Analyzed by: Weigh	tı Eyteseti	ion date:		Extracted	l hw
IDACLOPRID	0.010		0.1	PASS	ND	450, 585, 1440 0.281d		4 16:58:15		3379	ı ыу:
ESOXIM-METHYL	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gair			e), SOP,T,40.15		
LATHION	0.010		0.2	PASS	ND	Analytical Batch : DA071682VOL	R	eviewed On	:04/18/24 09:	40:17	
TALAXYL	0.010		0.1	PASS	ND	Instrument Used : DA-GCMS-001	В	atch Date :	04/16/24 13:09	:03	
THIOCARB	0.010		0.1	PASS	ND	Analyzed Date : 04/16/24 18:07:50					
THOMYL	0.010	P. P.	0.1	PASS	ND	Dilution: 250	24 DOF 22102 : 22				
VINPHOS	0.010		0.1	PASS	ND	Reagent: 041624.R13; 040423.08; 0318 Consumables: 326250IW; 14725401	324.K05; 031824.R06)			
CLOBUTANIL	0.010	1.1.	0.1	PASS	ND	Pipette : DA-080: DA-146: DA-218					
CLODOTANIL	0.010	ppm	0.25	PASS	ND	pecce . 5.1. 000, 5A 140, 5A 210	dutilizing Gas Chroma				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/18/24



Kaycha Labs

Supply Vape Cartridge 500mg - Face on Fire (S) x Mln Fzz (S) Face on Fire x Melon fizz

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** renee.revna@crescolabs.com Sample : DA40416009-012 Harvest/Lot ID: 2063 9069 0001 4784

Batch#: 2063 9069 0001

Sampled: 04/16/24 Ordered: 04/16/24 Sample Size Received: 15.5 gram
Total Amount: 2557.00 units
Completed: 04/18/24 Expires: 04/19/25
Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

Λ			Б.	п
н	3	J	Е.	u

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0245g	Extraction date: 04/17/24 13:21:47		Ext 850	racted by:)

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA071700SOL Instrument Used: DA-GCMS-002

Instrument Used: DA-GCMS-002 Analyzed Date: 04/16/24 17:05:58 Dilution: 1

Reagent: 030923.29 Consumables: 429651; 304486 Pipette: DA-309 25 uL Syringe 35028 Reviewed On: 04/17/24 14:32:06 Batch Date: 04/16/24 16:22:58

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature

Signature 04/18/24



Kaycha Labs

Supply Vape Cartridge 500mg - Face on Fire (S) x Mln Fzz (S)

Face on Fire x Melon fizz Matrix: Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolabs.com Sample : DA40416009-012 Harvest/Lot ID: 2063 9069 0001 4784

Batch#: 2063 9069 0001

Sampled: 04/16/24 **Ordered**: 04/16/24 Sample Size Received: 15.5 gram Total Amount: 2557.00 units

Completed: 04/18/24 Expires: 04/19/25 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 04/17/24 09:16:08



Microbial

PASSED



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weigh
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 1440	0.281

Analyzed by: Weight: **Extraction date:** Extracted by: 3621, 585, 1440 0.9817g 04/16/24 14:41:48

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA071663MIC **Reviewed On:** 04/18/24

Batch Date: 04/16/24

Extracted by:

Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : N/A

Reagent: 032624.16; 032624.18; 041124.R11; 091523.44
Consumables: 7569004028

Pipette: N/A Analyzed by:

Weight:	Extraction date:	Extra
69004028		

04/16/24 14:41:48

Weight 4044, 585, 1440 0.9817g Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA071689TYM **Reviewed On :** 04/18/24 16:17:00 Instrument Used : Incubator (25-27*C) DA-097 Batch Date: 04/16/24 13:48:41

Analyzed Date : N/A Dilution: N/A

Reagent: 032624.16; 032624.18; 031824.R19; 041124.R12

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

\mathcal{V}°

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN I	32	0.002	ppm	ND	PASS	0.02
AFLATOXIN I	31	0.002	ppm	ND	PASS	0.02
OCHRATOXII	A A	0.002	ppm	ND	PASS	0.02
AFLATOXIN (31	0.002	ppm	ND	PASS	0.02
AFLATOXIN (G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 144		 Extraction da 04/16/24 16:			Extracted 3379	by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA071683MYC

Instrument Used : N/A Batch Date: 04/16/24 13:10:26 Analyzed Date: 04/16/24 17:02:08

Dilution: 250

Reagent: 041624.R13; 040423.08 Consumables: 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONT	AMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Extraction date 04/16/24 14:19:29 0.2326g 1022

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA071669HEA Instrument Used : DA-ICPMS-004 Reviewed On: 04/17/24 11:00:19 Batch Date: 04/16/24 10:34:24 Analyzed Date : N/A

Dilution: 50

Reagent: 032824.R05; 041524.R04; 041524.R01; 041524.R02; 020524.01; 032824.R06

Consumables: 179436; 34623011; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



04/18/24



Kaycha Labs

Supply Vape Cartridge 500mg - Face on Fire (S) x Mln Fzz (S)

Face on Fire x Melon fizz Matrix: Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolabs.com Sample : DA40416009-012 Harvest/Lot ID: 2063 9069 0001 4784

Batch#: 2063 9069 0001

Sampled: 04/16/24 Ordered: 04/16/24 Sample Size Received: 15.5 gram Total Amount: 2557.00 units Completed: 04/18/24 Expires: 04/19/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Reviewed On: 04/17/24 14:57:07 Batch Date: 04/17/24 14:19:49

Reviewed On: 04/17/24 20:17:26

Batch Date: 04/16/24 11:48:43

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA071728FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/17/24 14:29:37

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD (0.010 a	Jnits aw	Result 0.451	P/F PASS	Action Level 0.85
Analyzed by: 4444, 585, 1440	Weight: 1.279g		action d .7/24 13		Ex t	tracted by: 44

Analysis Method: SOP.T.40.019 Analytical Batch: DA071675WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date: 04/17/24 13:07:54

Dilution: N/A Reagent: 022024.29 Consumables : PS-14

Revision: #1

Pipette: N/A Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/18/24