



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40419001-001
Harvest/Lot ID: 0001 3428 6432 2146
Batch#: 0001 3428 6432 2146
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 0001 3428 6432 4404
Batch Date: 04/10/24
Sample Size Received: 12 units
Total Amount: 2269 units
Retail Product Size: 41.5765 gram
Retail Serving Size: 4.1 gram
Servings: 10
Ordered: 04/15/24
Sampled: 04/19/24
Completed: 04/22/24
Sampling Method: SOP.T.20.010

Apr 22, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US




PASSED

Pages 1 of 1

SAFETY RESULTS

								
Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes NOT TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analized by: 1665, 585, 1440	Weight: 3.0507g	Extraction date: 04/19/24 13:45:27	Extracted by: 1665
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031	Reviewed On : 04/22/24 08:14:39
Analytical Batch : DA071784POT	Batch Date : 04/19/24 08:37:04
Instrument Used : DA-LC-007	
Analyzed Date : 04/19/24 13:45:37	

Dilution : 40
Reagent : 032924.R01; 060723.24; 041624.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/22/24