



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40419001-005
Harvest/Lot ID: 0001 3428 6432 4311
Batch#: 0001 3428 6432 4311
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 0001 3428 6432 4311
Batch Date: 04/15/24
Sample Size Received: 16 units
Total Amount: 780 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 04/15/24
Sampled: 04/19/24
Completed: 04/22/24
Sampling Method: SOP.T.20.010

Apr 22, 2024 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

PASSED


Total THC
83.720%

Total THC/Container : 837.20 mg


Total CBD
0.280%

Total CBD/Container : 2.80 mg


Total Cannabinoids
88.692%

Total Cannabinoids/Container : 886.92 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.364	0.407	0.280	ND	0.370	2.139	ND	1.033	0.590	ND	0.509
mg/unit	833.64	4.07	2.80	ND	3.70	21.39	ND	10.33	5.90	ND	5.09
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 1665, 585, 1440

 Weight:
 0.0998g

 Extraction date:
 04/19/24 13:16:31

 Extracted by:
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA071787POT

Instrument Used : DA-LC-002

Analyzed Date : 04/19/24 13:17:36

Reviewed On : 04/22/24 08:08:57

Batch Date : 04/19/24 09:24:28

Dilution : 400

Reagent : 032924.R01; 060723.24; 041624.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 04/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g
Pride
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40419001-005

Harvest/Lot ID: 0001 3428 6432 4311

Batch# : 0001 3428 6432
4311

Sampled : 04/19/24

Ordered : 04/19/24

Sample Size Received : 16 units

Total Amount : 780 units

Completed : 04/22/24 Expires: 04/22/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	53.46	5.346		SABINENE	0.007	ND	ND	
VALENCENE	0.007	14.08	1.408		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	13.31	1.331		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	8.70	0.870		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.92	0.392		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	3.85	0.385		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-MYRCENE	0.007	3.03	0.303		CIS-NEROLIDOL	0.007	ND	ND	
LINALOOL	0.007	1.49	0.149		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.14	0.114		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	0.91	0.091		3605, 585, 1440	0.2272g	04/19/24 13:35:50	3605	
ALPHA-PINENE	0.007	0.75	0.075		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	0.72	0.072		Analytical Batch : DA07197TER			Reviewed On : 04/22/24 09:04:48	
GUAIOL	0.007	0.41	0.041		Instrument Used : DA-GCMS-009			Batch Date : 04/19/24 10:40:42	
GERANIOL	0.007	0.39	0.039		Analyzed Date : 04/19/24 13:36:18				
ALPHA-TERPINEOL	0.004	0.32	0.032		Dilution : 10				
FARNESENE	0.001	0.22	0.022		Reagent : 022224.01				
TRANS-NEROLIDOL	0.007	0.22	0.022		Consumables : 947.109; 230613-634-D; CE0123				
3-CARENE	0.007	ND	ND		Pipette : DA-063				
BORNEOL	0.013	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			5.346						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/22/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40419001-005

Harvest/Lot ID: 0001 3428 6432 4311

 Batch# : 0001 3428 6432
 4311

Sampled : 04/19/24

Ordered : 04/19/24

Sample Size Received : 16 units

Total Amount : 780 units

Completed : 04/22/24 Expires: 04/22/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2693g Extraction date: 04/19/24 16:35:50 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA071818PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 04/19/24 16:38:43 Dilution : 250 Reagent : 041924.R01; 041724.R03; 041624.R13; 041624.R06; 031824.R02; 041724.R01; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g
Pride
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40419001-005

Harvest/Lot ID: 0001 3428 6432 4311

Batch# : 0001 3428 6432
4311

Sampled : 04/19/24

Ordered : 04/19/24

Sample Size Received : 16 units

Total Amount : 780 units

Completed : 04/22/24 Expires: 04/22/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.02g

Extraction date:
04/22/24 15:56:31

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA071826SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 04/22/24 15:53:35

Reviewed On : 04/22/24 16:30:45
Batch Date : 04/19/24 14:09:14

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/22/24



Certificate of Analysis



PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

 Sample : DA40419001-005
 Harvest/Lot ID: 0001 3428 6432 4311
 Batch# : 0001 3428 6432 Sample Size Received : 16 units
 4311 Total Amount : 780 units
 Sampled : 04/19/24 Completed : 04/22/24 Expires: 04/22/25
 Ordered : 04/19/24 Sample Method : SOP.T.20.010


Page 5 of 6

	<h1>Microbial</h1>	<h1>PASSED</h1>
	<h1>Mycotoxins</h1>	<h1>PASSED</h1>

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3621, 585, 1440	Weight: 0.841g	Extraction date: 04/19/24 11:50:46	Extracted by: 3390		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 04/22/24 07:56:12		
Analytical Batch : DA071790MIC			Batch Date : 04/19/24 09:36:02		
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
Analyzed Date : 04/19/24 17:06:59					
Dilution : N/A					
Reagent : 032624.18; 032624.24; 041124.R11; 100223.07					
Consumables : 7569004032					
Pipette : N/A					

Analyzed by: 4451, 585, 1440	Weight: 0.841g	Extraction date: 04/19/24 11:50:46	Extracted by: 3390		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 04/22/24 07:57:04		
Analytical Batch : DA071794TYM			Batch Date : 04/19/24 09:51:55		
Instrument Used : Incubator (25-27°C) DA-097					
Analyzed Date : N/A					
Dilution : N/A					
Reagent : 032624.18; 032624.24; 041124.R12					
Consumables : N/A					
Pipette : N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<h1>Heavy Metals</h1>	<h1>PASSED</h1>			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2662g	Extraction date: 04/19/24 13:18:58	Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			Reviewed On : 04/22/24 08:04:07		
Analytical Batch : DA071801HEA			Batch Date : 04/19/24 10:47:11		
Instrument Used : DA-ICPMS-004					
Analyzed Date : 04/19/24 16:44:17					
Dilution : 50					
Reagent : 032824.R05; 041524.R04; 041524.R02; 020524.01; 032824.R06					
Consumables : 179436; 34623011; 210508058					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g
Pride
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40419001-005

Harvest/Lot ID: 0001 3428 6432 4311

Batch# : 0001 3428 6432
4311

Sampled : 04/19/24

Ordered : 04/19/24

Sample Size Received : 16 units

Total Amount : 780 units

Completed : 04/22/24 Expires: 04/22/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA071821FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/19/24 16:48:27

Reviewed On : 04/19/24 17:07:26

Batch Date : 04/19/24 12:28:18

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.425	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.3814g	Extraction date: 04/20/24 07:16:11	Extracted by: 4056
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA071824WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 04/22/24 07:37:25

Batch Date : 04/19/24 12:40:11

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/22/24