



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40419001-006
Harvest/Lot ID: 0001 3428 6432 3441
Batch#: 0001 3428 6432 3441
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0001 3428 6432 3441
Batch Date: 04/11/24
Sample Size Received: 31 units
Total Amount: 780 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1000
Ordered: 04/11/24
Sampled: 04/19/24
Completed: 04/22/24
Sampling Method: SOP.T.20.010

Apr 22, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

78.820%

Total THC/Container : 394.10 mg



Total CBD

0.213%

Total CBD/Container : 1.07 mg



Total Cannabinoids

86.516%

Total Cannabinoids/Container : 432.58 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	56.821	25.085	0.082	0.150	0.430	1.133	1.874	0.217	0.224	ND	0.500
mg/unit	284.11	125.43	0.41	0.75	2.15	5.67	9.37	1.09	1.12	ND	2.50
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
1665, 585, 1440

Weight:
0.1197g

Extraction date:
04/19/24 13:16:34

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA071787POT
Instrument Used : DA-LC-002
Analyzed Date : 04/19/24 13:17:36

Reviewed On : 04/22/24 08:08:57
Batch Date : 04/19/24 09:24:28

Dilution : 400
Reagent : 032924.R01; 060723.24; 041624.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
04/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Dark Rnbw (S)
Dark Rainbow
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40419001-006

Harvest/Lot ID: 0001 3428 6432 3441

Batch# : 0001 3428 6432
3441

Sampled : 04/19/24
Ordered : 04/19/24

Sample Size Received : 31 units

Total Amount : 780 units

Completed : 04/22/24 Expires: 04/22/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	36.52	7.304		SABINENE	0.007	ND	ND	
LIMONENE	0.007	10.95	2.190		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	7.26	1.452		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	6.03	1.205		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.62	0.523		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	1.78	0.355		ALPHA-TERPINENE	0.007	ND	ND	
GUAIOL	0.007	1.46	0.292		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	1.37	0.273		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.20	0.239		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-BISABOLOL	0.007	1.15	0.229		3605, 585, 1440	0.2143g	04/19/24 13:35:51	3605	
ALPHA-TERPINEOL	0.004	0.98	0.196		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	0.41	0.082		Analytical Batch : DA07197TER			Reviewed On : 04/22/24 09:04:50	
BETA-PINENE	0.007	0.40	0.079		Instrument Used : DA-GCMS-009			Batch Date : 04/19/24 10:40:42	
TRANS-NEROLIDOL	0.007	0.39	0.078		Analyzed Date : 04/19/24 13:36:18				
CAMPENE	0.007	0.21	0.042		Dilution : 10				
ALPHA-TERPINOLENE	0.007	0.18	0.036		Reagent : 022224.01				
FARNESENE	0.001	0.17	0.033		Consumables : 947.109; 230613-634-D; CE0123				
3-CARENE	0.007	ND	ND		Pipette : DA-063				
CAMPOR	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			7.304						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Dark Rnbw (S)

Dark Rainbow

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40419001-006

Harvest/Lot ID: 0001 3428 6432 3441

Batch# : 0001 3428 6432
3441

Sampled : 04/19/24

Ordered : 04/19/24

Sample Size Received : 31 units

Total Amount : 780 units

Completed : 04/22/24 Expires: 04/22/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2306g	Extraction date: 04/19/24 16:35:51	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071818PES		Reviewed On : 04/22/24 11:54:48			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 04/19/24 11:47:55			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/19/24 16:38:43					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 041924.R01; 041724.R03; 041624.R13; 041624.R06; 031824.R02; 041724.R01; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2306g	Extraction date: 04/19/24 16:35:51	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071820VOL		Reviewed On : 04/22/24 11:53:35			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 04/19/24 11:51:30			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 04/19/24 18:40:26					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 041624.R13; 040423.08; 041724.R34; 041724.R35					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Dark Rnbw (S)

Dark Rainbow

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40419001-006

Harvest/Lot ID: 0001 3428 6432 3441

Batch# : 0001 3428 6432
3441

Sampled : 04/19/24

Ordered : 04/19/24

Sample Size Received : 31 units

Total Amount : 780 units

Completed : 04/22/24 Expires: 04/22/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	0.550
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0232g

Extraction date:
04/22/24 15:56:32

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA071826SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 04/22/24 15:53:35

Reviewed On : 04/22/24 16:40:16
Batch Date : 04/19/24 14:09:14

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Dark Rnbw (S)

Dark Rainbow

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40419001-006

Harvest/Lot ID: 0001 3428 6432 3441

Batch# : 0001 3428 6432
3441

Sampled : 04/19/24
Ordered : 04/19/24


Sample Size Received : 31 units


Total Amount : 780 units


Completed : 04/22/24 Expires: 04/22/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED										
Analyte	LOD	Units	Result	Pass / Fail	Action Level							
ASPERGILLUS TERREUS			Not Present	PASS								
ASPERGILLUS NIGER			Not Present	PASS								
ASPERGILLUS FUMIGATUS			Not Present	PASS								
ASPERGILLUS FLAVUS			Not Present	PASS								
SALMONELLA SPECIFIC GENE			Not Present	PASS								
ECOLI SHIGELLA			Not Present	PASS								
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9159g	Extraction date: 04/19/24 11:50:47	Extracted by: 3390	Reviewed On : 04/22/24 07:56:12								
Analytical Batch : DA071790MIC	Batch Date : 04/19/24 09:36:02											
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021												
Analyzed Date : 04/19/24 17:06:59												
Dilution : N/A												
Reagent : 032624.18; 032624.24; 041124.R11; 100223.07												
Consumables : 7569004032												
Pipette : N/A												
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 0.9159g	Extraction date: 04/19/24 11:50:47	Extracted by: 3390	Reviewed On : 04/22/24 07:57:05								
Analytical Batch : DA071794TYM	Batch Date : 04/19/24 09:51:55											
Instrument Used : Incubator (25-27°C) DA-097												
Analyzed Date : N/A												
Dilution : N/A												
Reagent : 032624.18; 032624.24; 041124.R12												
Consumables : N/A												
Pipette : N/A												
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.												

	Mycotoxins	PASSED										
Analyte	LOD	Units	Result	Pass / Fail	Action Level							
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02							
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02							
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02							
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02							
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02							
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.2306g	Extraction date: 04/19/24 16:35:51	Extracted by: 3379	Reviewed On : 04/22/24 10:57:03								
Analytical Batch : DA071819MYC	Batch Date : 04/19/24 11:51:28											
Instrument Used : N/A												
Analyzed Date : 04/19/24 16:39:45												
Dilution : 250												
Reagent : 041924.R01; 041724.R03; 041624.R13; 041624.R06; 031824.R02; 041724.R01; 040423.08												
Consumables : 326250IW												
Pipette : DA-093; DA-094; DA-219												
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												

	Heavy Metals	PASSED										
Metal	LOD	Units	Result	Pass / Fail	Action Level							
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1							
ARSENIC	0.020	ppm	ND	PASS	0.2							
CADMIUM	0.020	ppm	ND	PASS	0.2							
MERCURY	0.020	ppm	ND	PASS	0.2							
LEAD	0.020	ppm	ND	PASS	0.5							
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2593g	Extraction date: 04/19/24 13:13:28	Extracted by: 1022,4056	Reviewed On : 04/22/24 08:04:07								
Analytical Batch : DA071801HEA	Batch Date : 04/19/24 10:47:11											
Instrument Used : DA-ICPMS-004												
Analyzed Date : 04/19/24 16:44:17												
Dilution : 50												
Reagent : 032824.R05; 041524.R04; 041524.R01; 041524.R02; 020524.01; 032824.R06												
Consumables : 179436; 34623011; 210508058												
Pipette : DA-061; DA-191; DA-216												
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Dark Rnbw (S)
Dark Rainbow
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40419001-006

Harvest/Lot ID: 0001 3428 6432 3441

Batch# : 0001 3428 6432
3441

Sampled : 04/19/24

Ordered : 04/19/24

Sample Size Received : 31 units

Total Amount : 780 units

Completed : 04/22/24 Expires: 04/22/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filtration/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA071821FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 04/19/24 16:48:27

Reviewed On : 04/19/24 17:07:25

Batch Date : 04/19/24 12:28:18

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.432	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.5008g	Extraction date: 04/20/24 07:16:11	Extracted by: 4056
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA071824WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 04/22/24 07:37:26

Batch Date : 04/19/24 12:40:11

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/22/24