



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40423001-005
 Harvest/Lot ID: 2063 9069 0001 0135
 Batch#: 2063 9069 0001 0135
 Cultivation Facility: FL - Indiantown (3734)
 Processing Facility: FL - Indiantown (3734)
 Source Facility: FL - Indiantown (3734)
 Seed to Sale# 0001 3428 6432 2398
 Batch Date: 04/08/24
 Sample Size Received: 16 gram
 Total Amount: 1688 units
 Retail Product Size: 1 gram
 Retail Serving Size: 1 gram
 Servings: 1
 Ordered: 04/10/24
 Sampled: 04/23/24
 Completed: 04/25/24
 Sampling Method: SOP.T.20.010



Apr 25, 2024 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED


Pages 1 of 6

SAFETY RESULTS

								
Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

MISC.

 **Cannabinoid** **PASSED**



Analized by: 3335, 1665, 585, 1440	Weight: 0.089g	Extraction date: 04/23/24 13:38:16	Extracted by: 3335
---------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031	Reviewed On : 04/24/24 09:26:45
Analytical Batch : DA071911POT	Batch Date : 04/23/24 10:22:48
Instrument Used : DA-LC-002	
Analized Date : 04/23/24 13:41:19	

Dilution : 400
 Reagent : 032924.R01; 060723.24; 041624.R01
 Consumables : 927.100; 280670723; CE0123; 0000185478
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 04/25/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40423001-005
Harvest/Lot ID: 2063 9069 0001 0135

Batch# : 2063 9069 0001 Sample Size Received : 16 gram
0135 Total Amount : 1688 units
Sampled : 04/23/24 Completed : 04/25/24 Expires: 04/25/25
Ordered : 04/23/24 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	37.70	3.770	ALPHA-CEDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	16.14	1.614	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	5.49	0.549	ALPHA-PINENE	0.007	ND	ND
LIMONENE	0.007	3.41	0.341	ALPHA-TERPINENE	0.007	ND	ND
FARNESENE	0.001	2.78	0.278	ALPHA-TERPINOLENE	0.007	ND	ND
LINALOOL	0.007	2.69	0.269	BETA-PINENE	0.007	ND	ND
BETA-MYRCENE	0.007	2.35	0.235	CIS-NEROLIDOL	0.007	ND	ND
TRANS-NEROLIDOL	0.007	1.53	0.153	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	1.34	0.134				
ALPHA-BISABOLOL	0.007	1.19	0.119	Analysis by:	Weight:	Extraction date:	Extracted by:
ALPHA-TERPINEOL	0.004	0.49	0.049	3605, 585, 1440	0.2495g	04/23/24 14:08:23	3605
CARYOPHYLLENE OXIDE	0.007	0.29	0.029	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
3-CARENE	0.007	ND	ND	Analytical Batch : DA071899TER		Reviewed On : 04/24/24 09:26:47	Batch Date : 04/23/24 09:10:26
BORNEOL	0.013	ND	ND	Instrument Used : DA-GCMS-008			
CAMPHENE	0.007	ND	ND	Analyzed Date : 04/23/24 14:08:46			
CAMPHOR	0.007	ND	ND	Dilution : 10			
CEDROL	0.007	ND	ND	Reagent : 022224.01			
EUCALYPTOL	0.007	ND	ND	Consumables : 947.109; 230613-634-D; CE0123			
FENCHONE	0.007	ND	ND	Pipette : DA-063			
GERANIOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
Total (%)			3.770				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/25/24



Certificate of Analysis

PASSED

Sunnyside

Sample : DA40423001-005
Harvest/Lot ID: 2063 9069 0001 0135

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Batch# : 2063 9069 0001 Sample Size Received : 16 gram
0135 Total Amount : 1688 units
Sampled : 04/23/24 Completed : 04/25/24 Expires: 04/25/25
Ordered : 04/23/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2185g	Extraction date: 04/23/24 15:44:57	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071915PES			Reviewed On : 04/24/24 12:14:17		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 04/23/24 10:32:07		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/23/24 15:50:37					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 041624.R13; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2185g	Extraction date: 04/23/24 15:44:57	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071917VOL			Reviewed On : 04/24/24 12:06:06		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date : 04/23/24 10:34:20		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 04/23/24 15:52:00					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 041624.R13; 040423.08; 041724.R34; 041724.R35					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/25/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40423001-005

 Harvest/Lot ID: 2063 9069 0001 0135
 Batch# : 2063 9069 0001 0135
 Sample Size Received : 16 gram
 Total Amount : 1688 units
 Completed : 04/25/24 Expires: 04/25/25
 Ordered : 04/23/24
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	3120.358
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0273g	Extraction date: 04/24/24 16:02:03	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07194450L Instrument Used : DA-GCMS-002 Analyzed Date : 04/23/24 15:38:29	Reviewed On : 04/24/24 18:07:08 Batch Date : 04/23/24 15:06:05
---	---

Dilution : 1
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40423001-005

Harvest/Lot ID: 2063 9069 0001 0135

 Batch# : 2063 9069 0001 Sample Size Received : 16 gram
 0135 Total Amount : 1688 units
 Sampled : 04/23/24 Completed : 04/25/24 Expires: 04/25/25
 Ordered : 04/23/24 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

 Analyzed by: 3390, 585, 1440 Weight: 0.9279g Extraction date: 04/23/24 11:23:34 Extracted by: 3390
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA071904MIC Reviewed On : 04/25/24 07:17:38 Batch Date : 04/23/24

 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
 Analyzed Date : 04/23/24 14:45:40

 Dilution : N/A
 Reagent : 041124.88; 041124.89; 041924.R15; 100223.07
 Consumables : 7569004029
 Pipette : N/A

Analyzed by: 3390, 4451, 585, 1440 Weight: 0.9279g Extraction date: 04/23/24 11:23:34 Extracted by: 3390

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA071905TYM Reviewed On : 04/25/24 16:02:46 Batch Date : 04/23/24 09:23:00
 Instrument Used : Incubator (25-27°C) DA-096
 Analyzed Date : 04/23/24 15:59:12

 Dilution : N/A
 Reagent : 041124.88; 041124.89; 041124.R12
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 Weight: 0.2185g Extraction date: 04/23/24 15:44:57 Extracted by: 3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

 Analytical Batch : DA071918MYC Reviewed On : 04/24/24 12:15:13
 Instrument Used : N/A Batch Date : 04/23/24 10:35:48
 Analyzed Date : 04/23/24 15:58:11

 Dilution : 250
 Reagent : 041624.R13; 040423.08
 Consumables : 326250IW
 Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2871g Extraction date: 04/23/24 13:06:39 Extracted by: 1022

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA071913HEA Reviewed On : 04/24/24 11:39:30
 Instrument Used : DA-ICPMS-004 Batch Date : 04/23/24 10:27:16
 Analyzed Date : 04/24/24 11:04:01

 Dilution : 50
 Reagent : 032824.R05; 042224.R01; 041524.R04; 042224.R03; 042224.R02; 020524.01; 041224.R10
 Consumables : 179436; 34623011; 210508058
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40423001-005

Harvest/Lot ID: 2063 9069 0001 0135

Batch# : 2063 9069 0001
0135

Sampled : 04/23/24

Ordered : 04/23/24

Sample Size Received : 16 gram

Total Amount : 1688 units

Completed : 04/25/24 Expires: 04/25/25

Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA071980FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 04/24/24 21:14:54

Reviewed On : 04/24/24 21:48:12
Batch Date : 04/24/24 10:47:31

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.453	PASS	0.85

Analyzed by: 795, 585, 1440	Weight: 0.4864g	Extraction date: 04/23/24 20:34:10	Extracted by: 795
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA071928WAT
Instrument Used : DA256 Rotronic HygroPalm
Analyzed Date : N/A

Reviewed On : 04/24/24 08:52:58
Batch Date : 04/23/24 12:02:06

Dilution : N/A
Reagent : 022024.29
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

