

# **Kaycha Labs**

Supply Crumble Wax 1g - Red Blz (H)

Red Bullz

Matrix: Derivative Type: Crumble



# **Certificate of Analysis**

# **COMPLIANCE FOR RETAIL**



Sample:DA40423001-006

Harvest/Lot ID: 2063 9069 0001 4790

Batch#: 2063 9069 0001 4790

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 0001 3428 6432 5344

Batch Date: 04/15/24

Sample Size Received: 16 gram

Total Amount: 448 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 04/17/24 Sampled: 04/23/24

Completed: 04/25/24

Sampling Method: SOP.T.20.010

# **PASSED**

#### Pages 1 of 6

# indiantown, FL, 34956, US SAFETY RESULTS

22205 Sw Martin Hwy



Pesticides **PASSED** 



**Heavy Metals PASSED** 



Microbials **PASSED** 



Mycotoxins **PASSED** 



Sunnyside

Residuals Solvents **PASSED** 



**PASSED** 



Water Activity **PASSED** 



**NOT TESTED** 





**Terpenes TESTED** 

**PASSED** 



### Cannabinoid

Apr 25, 2024 | Sunnyside

**Total THC** 

Total THC/Container: 831.07 mg



**Total CBD** 

Total CBD/Container: 1.95 mg

Reviewed On: 04/24/24 09:26:53

Batch Date: 04/23/24 10:22:48



**Total Cannabinoids** 

Total Cannabinoids/Container: 953.08 mg

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA071911POT

Instrument Used: DA-LC-002

Analyzed Date: 04/23/24 13:41:19

Dilution: 400

Reagent: 032924.R01; 060723.24; 041624.R01 Consumables: 927.100; 280670723; CE0123; 0000185478

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 04/25/24



#### **Kaycha Labs**

Supply Crumble Wax 1g - Red Blz (H)

Red Bullz

Matrix : Derivative Type: Crumble



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** renee.revna@crescolabs.com Sample : DA40423001-006 Harvest/Lot ID: 2063 9069 0001 4790

Batch#: 2063 9069 0001

4790 Sampled: 04/23/24 Ordered: 04/23/24 Sample Size Received: 16 gram
Total Amount: 448 units

Completed: 04/25/24 Expires: 04/25/25 Sample Method: SOP.T.20.010

Page 2 of 6



# **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	: %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	30.89	3.089			ALPHA-PHELLANDRENE		0.007	ND	ND	
BETA-MYRCENE	0.007	12.46	1.246			ALPHA-PINENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	6.16	0.616			ALPHA-TERPINENE		0.007	ND	ND	
LIMONENE	0.007	3.17	0.317			ALPHA-TERPINEOL		0.004	ND	ND	
OCIMENE	0.007	2.80	0.280			ALPHA-TERPINOLENE		0.007	ND	ND	
FARNESENE	0.001	2.65	0.265			CIS-NEROLIDOL		0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.00	0.200			GAMMA-TERPINENE		0.007	ND	ND	
LINALOOL	0.007	0.94	0.094			TRANS-NEROLIDOL		0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.40	0.040		Ī	Analyzed by:	Weight:		Extraction d	late:	Extracted by:
BETA-PINENE	0.007	0.31	0.031		i	3605, 585, 1440	0.2477g		04/23/24 14		3605
3-CARENE	0.007	ND	ND			Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL				
BORNEOL	0.013	ND	ND			Analytical Batch : DA071899TER					14/24/24 09:26:55
CAMPHENE	0.007	ND	ND			Instrument Used : DA-GCMS-008 Analyzed Date : 04/23/24 14:08:46			Batci	1 Date : U4,	23/24 09:10:26
CAMPHOR	0.007	ND	ND			Dilution: 10					
CARYOPHYLLENE OXIDE	0.007	ND	ND			Reagent : 022224.01					
CEDROL	0.007	ND	ND			Consumables: 947.109; 230613-634-D;	CE0123				
EUCALYPTOL	0.007	ND	ND			Pipette : DA-063					
FENCHONE	0.007	ND	ND			Terpenoid testing is performed utilizing Gas C	Chromatography N	lass Specti	rometry. For all	Flower sam	oles, the Total Terpenes % is dry-weight corrected.
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND								
VALENCENE	0.007	ND	ND								
ALPHA-BISABOLOL	0.007	ND	ND								
ALPHA-CEDRENE	0.007	ND	ND								
Total (%)			3.089								

Total (%) 3.08

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/25/24



#### **Kaycha Labs**

Supply Crumble Wax 1g - Red Blz (H)

Red Bullz

Matrix : Derivative Type: Crumble



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** renee.revna@crescolabs.com Sample : DA40423001-006 Harvest/Lot ID: 2063 9069 0001 4790

Batch#: 2063 9069 0001

4/90 Sampled: 04/23/24 Ordered: 04/23/24

Sample Size Received: 16 gram
Total Amount: 448 units

Completed: 04/25/24 Expires: 04/25/25 Sample Method: SOP.T.20.010 Page 3 of 6



#### **Pesticides**

## **PASSED**

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	) ppm	Level 5	PASS	ND			0.010		Level	DACC	ND
TOTAL DIMETHOMORPH		ppm ppm	0.2	PASS	ND	OXAMYL		0.010		0.5	PASS	ND
TOTAL PERMETHRIN		ppm ppm	0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PYRETHRINS		ppm ppm	0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL SPINETORAM		ppm ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAD		ppm ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE		ppm ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL		ppm ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID		) ppm	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB		ppm ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
AZOXYSTROBIN		ppm ppm	0.1	PASS	ND	SPIROTETRAMAT						
BIFENAZATE		ppm ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENTHRIN		ppm )	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BOSCALID		ppm ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CARBARYL		ppm ppm	0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBOFURAN		ppm ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE		ppm ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE		ppm ppm	1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS		ppm ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE		) ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS		ppm ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE		) ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DIAZINON		) ppm	0.1	PASS	ND					0.5	PASS	
DICHLORVOS		) ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5		ND
DIMETHOATE		) ppm	0.1	PASS	ND	Analyzed by:	Weight:		tion date:		Extracted	d by:
ETHOPROPHOS	0.010	) ppm	0.1	PASS	ND	3379, 585, 1440	0.2844g		24 15:44:57	CORT 40 101	3379	\
ETOFENPROX	0.010	) ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101 SOP.T.40.102.FL (Davie)	rL (Gainesville), SC	JP.1.30.10	Z.FL (Davie	, SUP.1.40.101	rL (Gainesville	),
ETOXAZOLE	0.010	) ppm	0.1	PASS	ND	Analytical Batch : DA071915PES	5		Reviewed	On: 04/24/24	12:14:19	
FENHEXAMID	0.010	) ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003	B (PES)		Batch Dat	e:04/23/24 10	:32:07	
FENOXYCARB	0.010	) ppm	0.1	PASS	ND	Analyzed Date : 04/23/24 15:50	:37					
FENPYROXIMATE	0.010	) ppm	0.1	PASS	ND	Dilution: 250						
FIPRONIL	0.010	) ppm	0.1	PASS	ND	Reagent: 041624.R13; 040423.	.08					
FLONICAMID	0.010	) ppm	0.1	PASS	ND	Consumables: 3262501W Pipette: N/A						
FLUDIOXONIL	0.010	) ppm	0.1	PASS	ND	Testing for agricultural agents is p	erformed utilizing Li	auid Chron	natography 1	rinle-Ouadruno	le Mass Spectror	netry in
HEXYTHIAZOX	0.010	) ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20		quiu ciiioii	iacograpity i	Tipic Quadrapo	ie mass spectror	
IMAZALIL	0.010	) ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted	l by:
IMIDACLOPRID	0.010	) ppm	0.4	PASS	ND	450, 585, 1440	0.2844g	04/23/24	15:44:57		3379	
KRESOXIM-METHYL	0.010	) ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151						
MALATHION	0.010	) ppm	0.2	PASS	ND	Analytical Batch : DA071917V0				:04/24/24 12:		
METALAXYL	0.010	) ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-01 Analyzed Date : 04/23/24 15:52		Ва	iten patë :	04/23/24 10:34	.20	
METHIOCARB	0.010	) ppm	0.1	PASS	ND	Dilution : 250	.00					
METHOMYL	0.010	) ppm	0.1	PASS	ND	Reagent: 041624.R13; 040423.	.08: 041724.R34· 04	1724.R35				
MEVINPHOS	0.010	) ppm	0.1	PASS	ND	Consumables: 326250IW; 1472						
MYCLOBUTANIL	0.010	) ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-2	18					
NALED	0.010	) ppm	0.25	PASS	ND	Testing for agricultural agents is p		as Chromat	tography Tri	ole-Quadrupole	Mass Spectrome	try in
						accordance with F.S. Rule 64ER20	-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 04/25/24



#### **Kaycha Labs**

Supply Crumble Wax 1g - Red Blz (H)

Red Bullz

Matrix : Derivative Type: Crumble



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** renee.revna@crescolabs.com Sample : DA40423001-006 Harvest/Lot ID: 2063 9069 0001 4790

Batch# : 2063 9069 0001

Sampled: 04/23/24 Ordered: 04/23/24 Sample Size Received: 16 gram
Total Amount: 448 units

Completed: 04/25/24 Expires: 04/25/25 Sample Method: SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

л		_	п
н	Э	Е.	ш
-	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0272g	Extraction date: 04/24/24 16:02:03		<b>Ex</b> t 85	tracted by: 0

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA071944SOL Instrument Used : DA-GCMS-002 Analyzed Date : 04/23/24 15:38:29

Dilution: 1
Reagent: N/A
Consumables: N/A

Pipette : N/A

**Reviewed On:** 04/24/24 18:08:12 **Batch Date:** 04/23/24 15:06:05

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 04/25/24



#### **Kaycha Labs**

Supply Crumble Wax 1g - Red Blz (H)

Red Bullz

Matrix: Derivative Type: Crumble



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolabs.com Sample : DA40423001-006 Harvest/Lot ID: 2063 9069 0001 4790

Batch#: 2063 9069 0001

Sampled: 04/23/24 Ordered: 04/23/24 Sample Size Received: 16 gram Total Amount: 448 units

Completed: 04/25/24 Expires: 04/25/25 Sample Method: SOP.T.20.010

Page 5 of 6



### **Microbial**



# **Mycotoxins**

# **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 585, 1440 0.9799g 04/23/24 11:23:35

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA071904MIC Reviewed On: 04/25/24

07:17:38 Batch Date: 04/23/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:21:13

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

**Analyzed Date :** 04/23/24 14:45:40

Dilution: N/A

Reagent: 041124.88; 041124.89; 041924.R15; 100223.07

Consumables: 7569004029

Pipette: N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440	Weight: 0.2844a	Extraction da 04/23/24 15:			Extracte 3379	d by:	
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA071918MYC

Reviewed On: 04/24/24 12:15:15 Instrument Used : N/A Batch Date: 04/23/24 10:35:48 Analyzed Date: 04/23/24 15:58:11

Dilution: 250

Reagent: 041624.R13; 040423.08

Consumables: 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

### **PASSED**

Analyzed by: 3390, 4451, 585, 1440	<b>Weight:</b> 0.9799g	Extraction date: 04/23/24 11:23:35	Extracted by: 3390
Analysis Method: SOP.T.40 Analytical Batch: DA071905 Instrument Used: Incubator Analyzed Date: 04/23/24 15	TYM (25-27*C) DA-0	Reviewed On: 0	)4/25/24 16:02:46 /23/24 09:23:00
Dilution: N/A Reagent: 041124.88; 04112 Consumables: N/A Pipette: N/A	4.89; 041124.R	12	
Total yeast and mold testing is accordance with F.S. Rule 64ER		MPN and traditional culture b	ased techniques in

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINAN	T LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	<b>Weight:</b> 0.2307g		Extraction date: Extracte 04/23/24 13:07:24 1022			l by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA071913HEA Instrument Used : DA-ICPMS-004 Reviewed On: 04/24/24 11:39:32 Batch Date: 04/23/24 10:27:16

Analyzed Date: 04/24/24 11:04:01

Dilution: 50 Reagent: 032824.R05; 042224.R01; 041524.R04; 042224.R03; 042224.R02; 020524.01;

Consumables: 179436: 34623011: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/25/24



#### **Kaycha Labs**

Supply Crumble Wax 1g - Red Blz (H)

Red Bullz

Matrix: Derivative Type: Crumble



# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolabs.com Sample : DA40423001-006 Harvest/Lot ID: 2063 9069 0001 4790

Batch#: 2063 9069 0001

Sampled: 04/23/24 Ordered: 04/23/24 Sample Size Received: 16 gram Total Amount: 448 units Completed: 04/25/24 Expires: 04/25/25 Sample Method: SOP.T.20.010

Page 6 of 6



### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA071980FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 04/24/24 21:48:12 Batch Date: 04/24/24 10:47:31

Analyzed Date : 04/24/24 21:14:54

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

Analyte LOD Units Result P/F **Action Level** 0.424 PASS Water Activity 0.010 aw 0.85

Extracted by: 795 Extraction date: 04/23/24 20:34:10 Analyzed by: 795, 585, 1440 **Weight:** 0.6639g

Analysis Method : SOP.T.40.019 Analytical Batch: DA071928WAT

Reviewed On: 04/24/24 08:59:38 Instrument Used : DA256 Rotronic HygroPalm Batch Date: 04/23/24 12:02:06

Analyzed Date : N/A Dilution: N/A

Reagent: 022024.29 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/25/24