



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40423001-008
Harvest/Lot ID: 0001 3428 6432 5341
Batch#: 0001 3428 6432 5341
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0001 3428 6432 5341
Batch Date: 04/17/24
Sample Size Received: 16 gram
Total Amount: 610 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 04/17/24
Sampled: 04/23/24
Completed: 04/25/24
Sampling Method: SOP.T.20.010

Apr 25, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

87.620%

Total THC/Container : 876.20 mg



Total CBD

0.250%

Total CBD/Container : 2.50 mg



Total Cannabinoids

92.288%

Total Cannabinoids/Container : 922.88 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.548	0.083	0.250	ND	0.400	2.035	ND	0.921	0.630	ND	0.421
mg/unit	875.48	0.83	2.50	ND	4.00	20.35	ND	9.21	6.30	ND	4.21
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 1440

Weight:
0.1054g

Extraction date:
04/23/24 13:38:17

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA071911POT

Instrument Used : DA-LC-002

Analized Date : 04/23/24 13:41:19

Reviewed On : 04/24/24 09:27:03

Batch Date : 04/23/24 10:22:48

Dilution : 400

Reagent : 032924.R01; 060723.24; 041624.R01

Consumables : 927.100; 280670723; CE0123; 0000185478

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
04/25/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 1g
Vegas
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40423001-008

Harvest/Lot ID: 0001 3428 6432 5341

Batch# : 0001 3428 6432
5341

Sampled : 04/23/24

Ordered : 04/23/24

Sample Size Received : 16 gram

Total Amount : 610 units

Completed : 04/25/24 Expires: 04/25/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	58.36	5.836		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	18.51	1.851		SABINENE	0.007	ND	ND	
LIMONENE	0.007	11.67	1.167		SABINENE HYDRATE	0.007	ND	ND	
LINALOOL	0.007	5.09	0.509		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	5.03	0.503		ALPHA-PHELLANDRENE	0.007	ND	ND	
VALENCENE	0.007	4.06	0.406		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	3.54	0.354		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.42	0.242		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.77	0.177		Analysis by:	Weight:	Extraction date:	Extracted by:	
HEXAHYDROTHYMOL	0.007	1.54	0.154		3605, 585, 1440	0.2429g	04/23/24 14:08:24	3605	
FENCHYL ALCOHOL	0.007	1.08	0.108		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	1.01	0.101		Analytical Batch : DA071899TER			Reviewed On : 04/24/24 09:27:06	
ALPHA-TERPINEOL	0.004	0.81	0.081		Instrument Used : DA-GCMS-008			Batch Date : 04/23/24 09:10:26	
CARYOPHYLLENE OXIDE	0.007	0.53	0.053		Analysis Date : 04/23/24 14:08:46				
GUAJOL	0.007	0.42	0.042		Dilution : 10				
ALPHA-TERPINOLENE	0.007	0.39	0.039		Reagent : 022224.01				
TRANS-NEROLIDOL	0.007	0.26	0.026		Consumables : 947.109; 230613-634-D; CE0123				
3-CARENE	0.007	0.23	0.023		Pipette : DA-063				
BORNEOL	0.013	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
Total (%)			5.836						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/25/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 1g

Vegas

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40423001-008

Harvest/Lot ID: 0001 3428 6432 5341

Batch# : 0001 3428 6432
5341

Sampled : 04/23/24

Ordered : 04/23/24

Sample Size Received : 16 gram

Total Amount : 610 units

Completed : 04/25/24 Expires: 04/25/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2107g	04/23/24 15:44:58	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071915PES		Reviewed On : 04/24/24 12:14:22			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 04/23/24 10:32:07			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/23/24 15:50:37					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 041624.R13; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2107g	04/23/24 15:44:58	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA071917VOL		Reviewed On : 04/24/24 12:06:08			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 04/23/24 10:34:20			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/23/24 15:52:00					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 041624.R13; 040423.08; 041724.R34; 041724.R35					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/25/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 1g
Vegas
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40423001-008

Harvest/Lot ID: 0001 3428 6432 5341

Batch# : 0001 3428 6432
5341

Sampled : 04/23/24
Ordered : 04/23/24

Sample Size Received : 16 gram

Total Amount : 610 units

Completed : 04/25/24 Expires: 04/25/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0214g

Extraction date:
04/24/24 16:02:04

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07194450L
Instrument Used : DA-GCMS-002
Analyzed Date : 04/23/24 15:38:29

Reviewed On : 04/24/24 18:09:58
Batch Date : 04/23/24 15:06:05

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/25/24



Certificate of Analysis




PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

 Sample : DA40423001-008
 Harvest/Lot ID: 0001 3428 6432 5341
 Batch# : 0001 3428 6432 5341
 Sample Size Received : 16 gram
 Total Amount : 610 units
 Completed : 04/25/24 Expires: 04/25/25
 Sample Method : SOP.T.20.010
 Sampled : 04/23/24
 Ordered : 04/23/24

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
Analyte			Analyte		
LOD			LOD		
Units			Units		
Result			Result		
Pass / Fail			Pass / Fail		
Action Level			Action Level		
ASPERGILLUS TERREUS			AFLATOXIN B2		
ASPERGILLUS NIGER			AFLATOXIN B1		
ASPERGILLUS FUMIGATUS			OCHRATOXIN A		
ASPERGILLUS FLAVUS			AFLATOXIN G1		
SALMONELLA SPECIFIC GENE			AFLATOXIN G2		
ECOLI SHIGELLA					
TOTAL YEAST AND MOLD					
10			CFU/g		
<10			PASS		
100000					
Analyzed by: 3390, 585, 1440			Weight: 0.2107g		
Extraction date: 04/23/24 11:23:35			Extraction date: 04/23/24 15:44:58		
Extracted by: 3390			Extracted by: 3379		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)		
Analytical Batch : DA071904MIC			Analytical Batch : DA071918MYC		
			Instrument Used : N/A		
			Analyzed Date : 04/23/24 15:58:11		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Dilution : 250		
Analyzed Date : 04/23/24 14:45:40			Reagent : 041624.R13; 040423.08		
			Consumables : 326250IIV		
			Pipette : N/A		
			Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.		
Dilution : N/A					
Reagent : 041124.88; 041124.89; 041924.R15; 100223.07			Heavy Metals		
Consumables : 7569004029			PASSED		
Pipette : N/A					
Analyzed by: 3390, 4451, 585, 1440			LOD		
Weight: 1.04g			Units		
Extraction date: 04/23/24 11:23:35			Result		
Extracted by: 3390			Pass / Fail		
Action Level			Pass / Fail		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL		
Analytical Batch : DA071905TYM			Analytical Batch : DA071913HEA		
Instrument Used : Incubator (25-27°C) DA-096			Instrument Used : DA-ICPMS-004		
Analyzed Date : 04/23/24 15:59:12			Analyzed Date : 04/24/24 11:04:01		
Dilution : N/A			Dilution : 50		
Reagent : 041124.88; 041124.89; 041124.R12			Reagent : 032824.R05; 042224.R01; 041524.R04; 042224.R03; 042224.R02; 020524.01; 041224.R10		
Consumables : N/A			Consumables : 179436; 34623011; 210508058		
Pipette : N/A			Pipette : DA-061; DA-191; DA-216		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 1g
Vegas
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40423001-008

Harvest/Lot ID: 0001 3428 6432 5341

Batch# : 0001 3428 6432
5341

Sampled : 04/23/24

Ordered : 04/23/24

Sample Size Received : 16 gram

Total Amount : 610 units

Completed : 04/25/24 Expires: 04/25/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA071980FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/24/24 21:14:54

Reviewed On : 04/24/24 21:48:09

Batch Date : 04/24/24 10:47:31

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.468	PASS	0.85

Analyzed by: 795, 585, 1440	Weight: 0.4645g	Extraction date: 04/23/24 20:34:11	Extracted by: 795
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA071928WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 04/24/24 08:53:00

Batch Date : 04/23/24 12:02:06

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/25/24