



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample: DA40423001-009**  
**Harvest/Lot ID: 0001 3428 6432 4407**  
**Batch#: 0001 3428 6432 4407**  
**Cultivation Facility: FL - Indiantown (3734)**  
**Processing Facility: FL - Indiantown (3734)**  
**Source Facility: FL - Indiantown (3734)**  
**Seed to Sale# 0001 3428 6432 4407**  
**Batch Date: 04/15/24**  
**Sample Size Received: 16 gram**  
**Total Amount: 865 units**  
**Retail Product Size: 1 gram**  
**Retail Serving Size: 1 gram**  
**Servings: 1**  
**Ordered: 04/15/24**  
**Sampled: 04/23/24**  
**Completed: 04/25/24**  
**Sampling Method: SOP.T.20.010**

Apr 25, 2024 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

## PASSED

Pages 1 of 6

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**NOT TESTED**

 Terpenes  
**TESTED**

### MISC.



### Cannabinoid

## PASSED


**Total THC**
**87.678%**

Total THC/Container : 876.78 mg


**Total CBD**
**0.242%**

Total CBD/Container : 2.42 mg


**Total Cannabinoids**
**92.492%**

Total Cannabinoids/Container : 924.92 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.604	0.085	0.242	ND	ND	2.386	ND	1.140	0.558	ND	0.477
mg/unit	876.04	0.85	2.42	ND	ND	23.86	ND	11.40	5.58	ND	4.77
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 1440

 Weight:  
 0.084g

 Extraction date:  
 04/23/24 13:38:17

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA071911POT

Instrument Used : DA-LC-002

Analyzed Date : 04/23/24 13:41:19

Reviewed On : 04/24/24 09:27:09

Batch Date : 04/23/24 10:22:48

Dilution : 400

Reagent : 032924.R01; 060723.24; 041624.R01

Consumables : 927.100; 280670723; CE0123; 0000185478

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 04/25/24





4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Mng  
Mango  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40423001-009

Harvest/Lot ID: 0001 3428 6432 4407

Batch# : 0001 3428 6432  
4407

Sampled : 04/23/24

Ordered : 04/23/24

Sample Size Received : 16 gram

Total Amount : 865 units

Completed : 04/25/24 Expires: 04/25/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	22.70	2.270		SABINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	6.84	0.684		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.90	0.390		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.52	0.252		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.90	0.190		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.89	0.189		ALPHA-TERPINOLENE	0.007	ND	ND	
LIMONENE	0.007	1.80	0.180		CIS-NEROLIDOL	0.007	ND	ND	
LINALOOL	0.007	1.12	0.112		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.81	0.081						
FARNESENE	0.001	0.59	0.059		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:	
CARYOPHYLLENE OXIDE	0.007	0.39	0.039		3605, 585, 1440	0.199g	04/25/24 08:08:18	3605	
TRANS-NEROLIDOL	0.007	0.32	0.032		Analysis Batch : DA071929TER				
GUAIOL	0.007	0.26	0.026		Instrument Used : DA-GCMS-009				
VALENCENE	0.007	0.22	0.022		Analysis Date : 04/23/24 14:15:20				
ALPHA-TERPINEOL	0.004	0.14	0.014		Dilution : 10				
3-CARENE	0.007	ND	ND		Reagent : 022224.01				
BORNEOL	0.013	ND	ND		Consumables : 947.109; 230613-634-D; CE0123				
CAMPHENE	0.007	ND	ND		Pipette : DA-063				
CAMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			2.270						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/25/24





4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Mng  
Mango  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40423001-009

Harvest/Lot ID: 0001 3428 6432 4407

Batch# : 0001 3428 6432

4407

Sampled : 04/23/24

Ordered : 04/23/24

Sample Size Received : 16 gram

Total Amount : 865 units

Completed : 04/25/24 Expires: 04/25/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2311g	04/23/24 15:44:59	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071915PES		Reviewed On : 04/24/24 12:14:23			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 04/23/24 10:32:07			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/23/24 15:50:37					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 041624.R13; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2311g	04/23/24 15:44:59	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA071917VOL		Reviewed On : 04/24/24 12:06:08			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 04/23/24 10:34:20			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/23/24 15:52:00					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 041624.R13; 040423.08; 041724.R34; 041724.R35					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/25/24





4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Mng

Mango

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40423001-009

Harvest/Lot ID: 0001 3428 6432 4407

Batch# : 0001 3428 6432 4407

Sampled : 04/23/24

Ordered : 04/23/24

Sample Size Received : 16 gram

Total Amount : 865 units

Completed : 04/25/24 Expires: 04/25/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0223g

Extraction date:  
04/24/24 16:02:04

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA07194450L  
Instrument Used : DA-GCMS-002  
Analyzed Date : 04/23/24 15:38:29

Reviewed On : 04/24/24 18:10:43  
Batch Date : 04/23/24 15:06:05

Dilution : 1  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/25/24





4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Mng

Mango

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40423001-009

Harvest/Lot ID: 0001 3428 6432 4407

Batch# : 0001 3428 6432  
4407

Sampled : 04/23/24

Ordered : 04/23/24



Sample Size Received : 16 gram

Total Amount : 865 units

Completed : 04/25/24 Expires: 04/25/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED									
Analyte						LOD	Units	Result	Pass / Fail	Action Level	Analyte						LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS								Not Present	PASS		AFLATOXIN B2						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS NIGER								Not Present	PASS		AFLATOXIN B1						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FUMIGATUS								Not Present	PASS		OCHRATOXIN A						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FLAVUS								Not Present	PASS		AFLATOXIN G1						0.002	ppm	ND	PASS	0.02					
SALMONELLA SPECIFIC GENE								Not Present	PASS		AFLATOXIN G2						0.002	ppm	ND	PASS	0.02					
ECOLI SHIGELLA								Not Present	PASS																	
TOTAL YEAST AND MOLD						10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440						Weight: 0.2311g	Extraction date: 04/23/24 15:44:59		Extracted by: 3379						
Analyzed by: 3390, 585, 1440						Weight: 1.093g	Extraction date: 04/23/24 11:23:36		Extracted by: 3390		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA071918MYC					Reviewed On : 04/24/24 12:15:17				
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA071904MIC					Reviewed On : 04/25/24 07:17:42					Instrument Used : N/A					Batch Date : 04/23/24 10:35:48					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Batch Date : 04/23/24 09:21:13					Dilution : 250					Reagent : 041624.R13; 040423.08					Consumables : 326250IW					
Analyzed Date : 04/23/24 14:45:40											Pipette : N/A					Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										
Dilution : N/A																										
Reagent : 041124.88; 041124.89; 041924.R15; 100223.07																										
Consumables : 7569004029																										
Pipette : N/A																										
Analyzed by: 3390, 4451, 585, 1440						Weight: 1.093g	Extraction date: 04/23/24 11:23:36		Extracted by: 3390		Metal						LOD	Units	Result	Pass / Fail	Action Level					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											TOTAL CONTAMINANT LOAD METALS						0.080	ppm	ND	PASS	1.1					
Analytical Batch : DA071905TYM						Reviewed On : 04/25/24 16:02:51					ARSENIC						0.020	ppm	ND	PASS	0.2					
Instrument Used : Incubator (25-27°C) DA-096						Batch Date : 04/23/24 09:23:00					CADMIUM						0.020	ppm	ND	PASS	0.2					
Analyzed Date : 04/23/24 15:59:12											MERCURY						0.020	ppm	ND	PASS	0.2					
Dilution : N/A											LEAD						0.020	ppm	ND	PASS	0.5					
Reagent : 041124.88; 041124.89; 041124.R12											Analyzed by: 1022, 585, 1440						Weight: 0.2207g	Extraction date: 04/23/24 13:34:51		Extracted by: 1022						
Consumables : N/A											Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA071914HEA					Reviewed On : 04/24/24 12:20:33				
Pipette : N/A											Instrument Used : DA-ICPMS-004						Batch Date : 04/23/24 10:29:27									
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											Analyzed Date : 04/24/24 11:06:35						Dilution : 50					Reagent : 032824.R05; 042224.R01; 041524.R04; 042224.R03; 042224.R02; 020524.01; 041224.R10				
																	Consumables : 179436; 34623011; 210508058					Pipette : DA-061; DA-191; DA-216				
																	Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/25/24





4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Mng  
Mango  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40423001-009

Harvest/Lot ID: 0001 3428 6432 4407

Batch# : 0001 3428 6432  
4407

Sampled : 04/23/24

Ordered : 04/23/24

Sample Size Received : 16 gram

Total Amount : 865 units

Completed : 04/25/24 Expires: 04/25/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filtration/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA071980FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 04/24/24 21:14:54

Reviewed On : 04/24/24 21:48:08

Batch Date : 04/24/24 10:47:31

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.412	PASS	0.85

Analyzed by: 795, 585, 1440	Weight: 0.4922g	Extraction date: 04/23/24 20:59:13	Extracted by: 795
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA071928WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 04/24/24 08:53:01

Batch Date : 04/23/24 12:02:06

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/25/24