

Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple

Matrix: Derivative Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40426004-006

Harvest/Lot ID: 0001 3428 6432 5339

Batch#: 0001 3428 6432 5339

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 0001 3428 6432 5339

Batch Date: 04/17/24

Sample Size Received: 15.5 gram

Total Amount: 745 units

Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 04/17/24 Sampled: 04/26/24

Completed: 04/29/24

Sampling Method: SOP.T.20.010

Sunnyside

PASSED

Pages 1 of 6

indiantown, FL, 34956, US

22205 Sw Martin Hwy

SAFETY RESULTS

Apr 29, 2024 | Sunnyside







Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



PASSED



Water Activity **PASSED**



NOT TESTED





Terpenes TESTED

PASSED



Cannabinoid

Total THC

80.338% Total THC/Container: 401.69 mg



Total CBD 0.231%

Total CBD/Container: 1.16 mg



Total Cannabinoids

Total Cannabinoids/Container: 422.63



04/26/24 12:50:30

Reviewed On: 04/29/24 09:35:09

Batch Date: 04/26/24 09:26:40

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA072058POT

Instrument Used: DA-LC-003 Analyzed Date : 04/26/24 12:50:44

Reagent: 042524.R01; 060723.24; 042524.R03 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40426004-006 Harvest/Lot ID: 0001 3428 6432 5339

Batch#:0001 3428 6432

Sampled: 04/26/24 Ordered: 04/26/24

Sample Size Received: 15.5 gram Total Amount : 745 units

Completed: 04/29/24 Expires: 04/29/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|--------------------|------------|---------|-------|------------|---|------------------|----------------|--------------|---|
| OTAL TERPENES | 0.007 | 38.98 | 7.796 | | ISOBORNEOL | 0.007 | ND | ND | |
| LPHA-TERPINOLENE | 0.007 | 20.10 | 4.019 | | ISOPULEGOL | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 3.77 | 0.753 | | NEROL | 0.007 | ND | ND | |
| IMONENE | 0.007 | 3.08 | 0.616 | | PULEGONE | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 2.77 | 0.553 | | SABINENE | 0.007 | ND | ND | |
| LPHA-HUMULENE | 0.007 | 1.56 | 0.312 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| ETA-PINENE | 0.007 | 1.52 | 0.304 | | VALENCENE | 0.007 | ND | ND | |
| LPHA-PINENE | 0.007 | 1.33 | 0.266 | | CIS-NEROLIDOL | 0.007 | ND | ND | |
| INALOOL | 0.007 | 1.27 | 0.253 | | Analyzed by: | Weight: | Extrac | tion date: | Extracted by: |
| LPHA-BISABOLOL | 0.007 | 0.64 | 0.128 | | | 0.225g | | /24 14:23:22 | |
| LPHA-TERPINEOL | 0.007 | 0.57 | 0.113 | | Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061 | A.FL | | | |
| -CARENE | 0.007 | 0.45 | 0.090 | | Analytical Batch : DA072089TER Instrument Used : DA-GCMS-004 | | | | l/29/24 09:35:11 26/24 11:39:54 |
| ENCHYL ALCOHOL | 0.007 | 0.42 | 0.084 | | Analyzed Date: 04/26/24 17:01:18 | | Batc | n Date: U4/2 | 10/24 11:39:54 |
| LPHA-PHELLANDRENE | 0.007 | 0.29 | 0.058 | | Dilution: 10 | | | | |
| LPHA-TERPINENE | 0.007 | 0.26 | 0.052 | | Reagent: 022224.01 | | | | |
| ARYOPHYLLENE OXIDE | 0.007 | 0.25 | 0.049 | | Consumables: 947.109; 230613-634-D; CE0123 | | | | |
| RANS-NEROLIDOL | 0.007 | 0.20 | 0.040 | | Pipette : DA-063 | | | | |
| GUAIOL | 0.007 | 0.18 | 0.036 | | Terpenoid testing is performed utilizing Gas Chromatogra | phy Mass Spectro | metry. For all | Flower samp | es, the Total Terpenes % is dry-weight corrected. |
| AMMA-TERPINENE | 0.007 | 0.14 | 0.028 | | | | | | |
| CIMENE | 0.007 | 0.11 | 0.021 | | | | | | |
| LPHA-CEDRENE | 0.007 | 0.11 | 0.021 | | | | | | |
| ORNEOL | 0.013 | ND | ND | | | | | | |
| AMPHENE | 0.007 | ND | ND | | | | | | |
| AMPHOR | 0.007 | ND | ND | | | | | | |
| EDROL | 0.007 | ND | ND | | | | | | |
| UCALYPTOL | 0.007 | ND | ND | | | | | | |
| ARNESENE | 0.001 | ND | ND | | | | | | |
| ENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | IND | | | | | | |

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** renee.revna@crescolabs.com Sample : DA40426004-006 Harvest/Lot ID: 0001 3428 6432 5339

Batch#: 0001 3428 6432

Sampled: 04/26/24 Ordered: 04/26/24 Sample Size Received: 15.5 gram
Total Amount: 745 units

Completed: 04/29/24 Expires: 04/29/25 Sample Method: SOP.T.20.010 Page 3 of 6



Pesticides

PASSED

| esticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | | LOD | Units | Action Level | Pass/Fail | Result |
|------------------------------------|-------|-------|-----------------|-----------|--------|---|---------------------|--------------|---------------|--------------------------------|------------------|----------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | | 5 | PASS | ND | OXAMYL | | 0.010 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.010 | | 0.2 | PASS | ND | PACLOBUTRAZOL | | 0.010 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.010 | | 0.1 | PASS | ND | PHOSMET | | 0.010 | ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.010 | | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | | 0.010 | ppm | 3 | PASS | ND |
| TAL SPINETORAM | 0.010 | | 0.2 | PASS | ND | PRALLETHRIN | | 0.010 | | 0.1 | PASS | ND |
| OTAL SPINOSAD | 0.010 | 1.1 | 0.1 | PASS | ND | PROPICONAZOLE | | 0.010 | | 0.1 | PASS | ND |
| BAMECTIN B1A | 0.010 | | 0.1 | PASS | ND | | | | | 0.1 | PASS | ND |
| CEPHATE | 0.010 | 1.1 | 0.1 | PASS | ND | PROPOXUR | | 0.010 | | | | |
| CEQUINOCYL | 0.010 | | 0.1 | PASS | ND | PYRIDABEN | | 0.010 | | 0.2 | PASS | ND |
| CETAMIPRID | 0.010 | | 0.1 | PASS | ND | SPIROMESIFEN | | 0.010 | | 0.1 | PASS | ND |
| DICARB | 0.010 | | 0.1 | PASS | ND | SPIROTETRAMAT | | 0.010 | ppm | 0.1 | PASS | ND |
| OXYSTROBIN | 0.010 | | 0.1 | PASS | ND | SPIROXAMINE | | 0.010 | ppm | 0.1 | PASS | ND |
| FENAZATE | 0.010 | | 0.1 | PASS | ND | TEBUCONAZOLE | | 0.010 | ppm | 0.1 | PASS | ND |
| FENTHRIN | 0.010 | | 0.1 | PASS | ND | THIACLOPRID | | 0.010 | ppm | 0.1 | PASS | ND |
| DSCALID | 0.010 | | 0.1 | PASS | ND | THIAMETHOXAM | | 0.010 | ppm | 0.5 | PASS | ND |
| ARBARYL | 0.010 | | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | 0.010 | | 0.1 | PASS | ND |
| ARBOFURAN | 0.010 | | 0.1 | PASS | ND | PENTACHLORONITROBENZEN | IE (DCND) * | 0.010 | | 0.15 | PASS | ND |
| ILORANTRANILIPROLE | 0.010 | | 1 | PASS | ND | | IE (PCNB) * | 0.010 | | 0.13 | PASS | ND |
| ILORMEQUAT CHLORIDE | 0.010 | | 1 | PASS | ND | PARATHION-METHYL * | | | | | | |
| ILORPYRIFOS | 0.010 | | 0.1 | PASS | ND | CAPTAN * | | 0.070 | | 0.7 | PASS | ND |
| OFENTEZINE | 0.010 | | 0.2 | PASS | ND | CHLORDANE * | | 0.010 | | 0.1 | PASS | ND |
| UMAPHOS | 0.010 | | 0.1 | PASS | ND | CHLORFENAPYR * | | 0.010 | PPM | 0.1 | PASS | ND |
| MINOZIDE | 0.010 | | 0.1 | PASS | ND | CYFLUTHRIN * | | 0.050 | PPM | 0.5 | PASS | ND |
| AZINON | 0.010 | | 0.1 | PASS | ND | CYPERMETHRIN * | | 0.050 | PPM | 0.5 | PASS | ND |
| CHLORVOS | 0.010 | 1.1. | 0.1 | PASS | ND | Analyzed by: | Weight: | Extract | ion date: | | Extracte | d hv: |
| METHOATE | 0.010 | | 0.1 | PASS | ND | 3379, 585, 1440 | 0.2811g | | 4 17:13:29 | | 3379 | a by. |
| HOPROPHOS | 0.010 | | 0.1 | PASS | ND | Analysis Method: SOP.T.30.10 | | | | SOP.T.40.101 | .FL (Gainesville |), |
| OFENPROX | 0.010 | | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | | |
| OXAZOLE | 0.010 | | 0.1 | PASS | ND | Analytical Batch : DA072080P | | | | n:04/29/24 | | |
| NHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-00 | | | Batch Date | :04/26/24 10 | :50:45 | |
| NOXYCARB | 0.010 | | 0.1 | PASS | ND | Analyzed Date : 04/26/24 17:2 | :2:03 | | | | | |
| NPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Dilution: 250 Reagent: 042324.R12; 04042 | 3 08 | | | | | |
| PRONIL | 0.010 | ppm | 0.1 | PASS | ND | Consumables: 326250IW | 5.00 | | | | | |
| ONICAMID | 0.010 | | 0.1 | PASS | ND | Pipette: N/A | | | | | | |
| UDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is | performed utilizing | Liquid Chrom | atography Tr | iple-Quadrupo | le Mass Spectror | netry in |
| XYTHIAZOX | 0.010 | | 0.1 | PASS | ND | accordance with F.S. Rule 64ER2 | 20-39. | | | | | |
| IAZALIL | 0.010 | | 0.1 | PASS | ND | Analyzed by: | Weight: | | on date: | | Extracted | l by: |
| IIDACLOPRID | 0.010 | 1.1 | 0.4 | PASS | ND | 450, 585, 1440 | 0.2811g | | 17:13:29 | | 3379 | |
| RESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.15 | | | | | | |
| LATHION | 0.010 | | 0.2 | PASS | ND | Analytical Batch: DA072081V Instrument Used: DA-GCMS-0 | | | | 04/29/24 11:4 1/26/24 10:52 | | |
| TALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 04/26/24 18:4 | | Dd | nen pate : 04 | 1/20/24 IU.JZ | .37 | |
| THIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | | |
| ETHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent: 042324.R12; 04042 | 3.08: 041724.R34: 0 | 041724.R35 | | | | |
| EVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW; 147 | | | | | | |
| YCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | Pipette: DA-080; DA-146; DA- | -218 | | | | | |
| ALED | 0.010 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is | performed utilizing | Gas Chromat | ography Tripl | e-Quadrupole | Mass Spectrome | try in |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple Matrix : Derivative

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** renee.revna@crescolabs.com Sample : DA40426004-006 Harvest/Lot ID: 0001 3428 6432 5339

Batch#:0001 3428 6432

Sampled: 04/26/24 Ordered: 04/26/24 Sample Size Received: 15.5 gram
Total Amount: 745 units

Completed: 04/29/24 Expires: 04/29/25 Sample Method: SOP.T.20.010 Page 4 of 6



Residual Solvents

PASSED

| Analyzed by: | Weight: | Extraction date: | | | Extracted by: | |
|----------------------|---------|------------------|--------------|-----------|---------------|--|
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND | |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND | |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND | |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND | |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND | |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND | |
| METHANOL | 25.000 | ppm | 250 | PASS | ND | |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND | |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND | |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND | |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND | |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND | |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND | |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND | |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND | |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND | |
| BENZENE | 0.100 | ppm | 1 | PASS | ND | |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND | |
| ACETONE | 75.000 | ppm | 750 | PASS | ND | |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND | |
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND | |
| Solvents | LOD | Units | Action Level | Pass/Fail | Result | |

Reviewed On: 04/29/24 17:06:57

Batch Date: 04/26/24 15:21:39

Weight: Extraction date:
0.019g 04/29/24 16:39:49

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA072105SOL Instrument Used : DA-GCMS-003 Analyzed Date : 04/26/24 15:53:30

Dilution: 1 Reagent: 030420.09

Consumables : 429651; 304486 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 04/29/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolabs.com Sample : DA40426004-006 Harvest/Lot ID: 0001 3428 6432 5339

Batch#:0001 3428 6432

Sampled: 04/26/24 **Ordered**: 04/26/24 Sample Size Received: 15.5 gram

Total Amount: 745 units Completed: 04/29/24 Expires: 04/29/25 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 04/29/24 10:28:07

Batch Date: 04/26/24 10:54:08



Microbial

PASSED



Mycotoxins

PASSED

| Analyte | | LOD | Units | Result | Pass / Fail | Action Level | Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
|----------------------------------|----------|-------|--------------|--------------------|----------------|-----------------|--|------------------------|-----------------------------------|-------|--------|-------------------|-----------------|
| ASPERGILLUS TERRE | US | | | Not Present | PASS | | AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | | Not Present | PASS | | AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIO | GATUS | | | Not Present | PASS | | OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVU | IS | | | Not Present | PASS | | AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECI | FIC GENE | | | Not Present | PASS | | AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGELLA TOTAL YEAST AND M | IOLD | 10 | CFU/g | Not Present <10 | PASS PASS | 100000 | Analyzed by: 3379, 585, 1440 | Weight: 0.2811g | Extraction da 04/26/24 17: | | | Extracted 3379 | l by: |
| Analyzed by: | Weight: | Extra | action date: | | Extracted | by: | Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), | | | | | | |

Analyzed by: Weight: **Extraction date:** Extracted by: 0.944g 3621, 585, 1440 04/26/24 11:44:20

Analysis Method: SOP.T.40.056C. SOP.T.40.058.FL. SOP.T.40.209.FL

Analytical Batch: DA072057MIC

Reviewed On: 04/29/24 Batch Date: 04/26/24

Instrument Used: PathogenDx Scanner DA-111.fisherbrand

Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 04/26/24 12:55:01

Reagent: 032624.12; 032624.22; 041924.R15; 100223.07 Consumables: N/A

Pipette: N/A

| Analyzed by: | Weight: | Extraction date: | Extracted by: |
|-----------------------|---------|-------------------|---------------|
| 3390, 4451, 585, 1440 | 0.944a | 04/26/24 11:44:20 | 3621 |

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA072059TYM Reviewed On: 04/29/24 09:14:24 Instrument Used : Incubator (25-27*C) DA-097 Analyzed Date : 04/26/24 14:38:34 Batch Date: 04/26/24 09:26:42

Dilution: N/A

Reagent: 032624.12; 032624.22; 041124.R12

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Hg

Heavy Metals

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA072082MYC

Analyzed Date: 04/26/24 17:26:12

Reagent: 042324.R12; 040423.08

Instrument Used : N/A

Consumables: 326250IW

Dilution: 250

Pipette: N/A

PASSED

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|-------|-------|--------|----------------|-----------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |

Analyzed by: 1022, 585, 1440 Extraction date 04/26/24 13:46:12 0.2769g 1022.4056

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA072071HEA Instrument Used : DA-ICPMS-004 Reviewed On: 04/29/24 09:13:18 Batch Date: 04/26/24 10:24:30 Analyzed Date: 04/26/24 17:16:57

Dilution: 50

Reagent: 042524.R10; 042224.R01; 042524.R09; 042224.R03; 042224.R02; 020524.01;

Consumables: 179436: 34623011: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolabs.com Sample : DA40426004-006 Harvest/Lot ID: 0001 3428 6432 5339

Batch#:0001 3428 6432

Sampled: 04/26/24 Ordered: 04/26/24 Sample Size Received: 15.5 gram Total Amount: 745 units Completed: 04/29/24 Expires: 04/29/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Reviewed On: 04/26/24 15:50:32 Batch Date: 04/26/24 13:38:45

Reviewed On: 04/29/24 07:51:03

Batch Date: 04/26/24 11:53:29

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA072102FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/26/24 15:20:13

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

| Analyte | | LOD | Units | Result | P/F | Action Level |
|---------------------------------|------------------------|------------|--------------|--------|-------------|--------------|
| Water Activity | | 0.010 | aw | 0.423 | PASS | 0.85 |
| Analyzed by: 4512, 585, 1440 | Weight: 0.6317g | | traction o | | Ex t | tracted by: |

0.6317g Analysis Method: SOP.T.40.019 Analytical Batch: DA072092WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 04/26/24 16:31:47

Dilution : N/A Reagent : N/A Consumables : N/A

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164