



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40426004-007
Harvest/Lot ID: 0001 3428 6432 5644
Batch#: 0001 3428 6432 5644
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0001 3428 6432 5644
Batch Date: 04/17/24
Sample Size Received: 15.5 gram
Total Amount: 1170 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 04/17/24
Sampled: 04/26/24
Completed: 04/29/24
Sampling Method: SOP.T.20.010

Apr 29, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

80.640%

Total THC/Container : 403.20 mg



Total CBD

0.243%

Total CBD/Container : 1.22 mg



Total Cannabinoids

85.007%

Total Cannabinoids/Container : 425.04 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	80.561	0.091	0.243	ND	0.277	2.288	ND	0.755	0.514	ND	0.278
mg/unit	402.81	0.46	1.22	ND	1.39	11.44	ND	3.78	2.57	ND	1.39
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.0949g

Extraction date:
04/26/24 12:50:33

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA072058POT

Instrument Used : DA-LC-003

Analyzed Date : 04/26/24 12:50:44

Reviewed On : 04/29/24 09:35:29

Batch Date : 04/26/24 09:26:40

Dilution : 400

Reagent : 042524.R01; 060723.24; 042524.R03

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/29/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Friyay Cartridge 500mg

Friyay

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40426004-007

Harvest/Lot ID: 0001 3428 6432 5644

Batch# : 0001 3428 6432
5644

Sampled : 04/26/24

Ordered : 04/26/24

Sample Size Received : 15.5 gram

Total Amount : 1170 units

Completed : 04/29/24 Expires: 04/29/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	39.74	7.947		ISOBORNEOL	0.007	ND	ND	
LIMONENE	0.007	8.12	1.624		ISOPULEGOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.66	1.532		PULEGONE	0.007	ND	ND	
BETA-MYRCENE	0.007	6.18	1.236		SABINENE	0.007	ND	ND	
VALENCENE	0.007	3.95	0.789		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.19	0.437		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	2.13	0.425		CIS-NEROLIDOL	0.007	ND	ND	
GERANIOL	0.007	1.74	0.347		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.68	0.336		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-HUMULENE	0.007	1.20	0.240		4451, 3605, 585, 1440	0.2224g	04/26/24 14:23:23	4451	
FENCHYL ALCOHOL	0.007	0.93	0.186		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	0.89	0.178		Analytical Batch : DA072089TER				
ALPHA-TERPINEOL	0.007	0.78	0.156		Instrument Used : DA-GCMS-004				
GUAIOL	0.007	0.39	0.078		Analyzed Date : 04/26/24 17:01:18				
CARYOPHYLLENE OXIDE	0.007	0.39	0.077		Dilution : 10				
TRANS-NEROLIDOL	0.007	0.29	0.057		Reagent : 022224.01				
ALPHA-TERPINOLENE	0.007	0.22	0.044		Consumables : 947.109; 230613-634-D; CE0123				
NEROL	0.007	0.18	0.036		Pipette : DA-063				
CAMPHENE	0.007	0.18	0.035		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.001	0.16	0.031						
HEXAHYDROTHYMOL	0.007	0.14	0.028						
ALPHA-PHELLANDRENE	0.007	0.14	0.028						
OCIMENE	0.007	0.13	0.025						
ALPHA-CEDRENE	0.007	0.11	0.022						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
Total (%)				7.947					

Total (%)

7.947

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/29/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40426004-007

Harvest/Lot ID: 0001 3428 6432 5644

 Batch# : 0001 3428 6432
 5644

Sampled : 04/26/24

Ordered : 04/26/24


Sample Size Received : 15.5 gram

Total Amount : 1170 units

Completed : 04/29/24 Expires: 04/29/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 1440Weight: 0.2903gExtraction date: 04/26/24 17:13:29Extracted by: 3379</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA072080PESReviewed On : 04/29/24 11:44:06</div> <div>Instrument Used : DA-LCMS-003 (PES)Batch Date : 04/26/24 10:50:45</div> <div>Analyzed Date : 04/26/24 17:22:03</div> <div>Dilution : 250</div> <div>Reagent : 042324.R12; 040423.08</div> <div>Consumables : 326250IW</div> <div>Pipette : N/A</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						
						<div>Analyzed by: 450, 585, 1440Weight: 0.2903gExtraction date: 04/26/24 17:13:29Extracted by: 3379</div> <div>Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)</div> <div>Analytical Batch : DA072081VOLReviewed On : 04/29/24 11:40:56</div> <div>Instrument Used : DA-GCMS-010Batch Date : 04/26/24 10:52:37</div> <div>Analyzed Date : 04/26/24 18:45:30</div> <div>Dilution : 250</div> <div>Reagent : 042324.R12; 040423.08; 041724.R34; 041724.R35</div> <div>Consumables : 326250IW; 14725401</div> <div>Pipette : DA-080; DA-146; DA-218</div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Friyay Cartridge 500mg

Friyay

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40426004-007

Harvest/Lot ID: 0001 3428 6432 5644

Batch# : 0001 3428 6432
5644

Sampled : 04/26/24

Ordered : 04/26/24

Sample Size Received : 15.5 gram

Total Amount : 1170 units

Completed : 04/29/24 Expires: 04/29/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0237g

Extraction date:
04/29/24 16:39:49

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07210550L
Instrument Used : DA-GCMS-003
Analyzed Date : 04/26/24 15:53:30

Reviewed On : 04/29/24 17:07:10
Batch Date : 04/26/24 15:21:39

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/29/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40426004-007

Harvest/Lot ID: 0001 3428 6432 5644

 Batch# : 0001 3428 6432
 5644

 Sampled : 04/26/24
 Ordered : 04/26/24


Sample Size Received : 15.5 gram


Total Amount : 1170 units


Completed : 04/29/24 Expires: 04/29/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 585, 1440	Weight: 0.902g	Extraction date: 04/26/24 11:44:20		Extracted by: 3621	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 04/29/24 09:15:22		
Analytical Batch : DA072057MIC			Batch Date : 04/26/24 09:25:53		
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021					
Analyzed Date : 04/26/24 12:55:01					
Dilution : N/A					
Reagent : 032624.12; 032624.22; 041924.R15; 100223.07					
Consumables : N/A					
Pipette : N/A					
Analyzed by: 3390, 4451, 585, 1440	Weight: 0.902g	Extraction date: 04/26/24 11:44:20		Extracted by: 3621	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
Analytical Batch : DA072059TYM			Reviewed On : 04/29/24 09:14:25		
Instrument Used : Incubator (25-27°C) DA-097			Batch Date : 04/26/24 09:26:42		
Analyzed Date : 04/26/24 14:38:34					
Dilution : N/A					
Reagent : 032624.12; 032624.22; 041124.R12					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.2903g	Extraction date: 04/26/24 17:13:29		Extracted by: 3379	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA072082MYC			Reviewed On : 04/29/24 10:28:08		
Instrument Used : N/A			Batch Date : 04/26/24 10:54:08		
Analyzed Date : 04/26/24 17:26:12					
Dilution : 250					
Reagent : 042324.R12; 040423.08					
Consumables : 326250IW					
Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2943g	Extraction date: 04/26/24 13:47:33		Extracted by: 1022,4056	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA072071HEA			Reviewed On : 04/29/24 09:36:23		
Instrument Used : DA-ICPMS-004			Batch Date : 04/26/24 10:24:30		
Analyzed Date : 04/26/24 17:16:57					
Dilution : 50					
Reagent : 042524.R10; 042224.R01; 042524.R09; 042224.R03; 042224.R02; 020524.01; 041224.R10					
Consumables : 179436; 34623011; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Friyay Cartridge 500mg

Friyay

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40426004-007

Harvest/Lot ID: 0001 3428 6432 5644

Batch# : 0001 3428 6432
5644

Sampled : 04/26/24

Ordered : 04/26/24

Sample Size Received : 15.5 gram

Total Amount : 1170 units

Completed : 04/29/24 Expires: 04/29/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA072102FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/26/24 15:20:13

Reviewed On : 04/26/24 15:50:43

Batch Date : 04/26/24 13:38:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.456	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.4726g	Extraction date: 04/27/24 08:22:47	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA072092WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/26/24 16:31:47

Reviewed On : 04/29/24 07:51:05

Batch Date : 04/26/24 11:53:29

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/29/24