



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample:** DA40426004-010  
**Harvest/Lot ID:** 0001 3428 6432 5338  
**Batch#:** 0001 3428 6432 5338  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility :** FL - Indiantown (3734)  
**Source Facility :** FL - Indiantown (3734)  
**Seed to Sale#** 0001 3428 6432 5338  
**Batch Date:** 04/17/24  
**Sample Size Received:** 16 gram  
**Total Amount:** 865 units  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Ordered:** 04/17/24  
**Sampled:** 04/26/24  
**Completed:** 04/29/24  
**Revision Date:** 04/30/24  
**Sampling Method:** SOP.T.20.010

Apr 30, 2024 | Sunnyside  
 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

## PASSED

Pages 1 of 6

### SAFETY RESULTS

  
Pesticides  
**PASSED**
  
Heavy Metals  
**PASSED**
  
Microbials  
**PASSED**
  
Mycotoxins  
**PASSED**
  
Residuals  
Solvents  
**PASSED**
  
Filtration  
**PASSED**
  
Water Activity  
**PASSED**
  
Moisture  
**NOT TESTED**

### MISC.

  
Terpenes  
**TESTED**


### Cannabinoid

## PASSED



**Total THC**  
**84.592%**  
 Total THC/Container : 845.92 mg



**Total CBD**  
**0.298%**  
 Total CBD/Container : 2.98 mg



**Total Cannabinoids**  
**89.148%**  
 Total Cannabinoids/Container : 891.48 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	84.442	0.172	0.298	ND	0.118	2.033	ND	0.956	0.671	ND	0.458
mg/unit	844.42	1.72	2.98	ND	1.18	20.33	ND	9.56	6.71	ND	4.58
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 1665, 585, 1440

Weight:  
 0.0943g

Extraction date:  
 04/26/24 12:53:06

Extracted by:  
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA072067POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 04/26/24 12:54:38

Reviewed On : 04/29/24 09:40:30  
 Batch Date : 04/26/24 09:55:31

Dilution : 400  
 Reagent : 042524.R01; 121321.34; 042524.R04  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 04/29/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Pnppi  
Pineapple  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40426004-010

Harvest/Lot ID: 0001 3428 6432 5338

Batch# : 0001 3428 6432  
5338

Sampled : 04/26/24  
Ordered : 04/26/24

Sample Size Received : 16 gram

Total Amount : 865 units

Completed : 04/29/24 Expires: 04/30/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	60.84	6.084		OCIMENE	0.007	ND	ND	
BETA-MYRCENE	0.007	16.14	1.614		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	11.63	1.163		SABINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	11.21	1.121		SABINENE HYDRATE	0.007	ND	ND	
BETA-PINENE	0.007	4.39	0.439		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	3.64	0.364		ALPHA-TERPINOLENE	0.007	ND	ND	
LIMONENE	0.007	3.44	0.344		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.95	0.195		GAMMA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	1.35	0.135						
LINALOOL	0.007	1.08	0.108		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	0.2467g	Extraction date:	04/26/24 14:23:23
GUAIOL	0.007	0.86	0.086		Analytical Batch : DA072089TER	Extracted by:	4451		
CARYOPHYLLENE OXIDE	0.007	0.85	0.085		Instrument Used : DA-GCMS-004			Reviewed On : 04/29/24 09:40:32	
TRANS-NEROLIDOL	0.007	0.68	0.068		Analyzed Date : 04/26/24 17:01:18			Batch Date : 04/26/24 11:39:54	
ALPHA-PHELLANDRENE	0.007	0.62	0.062						
VALENCENE	0.007	0.48	0.048		Dilution : 10				
ALPHA-TERPINEOL	0.007	0.48	0.048		Reagent : 022224.01				
ALPHA-CEDRENE	0.007	0.45	0.045		Consumables : 947.109; 230613-634-D; CE0123				
GERANIOL	0.007	0.43	0.043		Pipette : DA-063				
FENCHYL ALCOHOL	0.007	0.40	0.040						
3-CARENE	0.007	0.26	0.026						
CAMPHENE	0.007	0.25	0.025						
HEXAHYDROTHYMOL	0.007	0.25	0.025						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			6.084						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/29/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Pnppl  
Pineapple  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40426004-010

Harvest/Lot ID: 0001 3428 6432 5338

Batch# : 0001 3428 6432

5338

Sampled : 04/26/24

Ordered : 04/26/24

Sample Size Received : 16 gram

Total Amount : 865 units

Completed : 04/29/24 Expires: 04/30/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2345g	04/26/24 17:13:30	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA072080PES		Reviewed On : 04/29/24 11:44:26			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 04/26/24 10:50:45			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/26/24 17:22:03					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 042324.R12; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2345g	04/26/24 17:13:30	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA072081VOL		Reviewed On : 04/29/24 11:41:09			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 04/26/24 10:52:37			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/26/24 18:45:30					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 042324.R12; 040423.08; 041724.R34; 041724.R35					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/29/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Pnppi  
Pineapple  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40426004-010

Harvest/Lot ID: 0001 3428 6432 5338

Batch# : 0001 3428 6432  
5338

Sampled : 04/26/24  
Ordered : 04/26/24

Sample Size Received : 16 gram

Total Amount : 865 units

Completed : 04/29/24 Expires: 04/30/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0286g

Extraction date:  
04/29/24 16:39:50

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA07210550L  
Instrument Used : DA-GCMS-003  
Analyzed Date : 04/26/24 15:53:30

Reviewed On : 04/29/24 17:07:54  
Batch Date : 04/26/24 15:21:39

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 304486  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/29/24

Revision: #1

This revision supersedes any and all previous versions of this document.



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: renee.reyna@crescolabs.com

Sample : DA40426004-010

Harvest/Lot ID: 0001 3428 6432 5338

 Batch# : 0001 3428 6432  
 5338

 Sampled : 04/26/24  
 Ordered : 04/26/24


Sample Size Received : 16 gram

Total Amount : 865 units

Completed : 04/29/24 Expires: 04/30/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>
<b>Analyte</b>	<b>LOD Units Result Pass / Fail Action Level</b>	<b>Analyte LOD Units Result Pass / Fail Action Level</b>
<b>ASPERGILLUS TERREUS</b>	Not Present <b>PASS</b>	<b>AFLATOXIN B2</b> 0.002 ppm ND <b>PASS</b> 0.02
<b>ASPERGILLUS NIGER</b>	Not Present <b>PASS</b>	<b>AFLATOXIN B1</b> 0.002 ppm ND <b>PASS</b> 0.02
<b>ASPERGILLUS FUMIGATUS</b>	Not Present <b>PASS</b>	<b>OCHRATOXIN A</b> 0.002 ppm ND <b>PASS</b> 0.02
<b>ASPERGILLUS FLAVUS</b>	Not Present <b>PASS</b>	<b>AFLATOXIN G1</b> 0.002 ppm ND <b>PASS</b> 0.02
<b>SALMONELLA SPECIFIC GENE</b>	Not Present <b>PASS</b>	<b>AFLATOXIN G2</b> 0.002 ppm ND <b>PASS</b> 0.02
<b>COLI SHIGELLA</b>	Not Present <b>PASS</b>	
<b>TOTAL YEAST AND MOLD</b>	10 CFU/g <10 <b>PASS</b> 100000	<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.2345g <b>Extraction date:</b> 04/26/24 17:13:30 <b>Extracted by:</b> 3379
<b>Analyzed by:</b> 3621, 585, 1440 <b>Weight:</b> 0.888g <b>Extraction date:</b> 04/26/24 11:44:21 <b>Extracted by:</b> 3621		<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
<b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA072057MIC	<b>Reviewed On :</b> 04/29/24 09:15:24	<b>Analytical Batch :</b> DA072082MYC <b>Reviewed On :</b> 04/29/24 10:28:03 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 04/26/24 10:54:08 <b>Analyzed Date :</b> 04/26/24 17:26:12
<b>Instrument Used :</b> PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 <b>Analyzed Date :</b> 04/26/24 12:55:01	<b>Batch Date :</b> 04/26/24 09:25:53	<b>Dilution :</b> 250 <b>Reagent :</b> 042324.R12; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> N/A
<b>Dilution :</b> N/A <b>Reagent :</b> 032624.12; 032624.22; 041924.R15; 100223.07 <b>Consumables :</b> N/A <b>Pipette :</b> N/A		Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.
<b>Analyzed by:</b> 3390, 4451, 585, 1440 <b>Weight:</b> 0.888g <b>Extraction date:</b> 04/26/24 11:44:21 <b>Extracted by:</b> 3621		<b>[Hg]</b> <b>Heavy Metals</b> <b>PASSED</b>
<b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA072059TYM <b>Reviewed On :</b> 04/29/24 09:14:27 <b>Instrument Used :</b> Incubator (25-27°C) DA-097 <b>Batch Date :</b> 04/26/24 09:26:42 <b>Analyzed Date :</b> 04/26/24 14:38:34		<b>Metal LOD Units Result Pass / Fail Action Level</b>
<b>Dilution :</b> N/A		<b>TOTAL CONTAMINANT LOAD METALS</b> 0.080 ppm ND <b>PASS</b> 1.1
<b>Reagent :</b> 032624.12; 032624.22; 041124.R12		<b>ARSENIC</b> 0.020 ppm ND <b>PASS</b> 0.2
<b>Consumables :</b> N/A		<b>CADMIUM</b> 0.020 ppm ND <b>PASS</b> 0.2
<b>Pipette :</b> N/A		<b>MERCURY</b> 0.020 ppm ND <b>PASS</b> 0.2
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.		<b>LEAD</b> 0.020 ppm ND <b>PASS</b> 0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2371g <b>Extraction date:</b> 04/26/24 13:50:28 <b>Extracted by:</b> 1022,4056		<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2371g <b>Extraction date:</b> 04/26/24 13:50:28 <b>Extracted by:</b> 1022,4056
<b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA072071HEA <b>Reviewed On :</b> 04/29/24 09:13:22 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 04/26/24 10:24:30 <b>Analyzed Date :</b> 04/26/24 17:16:57		<b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA072071HEA <b>Reviewed On :</b> 04/29/24 09:13:22 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 04/26/24 10:24:30 <b>Analyzed Date :</b> 04/26/24 17:16:57
<b>Dilution :</b> 50 <b>Reagent :</b> 042524.R10; 042224.R01; 042524.R09; 042224.R03; 042224.R02; 020524.01; 041224.R10 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216		<b>Dilution :</b> 50 <b>Reagent :</b> 042524.R10; 042224.R01; 042524.R09; 042224.R03; 042224.R02; 020524.01; 041224.R10 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216
		Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 04/29/24

**Revision: #1**

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Pnppi  
Pineapple  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40426004-010

Harvest/Lot ID: 0001 3428 6432 5338

Batch# : 0001 3428 6432  
5338

Sampled : 04/26/24

Ordered : 04/26/24

Sample Size Received : 16 gram

Total Amount : 865 units

Completed : 04/29/24 Expires: 04/30/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA072102FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/26/24 15:20:13

Reviewed On : 04/26/24 15:50:26

Batch Date : 04/26/24 13:38:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.444	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.6362g	Extraction date: 04/27/24 08:22:47	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA072092WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 04/26/24 16:31:47

Reviewed On : 04/29/24 07:51:09

Batch Date : 04/26/24 11:53:29

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/29/24

Revision: #1

This revision supersedes any and all previous versions of this document.