




# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40503005-001  
Harvest/Lot ID: 0001 3428 6432 9348  
Batch#: 0001 3428 6432 9348  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 0001 3428 6433 2260  
Batch Date: 04/25/24  
Sample Size Received: 410 gram  
Total Amount: 1689 units  
Retail Product Size: 41.4479 gram  
Retail Serving Size: 4.1 gram  
Servings: 10  
Ordered: 04/30/24  
Sampled: 05/03/24  
Completed: 05/06/24  
Sampling Method: SOP.T.20.010

May 06, 2024 | Sunnyside  
22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**0.271%**

Total THC/Container : 112.32 mg



Total CBD  
**0.519%**

Total CBD/Container : 215.12 mg



Total Cannabinoids  
**0.833%**

Total Cannabinoids/Container : 345.26 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.271	ND	0.519	ND	ND	0.013	ND	0.003	0.002	0.003	0.022
mg/unit	112.32	ND	215.11	ND	ND	5.39	ND	1.24	0.83	1.24	9.12
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
3.0581g

Extraction date:  
05/03/24 16:13:26

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA072377POT  
Instrument Used : DA-LC-007  
Analyzed Date : 05/03/24 16:14:19

Reviewed On : 05/06/24 08:47:38  
Batch Date : 05/03/24 11:55:09

Dilution : 40  
Reagent : 042524.R01; 060723.24; 043024.R01  
Consumables : 947.109; 280670723; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/06/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 300mg 10pk Blk Chrry 2:1  
Black Cherry  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40503005-001

Harvest/Lot ID: 0001 3428 6432 9348

Batch# : 0001 3428 6432

9348

Sampled : 05/03/24

Ordered : 05/03/24

Sample Size Received : 410 gram

Total Amount : 1689 units

Completed : 05/06/24 Expires: 05/06/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.8102g	05/06/24 09:08:25	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA072383PES		Reviewed On : 05/06/24 11:05:00			
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 05/03/24 11:58:31			
FENHEXAMID	0.010	ppm	3	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Reagent : 050124.R17; 050224.R04; 050224.R05; 050124.R16; 042324.R01; 050224.R02; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	1	PASS	ND	450, 585, 1440	0.8102g	05/06/24 09:08:25	3379		
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	2	PASS	ND	Analytical Batch : DA072390VOL		Reviewed On : 05/06/24 11:03:47			
METALAXYL	0.010	ppm	3	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 05/03/24 12:02:24			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 050224.R05; 040423.08; 050224.R31; 050224.R32					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.5	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/06/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 300mg 10pk Blk Chrry 2:1  
Black Cherry  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40503005-001

Harvest/Lot ID: 0001 3428 6432 9348

Batch# : 0001 3428 6432  
9348

Sampled : 05/03/24

Ordered : 05/03/24

Sample Size Received : 410 gram

Total Amount : 1689 units

Completed : 05/06/24 Expires: 05/06/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0188g

Extraction date:  
05/06/24 12:42:44

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA07242450L  
Instrument Used : DA-GCMS-003  
Analyzed Date : 05/03/24 16:52:55

Reviewed On : 05/06/24 13:42:34  
Batch Date : 05/03/24 15:49:31

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 304486  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/06/24



# PASSED

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
**Telephone:** (772) 631-0257  
**Email:** renee.revna@crescolabs.com

Sample : DA40503005-001  
Harvest/Lot ID: 0001 3428 6432 9348

Batch #: 0001 3428 6432 9348	Sample Size Received : 410 gram Total Amount : 1689 units
Sampled : 05/03/24	Completed : 05/06/24 Expires: 05/06/25
Ordered : 05/03/24	Sample Method : SOP.T.20.010

Page 4 of 5

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/06/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 300mg 10pk Blk Chrry 2:1  
Black Cherry  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40503005-001

Harvest/Lot ID: 0001 3428 6432 9348

Batch# : 0001 3428 6432  
9348

Sampled : 05/03/24

Ordered : 05/03/24

Sample Size Received : 410 gram

Total Amount : 1689 units

Completed : 05/06/24 Expires: 05/06/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 18

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA072426FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 05/06/24 13:11:46

Batch Date : 05/03/24 23:29:29

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.606	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 7.2034g	Extraction date: 05/04/24 10:37:28	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA072403WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 05/04/24 10:38:05

Reviewed On : 05/06/24 08:37:46

Batch Date : 05/03/24 13:47:52

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	2.430	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	2.725	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
4351, 585, 1440	4.138g	05/03/24 13:01:52	4351

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA072376HOM

Instrument Used : DA-LC-006 (Homogeneity)

Analyzed Date : 05/03/24 13:54:03

Reviewed On : 05/06/24 08:46:01

Batch Date : 05/03/24 11:54:29

Dilution : 40

Reagent : 030322.03; 020124.02; 043024.R07; 043024.R01

Consumables : 947.109; LCJ0311R; 34623011; 266969; 1008835395; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/06/24