

DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Pnckz (I) Pancakez Matrix: Derivative



Type: Live Resin

Certificate of Analysis

Sunnyside^{*}

COMPLIANCE FOR RETAIL CRESCO

Sample:DA40503005-004 Harvest/Lot ID: 0001 3428 6432 5655 Batch#: 0001 3428 6432 5655 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6432 9696 Batch Date: 04/25/24 Sample Size Received: 16 gram Total Amount: 907 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 04/26/24 Sampled: 05/03/24 Completed: 05/06/24

Pages 1 of 6

Sampling Method: SOP.T.20.010

PASSED

May 06, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS

SAFETY R	ESULTS										MISC.
В В	÷	Hg	Ċ\$	şç	þ	Ä			\bigcirc		Ô
Pesticio PASS		avy Metals PASSED	Microbials PASSED	Mycotox PASSE			Filth PASSED	Water Activity PASSED		Moisture NOT TESTED	Terpenes TESTED
للله Cannabinoid PASSED											
	3 8:	I THC L.835 THC/Container) 0	al CBD 175% I CBD/Container :	, ,			I Cannabinoids	iner : 860.93
%	D9-ТНС 81.696	тнса 0.159	CBD 0.175	CBDA ND	D8-ТНС 0.460	свс 2.162	CBGA	CBN 0.206	тнсv 0.543	CBDV ND	свс 0.692
mg/unit	816.96	1.59	1.75	ND	4.60	21.62	ND	2.06	5.43	ND	6.92
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 1665, 585, 1440			Weight: 0.1094g			ction date: 3/24 14:16:12				Extracted by: 1665	
Analytical Batch Instrument Used	I: SOP.T.40.031, S : DA072397POT I: DA-LC-002 05/03/24 14:16:3					Reviewed On : 05/0 Batch Date : 05/03					
Consumables : 9	24.R01; 060723.24 947.100; 2806707 9; DA-108; DA-078	23; CE0123; 000018	5478								

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/06/24



Type: Live Resin

..... Cresco Liquid Live Resin Cartridge 1g - Pnckz (I) Pancakez Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-004 Harvest/Lot ID: 0001 3428 6432 5655 Batch#:0001 3428 6432 5655

Sampled : 05/03/24 Ordered : 05/03/24

Sample Size Received : 16 gram Total Amount : 907 units Completed : 05/06/24 Expires: 05/06/25 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

lerpenes .	LOD (%)	mg/uni	it %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	41.75	4.175		SABINENE HYDRATE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	9.68	0.968		VALENCENE		0.007	ND	ND		
IMONENE	0.007	8.24	0.824		ALPHA-CEDRENE		0.005	ND	ND		
NALOOL	0.007	8.05	0.805		ALPHA-PHELLANDRENE		0.007	ND	ND		
TA-MYRCENE	0.007	6.54	0.654		ALPHA-TERPINENE		0.007	ND	ND		
PHA-HUMULENE	0.007	2.91	0.291		ALPHA-TERPINOLENE		0.007	ND	ND		
NCHYL ALCOHOL	0.007	1.43	0.143		CIS-NEROLIDOL		0.003	ND	ND		
PHA-TERPINEOL	0.007	1.38	0.138		GAMMA-TERPINENE		0.007	ND	ND		
ARNESENE	0.007	1.24	0.124		Analyzed by:	Weight:		Extraction da			Extracted by:
ANS-NEROLIDOL	0.005	0.89	0.089		3605, 585, 1440	0.2081g		05/03/24 14			3605
PHA-BISABOLOL	0.007	0.56	0.056		Analysis Method : SOP.T.30.0						
TA-PINENE	0.007	0.52	0.052		Analytical Batch : DA072368 Instrument Used : DA-GCMS-)5/06/24 13:11:09 /03/24 10:15:15	
PHA-PINENE	0.007	0.31	0.031		Analyzed Date : 05/03/24 14:			Batch	Date : 05,	/03/24 10:15:15	
CARENE	0.007	ND	ND		Dilution : 10						
RNEOL	0.013	ND	ND		Reagent : 121622.26						
MPHENE	0.007	ND	ND		Consumables : 947.109; 230	513-634-D; CE0123					
MPHOR	0.007	ND	ND		Pipette : DA-063						
RYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed u	tilizing Gas Chromatography M	ass Spectr	ometry. For all I	Hower sam	ples, the Total Terpenes % is	s dry-weight corrected
DROL	0.007	ND	ND								
CALYPTOL	0.007	ND	ND								
NCHONE	0.007	ND	ND								
RANIOL	0.007	ND	ND								
RANYL ACETATE	0.007	ND	ND								
IAIOL	0.007	ND	ND								
XAHYDROTHYMOL	0.007	ND	ND								
OBORNEOL	0.007	ND	ND								
DPULEGOL	0.007	ND	ND								
ROL	0.007	ND	ND								
	0.007	ND	ND								
TIMENE											
CIMENE	0.007	ND	ND								

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/06/24



Type: Live Resin

..... Cresco Liquid Live Resin Cartridge 1g - Pnckz (I) Pancakez Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-004 Harvest/Lot ID: 0001 3428 6432 5655 Batch#:0001 3428 6432

5655 Sampled : 05/03/24 Ordered : 05/03/24

Sample Size Received : 16 gram Total Amount : 907 units Completed : 05/06/24 Expires: 05/06/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND			ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE					ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND			ppm	0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM					
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.0		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weigh 3379, 585, 1440 0.2098		tion date: 24 07:19:40		Extracted 3379	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gaine	3		SOP T 40 101		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)		211 2 (Barre)) 1	5011111012021	r (ourrestric)	,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA072399PES			n:05/06/24 1		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:05/03/24 13:3	34:39	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 050124.R17; 050224.R04; 0502	24 DOE: 0E0124 D	LE: 042224 DO	1. 050224 802	040422.00	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	24.R03, 030124.R.	LO, U42324.NU	1, UJUZZ4.RUZ	2,040425.00	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093: DA-094: DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	utilizing Liquid Chror	natography Trij	ple-Quadrupole	Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.2098g		4 07:19:40		3379	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaine					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch :DA072401VOL Instrument Used :DA-GCMS-001		eviewed On : 0 atch Date : 05			
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A	D	atti bate 105	/05/24 15.50.0	02	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 050224.R05; 040423.08; 05022	4.R31; 050224.R32	2			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401	,				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed accordance with F.S. Rule 64ER20-39.	utilizing Gas Chroma	tography Triple	e-Quadrupole №	lass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



PASSED

PASSED



Type: Live Resin

Cresco Liquid Live Resin Cartridge 1g - Pnckz (I) Pancakez Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com
 Sample : DA40503005-004

 Harvest/Lot ID: 0001 3428 6432 5655

 Batch# : 0001 3428 6432
 Sample

 5655
 Total Ar

 Sampled : 05/03/24
 Complex

Ordered : 05/03/24

6432 5655 Sample Size Received : 16 gram Total Amount : 907 units Completed : 05/06/24 Expires: 05/06/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
ETHANOL	500.000	ppm	5000	PASS	ND				
ETHYL ACETATE	40.000	ppm	400	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
ETHYL ETHER	50.000	ppm	500	PASS	ND				
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
METHANOL	25.000	ppm	250	PASS	ND				
I-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
OLUENE	15.000	ppm	150	PASS	ND				
FOTAL XYLENES	15.000	ppm	150	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
Analyzed by: 850, 585, 1440	Weight: 0.0262g	Extraction date: 05/06/24 12:42:45		E x 85	tracted by:				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA072424SOL nstrument Used : DA-GCMS-003 Analyzed Date : 05/03/24 16:52:55		Reviewed On: 05/06/24 13:42:39 Batch Date: 05/03/24 15:49:31							

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 304486 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/06/24



..... Cresco Liquid Live Resin Cartridge 1g - Pnckz (I) Pancakez Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-004 Harvest/Lot ID: 0001 3428 6432 5655 Batch#:0001 3428 6432

5655 Sampled : 05/03/24 Ordered : 05/03/24 Sample Size Received : 16 gram Total Amount : 907 units Completed : 05/06/24 Expires: 05/06/25 Sample Method : SOP.T.20.010

Page 5 of 6

Type: Live Resin

Ç	Microbia	I			PAS	SED	သို့	Му	cotoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Lever	AFLATOXIN I	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	5 NIGER			Not Present	PASS		AFLATOXIN I	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
SPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELL/	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
COLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	te:		Extracted	hv:
TOTAL YEAS	FAND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 144	0	0.2098g	05/06/24 07:			3379	<i></i>
nalyzed by: 390, 585, 144	Weight: 0 0.8909g		action date: 3/24 13:38:4	11	Extracted 3621	by:			30.101.FL (Gain , SOP.T.40.102.F		40.101.FL	_ (Gainesv	ille),	
	d:SOP.T.40.056C, SOF h:DA072395MIC	P.T.40.058	3.FL, SOP.T.4		ed On : 05/0	06/24	Analytical Batch : DA072400MYC Reviewed On : 05/06/24 10:23:36 Instrument Used : N/A Batch Date : 05/03/24 13:38:00 Analyzed Date : N/A Batch Date : 05/03/24 13:38:00							
Analyzed Date	24.13; 041124.98; 041						040423.08 Consumables : Pipette : DA-09 Mycotoxins test accordance with	93; DA-094	1; DA-219 Liquid Chromatog	graphy with Triple	2-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 1451, 585, 144	Weight: 0 0.8909g		action date: 3/24 13:38:4	11	Extracted 3621	by:	Hg	Hea	avy Me	etals			PAS	SED
alytical Batc	d:SOP.T.40.208 (Gaine h:DA072396TYM ed:Incubator (25-27*C)		Revi	.FL ewed On : 05/0 h Date : 05/03/			Metal			LOD	Units	Result	Pass / Fail	Action Level
	i N/A						TOTAL CONT		LOAD METAL	S 0.080	ppm	ND	PASS	1.1
ilution:N/A	24.13; 041124.98; 041	124 R12					ARSENIC			0.020	ppm	ND	PASS	0.2
onsumables :							CADMIUM			0.020	ppm	ND	PASS	0.2
ipette : N/A							MERCURY			0.020	ppm	ND	PASS	0.2
	mold testing is performed u	utilizing MF	N and traditio	nal culture base	d techniques	i in	LEAD			0.020	ppm	ND	PASS	0.5
ccordance with	F.S. Rule 64ER20-39.						Analyzed by: 1022, 585, 144	0	Weight: 0.2746g	Extraction da 05/03/24 16:			Extracted 4056	by:
							Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA072 ed:DA-ICF	MS-004	Reviewe		/06/24 08: 3/24 12:1:		
							041224.R10	179436; 3	142924.R06; 042 34623011; 2105		024.R04; ()42924.R0	5; 03042	4.01;

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/06/24

PASSED



Type: Live Resin

Cresco Liquid Live Resin Cartridge 1g - Pnckz (I) Pancakez Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Eilth/Foreign

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com
 Sample : DA40503005-004

 Harvest/Lot ID: 0001 3428 6432
 Sample

 Batch #: 0001 3428 6432
 Sample

 5655
 Total Ar

 Sample: 05/03/24
 Complet

 Ordered: 05/03/24
 Sample

Batch Date : 05/03/24 13:47:52

DACCED

32 5655 Sample Size Received :16 gram Total Amount :907 units Completed : 05/06/24 Expires: 05/06/25 Sample Method : SOP.T.20.010

	Materia			PA	33ED
Analyte Filth and Foreig	gn Material	LOD Units	Result ND	P/F PASS	Action Level
Analyzed by: 585, 1440	Weight: NA	Extractio N/A	n date:	Extra N/A	cted by:
Analysis Method Analytical Batch : Instrument Used Analyzed Date : N	DA072426FIL Filth/Foreign Mater	rial Microscope			5/24 13:23:03 24 23:29:29
vilution: N/A teagent: N/A consumables: N/ vipette: N/A	A aterial inspection is pe	rformed by visual	inspection utilizi	ng naked ev	re and microscope
	Water A	64ER20-39.			SSED
Analyte Vater Activity		LOD Units	Result 0.432	P/F PASS	Action Level 0.85
Analyzed by: 512, 585, 1440	Weight: 0.5392g	Extraction 05/04/24			tracted by: 512
analysis Method			Reviewed O	n:05/06/2	4 08:37:54

Analytical Batch : DA072403WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 05/04/24 10:38:05 Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/06/24

Page 6 of 6