

DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

..... Cresco Liquid Live Resin Cartridge 1g - Red Pop (I) Red Pop



PASSED

MISC.

Matrix: Derivative Type: Live Resin

Certificate of Analysis

COMPLIANCE FOR RETAIL




Pages 1 of 6

May 06, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

CRESCO





Sunnyside

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 05/06/24



Type: Live Resin

..... Cresco Liquid Live Resin Cartridge 1g - Red Pop (I) Red Pop Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: renee.reyna@crescolabs.com Sample : DA40503005-006 Harvest/Lot ID: 2063 9069 0001 6707 Batch# : 2063 9069 0001

6707 Sampled : 05/03/24 Ordered : 05/03/24

Sample Size Received : 16 gram Total Amount : 2696 units Completed : 05/06/24 Expires: 05/06/25 Sample Method : SOP.T.20.010

Page 2 of 6

_			
Те	rp	en	es

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	51.27	5.127		VALENCENE		0.007	ND	ND		
LIMONENE	0.007	14.84	1.484		ALPHA-BISABOLOL		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	10.09	1.009		ALPHA-CEDRENE		0.005	ND	ND		
BETA-MYRCENE	0.007	5.83	0.583		ALPHA-PHELLANDRENE		0.007	ND	ND		
DCIMENE	0.007	4.54	0.454		ALPHA-TERPINENE		0.007	ND	ND		
ARNESENE	0.007	4.17	0.417		ALPHA-TERPINOLENE		0.007	ND	ND		
LINALOOL	0.007	3.65	0.365		CIS-NEROLIDOL		0.003	ND	ND		
ALPHA-HUMULENE	0.007	3.10	0.310		GAMMA-TERPINENE		0.007	ND	ND		
ALPHA-TERPINEOL	0.007	1.74	0.174		Analyzed by:	Weight:		Extraction da	ate:		Extracted by:
ALPHA-PINENE	0.007	1.33	0.133		3605, 585, 1440	0.2089g		05/03/24 14:			3605
FENCHYL ALCOHOL	0.007	1.29	0.129		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL					
TRANS-NEROLIDOL	0.005	0.37	0.037		Analytical Batch : DA072368TER Instrument Used : DA-GCMS-008					5/06/24 13:11:18 /03/24 10:15:15	
BETA-PINENE	0.007	0.32	0.032		Analyzed Date : 05/03/24 14:14:41			Batch	Date: US/	05/24 10.15:15	
3-CARENE	0.007	ND	ND		Dilution : 10						
BORNEOL	0.013	ND	ND		Reagent : 121622.26						
CAMPHENE	0.007	ND	ND		Consumables : 947.109; 230613-634-	D; CE0123					
CAMPHOR	0.007	ND	ND		Pipette : DA-063						
CARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Ga	is Chromatography M	ass spectr	ometry. For all i	-lower samp	bies, the Total Terpenes % is	ary-weight corrected.
EDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
SERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
IEROL	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/06/24



Cresco Liquid Live Resin Cartridge 1g - Red Pop (I) Red Pop



Matrix : Derivative Type: Live Resin

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-006 Harvest/Lot ID: 2063 9069 0001 6707

Batch#: 2063 9069 0001 6707 Sampled: 05/03/24 Ordered: 05/03/24 Sample Size Received :16 gram Total Amount :2696 units Completed :05/06/24 Expires: 05/06/25 Sample Method :SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND			ppm		PASS	ND
ABAMECTIN B1A		ppm	0.1	PASS	ND	PROPICONAZOLE			0.1		
ACEPHATE		ppm	0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL		ppm	0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB		ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN		ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE		ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID		ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
CARBOFURAN		ppm	0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORMEQUAT CHLORIDE		ppm	1	PASS	ND		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *					
CLOFENTEZINE		ppm	0.2	PASS	ND	CHLORDANE *	0.010		0.1	PASS	ND
COUMAPHOS		ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010		0.1	PASS	ND
DAMINOZIDE		ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON		ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS		ppm	0.1 0.1	PASS	ND ND	Analyzed by: Weight:	Extract	ion date:		Extracted	by:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440 0.29g	05/06/2	4 07:19:41		3379	
ETHOPROPHOS		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesv	ille), SOP.T.30.10	02.FL (Davie), S	50P.T.40.101.F	L (Gainesville)	,
ETOFENPROX		ppm ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)			05/06/04 1/	41.22	
ETOXAZOLE		ppm	0.1	PASS	ND	Analytical Batch : DA072399PES Instrument Used : DA-LCMS-003 (PES)			n:05/06/24 16 :05/03/24 13:3		
FENHEXAMID		ppm	0.1	PASS	ND	Analyzed Date : N/A		butten butte	.05/05/24 15:5	4.55	
FENOXYCARB		ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE FIPRONIL		ppm	0.1	PASS	ND	Reagent: 050124.R17; 050224.R04; 050224	.R05; 050124.R1	16; 042324.R0	1; 050224.R02	; 040423.08	
FLONICAMID		ppm	0.1	PASS	ND	Consumables : 326250IW					
FLUDIOXONIL		ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX		ppm	0.1	PASS	ND	Testing for agricultural agents is performed util accordance with F.S. Rule 64ER20-39.	izing Liquid Chror	matography Irij	ole-Quadrupole	Mass Spectrom	ietry in
IMAZALIL		ppm	0.1	PASS	ND	Analyzed by: Weight:	Extracti	on date:		Extracted	hu
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440 0.29g		07:19:41		3379	by.
KRESOXIM-METHYL		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesv			SOP.T.40.151	.FL	
MALATHION		ppm	0.2	PASS	ND	Analytical Batch : DA072401VOL	R	eviewed On :	05/06/24 15:09	9:27	
METALAXYL	0.010		0.1	PASS	ND	Instrument Used : DA-GCMS-001	B	atch Date : 05	/03/24 13:38:0)2	
METHIOCARB	0.010		0.1	PASS	ND	Analyzed Date : N/A					
METHOMYL	0.010		0.1	PASS	ND	Dilution: 250	221.050224.022				
MEVINPHOS		ppm	0.1	PASS	ND	Reagent : 050224.R05; 040423.08; 050224. Consumables : 326250IW; 14725401	NG1, UGUZZ4.K32	<u>r</u>			
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is performed util	izing Gas Chroma	tography Triple	-Quadrupole M	ass Spectromet	ry in
						accordance with F.S. Rule 64ER20-39.					-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/06/24

PASSED



Type: Live Resin

Cresco Liquid Live Resin Cartridge 1g - Red Pop (I) Red Pop Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-006 Harvest/Lot ID: 2063 9069 0001 6707 Batch# : 2063 9069 0001 Sample

6707 Sampled : 05/03/24 Ordered : 05/03/24 Sample Size Received : 16 gram Total Amount : 2696 units Completed : 05/06/24 Expires: 05/06/25 Sample Method : SOP.T.20.010

Page 4 of 6

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
CETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ENZENE	0.100	ppm	1	PASS	ND
-PROPANOL	50.000	ppm	500	PASS	ND
HLOROFORM	0.200	ppm	2	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
EPTANE	500.000	ppm	5000	PASS	ND
ETHANOL	25.000	ppm	250	PASS	ND
-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0208g	Extraction date: 05/06/24 12:42:46	;	E x 85	tracted by:
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA072424SOL strument Used : DA-GCMS-003 nalyzed Date : 05/03/24 16:52:55			I On : 05/06/24 13:42:43 te : 05/03/24 15:49:31		
Nilution : 1					

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 304486

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/06/24

PASSED

PASSED



. Cresco Liquid Live Resin Cartridge 1g - Red Pop (I) Red Pop



Matrix : Derivative Type: Live Resin



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-006 Harvest/Lot ID: 2063 9069 0001 6707 Batch# : 2063 9069 0001

6707 Sampled : 05/03/24 Ordered : 05/03/24 Sample Size Received : 16 gram Total Amount : 2696 units Completed : 05/06/24 Expires: 05/06/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ç	Microbia	I			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN I	32		0.002	ppm	ND	PASS	0.02
SPERGILLUS	S NIGER			Not Present	PASS		AFLATOXIN I	31		0.002	ppm	ND	PASS	0.02
SPERGILLUS	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
SPERGILLU				Not Present	PASS		AFLATOXIN (0.002	ppm	ND	PASS	0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
COLI SHIGE	LLA F AND MOLD	10	CFU/q	Not Present <10	PASS PASS	100000	Analyzed by:	•	Weight:	Extraction da			Extracted	by:
				<10			3379, 585, 144		0.29g	05/06/24 07:			3379	
alyzed by: 90, 585, 144		05/0	action date: 03/24 13:38:4		Extracted 3621	by:	Analysis Metho SOP.T.30.102.I Analytical Bato	L (Davie),	SOP.T.40.102.			Gainesvi)5/06/24 1		
	d : SOP.T.40.056C, SOP h : DA072395MIC	.T.40.058	8.FL, SOP.T.4		d On : 05/0	6/24	Instrument Use Analyzed Date	ed:N/A	ounic			/03/24 13:		
nalyzed Date ilution : N/A eagent : 0326 onsumables : pette : N/A	524.13; 041124.98; 041	924.R15;	; 030724.40				Consumables : Pipette : DA-09 Mycotoxins test accordance with	93; DA-094; ing utilizing I	Liquid Chromato	graphy with Triple	e-Quadrupc	le Mass Spe	ectrometry	in
nalyzed by: 151, 585, 144	Weight: 0 0.8684g		action date: 13/24 13:38:4	2	Extracted 3621	by:	Hg	Неа	ivy Me	etals			PAS	SEC
nalytical Batc	d:SOP.T.40.208 (Gaine h:DA072396TYM ed:Incubator (25-27*C) :N/A		Revie	.FL ewed On : 05/0 h Date : 05/03/			Metal			LOD	Units	Result	Pass / Fail	Action Level
lution : N/A	• 19/4						TOTAL CONT	AMINANT	LOAD METAL		ppm	ND	PASS	1.1
	524.13; 041124.98; 041	124.R12					ARSENIC			0.020	ppm	ND	PASS	0.2
nsumables :	N/A						CADMIUM			0.020 0.020	ppm ppm	ND ND	PASS PASS	0.2 0.2
pette : N/A	mold testing is performed u	tilizing M	DN and traditio	nal cultura k	d to choice	in	LEAD			0.020	ppm	ND	PASS	0.2
	F.S. Rule 64ER20-39.	iuiizing Mi	riv and traditio	nai culture base	u techniques	III	Analyzed by: 1022, 585, 144	0	Weight: 0.2416g	Extraction da 05/03/24 16:			Extracted 4056	by:
							Analysis Metho Analytical Bato Instrument Use Analyzed Date	h : DA0723 ed : DA-ICPI	94HEA MS-004	Reviewe		/06/24 08: 3/24 12:11		
							Dilution : 50 Reagent : 0425 041224.R10 Consumables : Pipette : DA-06	179436; 34	4623011; 2105	2524.R09; 0429 508058	924.R04; ()42924.R0	5; 030424	4.01;

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/06/24



Type: Live Resin

Page 6 of 6

Cresco Liquid Live Resin Cartridge 1g - Red Pop (I) Red Pop Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Eilth/Eoreign

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-006 Harvest/Lot ID: 2063 9069 0001 6707 Batch# : 2063 9069 0001 6707 Sampled : 05/03/24 Complet Sampled : 05/03/24 Complet

Batch Date : 05/03/24 13:47:52

DACCED

Ordered : 05/03/24

01 6707 Sample Size Received : 16 gram Total Amount : 2696 units Completed : 05/06/24 Expires: 05/06/25 Sample Method : SOP.T.20.010

	lateria		n		PA	55ED
Analyte Filth and Foreign I	Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 585, 1440	Weight: NA	E) N	(traction (/A	late:	Extra N/A	cted by:
Analysis Method : SO Analytical Batch : DA Instrument Used : Fill Analyzed Date : N/A	072426FIL	rial Micro	oscope			5/24 13:23:06 24 23:29:29
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign materi	al inspection is po	rformed		sportion utilizi	a paked ov	in and microscopo
echnologies in accorda				spection utilizi		
(<u>)</u> v	Vater A	ctiv	ity		PA	SSED
Analyte Water Activity		LOD 0.010	Units aw	Result 0.536	P/F PASS	Action Level 0.85
Analyzed by: 1512, 585, 1440	Weight: 0.5749g		traction d			tracted by: 512
Analysis Method : SO Analytical Batch : DA				Reviewed Or	1: 05/06/2	4 08:37:56

Analytical Batch : DA072403WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 05/04/24 10:38:05 Dilution : N/A Reagent : 022024.29 Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

05/06/24