



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40503005-014
Harvest/Lot ID: 0001 3428 6432 6097
Batch#: 0001 3428 6432 6097
Cultivation Facility: FL - Indiantown (3734)
Processing Facility : FL - Indiantown (3734)
Source Facility : FL - Indiantown (3734)
Seed to Sale# 0001 3428 6433 0701
Batch Date: 04/26/24
Sample Size Received: 15.5 gram
Total Amount: 1240 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 04/26/24
Sampled: 05/03/24
Completed: 05/07/24
Sampling Method: SOP.T.20.010

May 07, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

77.251%

Total THC/Container : 386.26 mg



Total CBD

0.127%

Total CBD/Container : 0.64 mg



Total Cannabinoids

79.649%

Total Cannabinoids/Container : 398.25 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	77.134	0.134	0.127	ND	0.325	0.863	ND	0.159	0.243	ND	0.664
mg/unit	385.67	0.67	0.64	ND	1.63	4.32	ND	0.80	1.22	ND	3.32
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.0996g

Extraction date:
05/03/24 16:05:41

Extracted by:
3702,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA072402POT

Instrument Used : DA-LC-003

Analyzed Date : 05/03/24 16:07:20

Reviewed On : 05/06/24 08:40:04

Batch Date : 05/03/24 13:44:57

Dilution : 400

Reagent : 042524.R01; 032123.11; 043024.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 05/07/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Gastro Pop 5 (S)

Gastro Pop 5

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40503005-014

Harvest/Lot ID: 0001 3428 6432 6097

Batch# : 0001 3428 6432 6097

Sampled : 05/03/24

Ordered : 05/03/24

Sample Size Received : 15.5 gram

Total Amount : 1240 units

Completed : 05/07/24 Expires: 05/07/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	26.84	5.368		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	12.31	2.461		ALPHA-PINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	4.79	0.958		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	3.52	0.703		ALPHA-TERPINOL	0.007	ND	ND	
OCIMENE	0.007	2.74	0.547		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.45	0.289		BETA-PINENE	0.007	ND	ND	
LIMONENE	0.007	0.82	0.163		CIS-NEROLIDOL	0.003	ND	ND	
FARNESENE	0.007	0.76	0.151		GAMMA-TERPINENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.005	0.48	0.096						
3-CARENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
BORNEOL	0.013	ND	ND		3605, 585, 1440	0.2016g	05/03/24 14:14:18	3605	
CAMPHENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHOR	0.007	ND	ND		Analytical Batch : DA072368TER			Reviewed On : 05/06/24 13:11:32	
CARYOPHYLLENE OXIDE	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 05/03/24 10:15:15	
CEDROL	0.007	ND	ND		Analysis Date : 05/03/24 14:14:41				
EUCALYPTOL	0.007	ND	ND		Dilution : 10				
FENCHONE	0.007	ND	ND		Reagent : 121622.26				
FENCHYL ALCOHOL	0.007	ND	ND		Consumables : 947.109; 230613-634-D; CE0123				
GERANIOL	0.007	ND	ND		Pipette : DA-063				
GERANYL ACETATE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
ALPHA-BISABOLOL	0.007	ND	ND						
ALPHA-CEDRENE	0.005	ND	ND						
Total (%)			5.368						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/07/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Gastro Pop 5 (S)

Gastro Pop 5

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40503005-014

Harvest/Lot ID: 0001 3428 6432 6097

Batch# : 0001 3428 6432
6097

Sampled : 05/03/24

Ordered : 05/03/24

Sample Size Received : 15.5 gram

Total Amount : 1240 units

Completed : 05/07/24 Expires: 05/07/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysiszed by: 3379, 585, 1440	Weight: 0.2839g	Extraction date: 05/06/24 07:19:44	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA072399PES			Reviewed On : 05/06/24 16:41:51		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 05/03/24 13:34:39		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analysis Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 050124.R17; 050224.R04; 050224.R05; 050124.R16; 042324.R01; 050224.R02; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysiszed by: 450, 585, 1440	Weight: 0.2839g	Extraction date: 05/06/24 07:19:44	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA072401VOL			Reviewed On : 05/06/24 15:13:53		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 05/03/24 13:38:02		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Date : N/A					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 050224.R05; 040423.08; 050224.R31; 050224.R32					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/07/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Gastro Pop 5 (S)

Gastro Pop 5

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40503005-014

Harvest/Lot ID: 0001 3428 6432 6097

Batch# : 0001 3428 6432
6097

Sampled : 05/03/24

Ordered : 05/03/24

Sample Size Received : 15.5 gram

Total Amount : 1240 units

Completed : 05/07/24 Expires: 05/07/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0287g

Extraction date:
05/06/24 15:24:40

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA072425SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 05/05/24 15:58:18

Reviewed On : 05/06/24 17:03:36
Batch Date : 05/03/24 16:02:29

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/07/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40503005-014

Harvest/Lot ID: 0001 3428 6432 6097

 Batch# : 0001 3428 6432
 6097

Sampled : 05/03/24

Ordered : 05/03/24



Sample Size Received : 15.5 gram

Total Amount : 1240 units

Completed : 05/07/24 Expires: 05/07/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED							
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
ECOLI SHIGELLA			Not Present	PASS								
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2839g	Extraction date: 05/06/24 07:19:44		Extracted by: 3379		
Analyzed by: 3390, 585, 1440	Weight: 0.9404g	Extraction date: 05/03/24 16:16:28		Extracted by: 3621		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA072400MYC						
Analytical Batch : DA072409MIC						Reviewed On : 05/06/24 10:23:47						
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Batch Date : 05/03/24 13:38:00						
Analyzed Date : N/A												
Dilution : N/A						Dilution : 250						
Reagent : 041124.100; 041124.101; 041924.R15; 100223.08						Reagent : 050124.R17; 050224.R04; 050224.R05; 050124.R16; 042324.R01; 050224.R02; 040423.08						
Consumables : 7572001047; 7572001049						Consumables : 326250IW						
Pipette : N/A						Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												
<div><div>Hg</div></div>						Heavy Metals						PASSED
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5							
Analyzed by:	Weight:	Extraction date:		Extracted by:								
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.												

<div><div>Hg</div></div>		Heavy Metals		PASSED		
Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440		Weight: 0.2764g		Extraction date: 05/03/24 16:24:39		Extracted by: 4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA072394HEA			Reviewed On : 05/06/24 08:10:52			
Instrument Used : DA-ICPMS-004			Batch Date : 05/03/24 12:11:47			
Analyzed Date : 05/04/24 11:18:22						
Dilution : 50						
Reagent : 042524.R10; 042924.R06; 042524.R09; 042924.R04; 042924.R05; 030424.01; 041224.R10						
Consumables : 179436; 34623011; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Gastro Pop 5 (S)

Gastro Pop 5

Matrix : Derivative

Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40503005-014

Harvest/Lot ID: 0001 3428 6432 6097

Batch# : 0001 3428 6432
6097

Sampled : 05/03/24

Ordered : 05/03/24

Sample Size Received : 15.5 gram

Total Amount : 1240 units

Completed : 05/07/24 Expires: 05/07/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA072426FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 05/06/24 13:23:13

Batch Date : 05/03/24 23:29:29

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.485	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.4514g	Extraction date: 05/04/24 10:37:32	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA072403WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 05/04/24 10:38:05

Reviewed On : 05/06/24 08:38:06

Batch Date : 05/03/24 13:47:52

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/07/24