

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Cresco Live Budder 1g - Metaverse (S) Metaverse Matrix: Derivative



Type: Live Budder Sample:DA40503005-015 Harvest/Lot ID: 0001 3428 6431 6081 Batch#: 0001 3428 6431 6081 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6432 9353 Batch Date: 04/23/24 Sample Size Received: 16 gram

Pages 1 of 6



Sampled: 05/03/24 Completed: 05/07/24

Sampling Method: SOP.T.20.010

PASSED

MISC.




COMPLIANCE FOR RETAIL

Certificate of Analysis

May 07, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS



Sunnyside

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 05/07/24



Cresco Live Budder 1g - Metaverse (S) Metaverse Matrix : Derivative Type: Live Budder



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.reyna@crescolabs.com Sample : DA40503005-015 Harvest/Lot ID: 0001 3428 6431 6081 Batch# : 0001 3428 6431 Sample

6081 Sampled : 05/03/24 Ordered : 05/03/24 Sample Size Received :16 gram Total Amount : 1311 units Completed : 05/07/24 Expires: 05/07/25 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

erpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	43.05	4.305			ALPHA-BISABOLOL		0.007	ND	ND		
IMONENE	0.007	11.27	1.127			ALPHA-CEDRENE		0.005	ND	ND		
ETA-MYRCENE	0.007	10.41	1.041			ALPHA-PHELLANDRENE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	7.49	0.749			ALPHA-TERPINENE		0.007	ND	ND		
NALOOL	0.007	6.67	0.667			ALPHA-TERPINOLENE		0.007	ND	ND		
ARNESENE	0.007	2.42	0.242			CIS-NEROLIDOL		0.003	ND	ND		
LPHA-HUMULENE	0.007	2.08	0.208			GAMMA-TERPINENE		0.007	ND	ND		
ETA-PINENE	0.007	1.11	0.111			TRANS-NEROLIDOL		0.005	ND	ND		
LPHA-TERPINEOL	0.007	0.63	0.063		1	Analyzed by:	Weight:		Extraction da	ate:	Extracted by	
ENCHYL ALCOHOL	0.007	0.54	0.054		Í	3605, 585, 1440	0.2183g		05/03/24 16:		3605	
LPHA-PINENE	0.007	0.43	0.043			Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL					
CARENE	0.007	ND	ND			Analytical Batch : DA072398TER Instrument Used : DA-GCMS-008)5/06/24 13:11:39 /03/24 13:29:49	
DRNEOL	0.013	ND	ND			Analyzed Date : 05/03/24 16:25:03			Batch	Date : 05	103/24 13.23.43	
AMPHENE	0.007	ND	ND			Pilution : 10						
AMPHOR	0.007	ND	ND			Reagent : 022224.07						
ARYOPHYLLENE OXIDE	0.007	ND	ND			Consumables : 947.109; 230613-634-D;	CE0123					
DROL	0.007	ND	ND			Pipette : DA-063						
JCALYPTOL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas C	Chromatography M	lass Spectr	ometry. For all F	lower sam	ples, the Total Terpenes % is dry-weight correc	.ted.
NCHONE	0.007	ND	ND									
ERANIOL	0.007	ND	ND									
ERANYL ACETATE	0.007	ND	ND									
UAIOL	0.007	ND	ND									
EXAHYDROTHYMOL	0.007	ND	ND									
OBORNEOL	0.007	ND	ND									
OPULEGOL	0.007	ND	ND									
EROL	0.007	ND	ND									
CIMENE	0.007	ND	ND									
JLEGONE	0.007	ND	ND									
ABINENE	0.007	ND	ND									
ABINENE HYDRATE	0.007	ND	ND									
ALENCENE	0.007	ND	ND									
ALENCENE	0.007	140	140									

Total (%)

4.305

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/07/24



Cresco Live Budder 1g - Metaverse (S) Metaverse Matrix : Derivative Type: Live Budder



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-015 Harvest/Lot ID: 0001 3428 6431 6081 Batch# : 0001 3428 6431 Sample

6081 Sampled : 05/03/24 Ordered : 05/03/24 Sample Size Received :16 gram Total Amount :1311 units Completed :05/07/24 Expires: 05/07/25 Sample Method : SOP.T.20.010

Page 3 of 6

Pesticide

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	maa	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	T. P.	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN				0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010				
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	maa	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND						PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15		
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extrac	tion date:		Extracted	bu
DIMETHOATE	0.010	ppm	0.1	PASS	ND	3379. 585. 1440	0.2062g		4 07:19:44		3379	by.
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.F				50P.T.40.101.I	FL (Gainesville)	
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)	_ (== =, /, .				- (,	
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA072399PES				n:05/06/24 18		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date :	05/03/24 13:3	34:39	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 050124.R17; 050224.R0	14. 050224 P05.	050124 01	6. 042324 PO.	1.050224 P02	040423.08	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	14, 030224.1(05,	, 030124.111	0, 042324.110.	1, 030224.1102	, 040425.00	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is per	formed utilizing	Liquid Chron	natography Trip	ole-Quadrupole	Mass Spectrom	etry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-3	9.					
IMAZALIL	0.010		0.1	PASS	ND		Weight:		on date:		Extracted	by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND		0.2062g		1 07:19:44		3379	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.F	L (Gainesville), 9					
MALATHION	0.010	T. P.	0.2	PASS	ND	Analytical Batch : DA072401VOL Instrument Used : DA-GCMS-001			viewed On : 0 atch Date : 05			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date : N/A		Do	iten bate :00)	105/24 15.50.0	14	
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 050224.R05; 040423.08	; 050224.R31: (050224.R32				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 147254						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is per accordance with F.S. Rule 64ER20-3		Gas Chroma	tography Triple	e-Quadrupole M	lass Spectromet	ry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/07/24



Page 4 of 6

Cresco Live Budder 1g - Metaverse (S) Metaverse Matrix : Derivative Type: Live Budder



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

kaycha°

LABS

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.reyna@crescolabs.com
 Sample : DA40503005-015

 Harvest/Lot ID: 0001 3428 6431 6081

 Batch# : 0001 3428 6431
 Sample

 6081
 Total Ar

 Sampled : 05/03/24
 Complex

Ordered : 05/03/24

6431 6081 Sample Size Received :16 gram Total Amount :1311 units Completed :05/07/24 Expires:05/07/25 Sample Method : SOP.T.20.010



Residual Solvents

0.800 0.200 75.000 12.500 0.100 50.000 0.200 500.000 40.000 500.000 6.000 50.000 0.500	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	8 2 750 125 1 500 2 5000 400 5000 60 500	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND		
75.000 12.500 0.100 50.000 0.200 500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	750 125 1 500 2 5000 400 5000 60	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND		
12.500 0.100 50.000 0.200 500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm ppm ppm ppm ppm	125 1 500 2 5000 400 5000 60	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND		
0.100 50.000 0.200 500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm ppm ppm ppm ppm	1 500 2 5000 400 5000 60	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND		
50.000 0.200 500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm ppm ppm ppm	500 2 5000 400 5000 60	PASS PASS PASS PASS PASS PASS	ND ND ND ND		
0.200 500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm ppm ppm	2 5000 400 5000 60	PASS PASS PASS PASS PASS	ND ND ND ND		
500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm ppm	5000 400 5000 60	PASS PASS PASS PASS	ND ND ND		
40.000 500.000 6.000 50.000	ppm ppm ppm ppm	400 5000 60	PASS PASS PASS	ND ND		
500.000 6.000 50.000	ppm ppm ppm	5000 60	PASS	ND		
6.000 50.000	ppm ppm	60	PASS			
50.000	ppm			ND		
		500				
0 500			PASS	ND		
0.300	ppm	5	PASS	ND		
500.000	ppm	5000	PASS	ND		
25.000	ppm	250	PASS	ND		
25.000	ppm	250	PASS	ND		
75.000	ppm	750	PASS	ND		
15.000	ppm	150	PASS	ND		
15.000	ppm	150	PASS	ND		
500.000	ppm	5000	PASS	ND		
2.500	ppm	25	PASS	ND		
t: 2g	Extraction date: 05/06/24 15:24:41		Ex 85	tracted by:		
0.0252g 05/06/24 15:24:41 850 Reviewed On : 05/06/24 17:03:49 Batch Date : 05/03/24 16:02:29						
	t:	t: Extraction date: 2g 05/06/24 15:24:41 Reviewed	t: Extraction date: 2g 05/06/24 15:24:41 Reviewed On : 05/06/24 17:03:49	t: Extraction date: Ex 2g 05/06/24 15:24:41 85 Reviewed On : 05/06/24 17:03:49		

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 304486

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/07/24



. Cresco Live Budder 1g - Metaverse (S) Metaverse Matrix : Derivative Type: Live Budder



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-015 Harvest/Lot ID: 0001 3428 6431 6081 Batch#:0001 3428 6431

6081 Sampled : 05/03/24 Ordered : 05/03/24

Sample Size Received : 16 gram Total Amount : 1311 units Completed : 05/07/24 Expires: 05/07/25 Sample Method : SOP.T.20.010

Page 5 of 6

S Microbial						SED	သို့	My	/cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Lever	AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
SPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
SPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXII	A		0.002	ppm	ND	PASS	0.02
SPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
ALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	3 2		0.002	ppm	ND	PASS	0.02
COLI SHIGE				Not Present	PASS		Analyzed by:		Weight:	Extraction da	te:		Extracted	d by:
OTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 144	0	0.2062g	05/06/24 07:	19:44		3379	
nalyzed by: 390, 585, 144	Weight: 0 0.953g		action date: 3/24 16:16:2	.8	Extracted 3621	by:			.30.101.FL (Gai), SOP.T.40.102.	nesville), SOP.T. .FL (Davie)	40.101.FL	. (Gainesv	ille),	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA072409MIC Reviewed On : 05/06 18:57:46 18:57:46)6/24	Analytical Bate Instrument Use Analyzed Date	ed:N/A	2400MYC			5/06/24 1 03/24 13:		
	124.100; 041124.101; 0 7572001047; 75720010		15; 100223.0)8			Consumables : Pipette : DA-09 Mycotoxins test accordance with	93; DA-09	4; DA-219 g Liquid Chromato	graphy with Triple	-Quadrupo	le Mass Spe	ectrometry	in
nalyzed by: 390, 585, 144	Weight: 0 0.953g		action date: 3/24 16:16:2	8	Extracted 3621	by:	Hg	Не	avy M	etals			PAS	SED
			Reviewed On	.FL :05/07/24 18: 05/03/24 15:25			Metal		-	LOD	Units	Result	Pass / Fail	Action Level
ilution : N/A								AMINAN	T LOAD METAI		ppm	ND	PASS	1.1
,	124.100; 041124.101; 0	41124.R	12				ARSENIC			0.020	ppm	ND	PASS	0.2
onsumables :							CADMIUM			0.020	ppm	ND	PASS PASS	0.2 0.2
							MERCURY LEAD			0.020	ppm mag	ND ND	PASS	0.2
pette : N/A	mold testing is performed u	utilizing MI	PN and traditio	onal culture based	d techniques	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2372g	Extraction da 05/03/24 16:	te:	ND	Extracted 4056	
tal yeast and	r.5. Rule 04ER20-59.								0.25729	00/00/24 10.	رر.دے		-000	
i pette : N/A otal yeast and ccordance with	F.3. KUIE 04EK20-39.						Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h : DA072 ed : DA-IC	PMS-004	Reviewe		/06/24 08: 3/24 12:11		

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/07/24



Cresco Live Budder 1g - Metaverse (S) Metaverse Matrix : Derivative Type: Live Budder



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

Δ

Ei

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.reyna@crescolabs.com Sample : DA40503005-015 Harvest/Lot ID: 0001 3428 6431 6081 Batch# : 0001 3428 6431 6081 Sample : 05/03/24 Complex

Ordered : 05/03/24

31 6081 Sample Size Received : 16 gram Total Amount : 1311 units Completed : 05/07/24 Expires: 05/07/25 Sample Method : SOP.T.20.010

	Filth/Fo Materia	-	n	PASSE					
Analyte Filth and Fore	ion Material	LOD 0.100	Units %	Result	P/F PASS	Action Level			

		.100 /0	ND
Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
Analysis Method Analytical Batch Instrument Used Analyzed Date :	: DA072426FIL I : Filth/Foreign Material		iewed On : 05/06/24 13:23:14 ch Date : 05/03/24 23:29:29
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	I/A		
	naterial inspection is perfo cordance with F.S. Rule 64		utilizing naked eye and microscope
(\bigcirc)	Water Ac	tivity	PASSED

Analyte Water Activity				Result 0.439	P/F PASS	Action Level
Analyzed by: 4512, 585, 1440	Weight: 0.7958g		traction d /04/24 10			tracted by:
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA-0 Analyzed Date : 05/04/	72403WAT)28 Rotronic Hyg	ıropalr	n	Reviewed Or Batch Date :		
Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/07/24

PASSED

Page 6 of 6