



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40503005-037
Harvest/Lot ID: 0001 3428 6432 7753
Batch#: 0001 3428 6432 7753
Cultivation Facility: FL - Indiantown (3734)
Processing Facility : FL - Indiantown (3734)
Source Facility : FL - Indiantown (3734)
Seed to Sale# 0001 3428 6432 7753
Batch Date: 04/22/24
Sample Size Received: 35 gram
Total Amount: 500 units
Retail Product Size: 7 gram
Retail Serving Size: 7 gram
Servings: 1
Ordered: 04/23/24
Sampled: 05/03/24
Completed: 05/07/24
Sampling Method: SOP.T.20.010

May 07, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS


Pesticides
PASSED


Heavy Metals
PASSED


Microbials
PASSED


Mycotoxins
PASSED


Residuals
Solvents
NOT TESTED


Filtration
PASSED


Water Activity
PASSED


Moisture
PASSED

MISC.


Terpenes
TESTED



Cannabinoid

PASSED



Total THC
25.750%
Total THC/Container : 1802.50 mg



Total CBD
0.062%
Total CBD/Container : 4.34 mg



Total Cannabinoids
30.525%
Total Cannabinoids/Container : 2136.75 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.630	28.644	ND	0.071	0.024	0.058	1.034	ND	ND	ND	0.064
mg/unit	44.10	2005.08	ND	4.97	1.68	4.06	72.38	ND	ND	ND	4.48
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.1934g

Extraction date:
05/03/24 16:13:27

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA072420POT
Instrument Used : DA-LC-002
Analyzed Date : 05/03/24 16:14:25

Reviewed On : 05/06/24 08:43:20
Batch Date : 05/03/24 15:31:40

Dilution : 400
Reagent : 042524.R01; 032123.11; 043024.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
05/07/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Supply Smalls 7g - Gito Mnts (I)
 Gelato Mints
 Matrix : Flower
 Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40503005-037
 Harvest/Lot ID: 0001 3428 6432 7753

Batch# : 0001 3428 6432 7753
 Sample Size Received : 35 gram
 Total Amount : 500 units
 Completed : 05/07/24 Expires: 05/07/25
 Ordered : 05/03/24
 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	114.10	1.630	VALENCENE	0.007	ND	ND
LIMONENE	0.007	31.29	0.447	ALPHA-CEDRENE	0.005	ND	ND
BETA-MYRCENE	0.007	19.95	0.285	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	17.43	0.249	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	14.56	0.208	ALPHA-TERPINOLENE	0.007	ND	ND
BETA-PINENE	0.007	6.09	0.087	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-HUMULENE	0.007	5.53	0.079	GAMMA-TERPINENE	0.007	ND	ND
FARNESENE	0.001	4.55	0.065	TRANS-NEROLIDOL	0.005	ND	ND
ALPHA-TERPINEOL	0.007	4.34	0.062				
FENCHYL ALCOHOL	0.007	4.20	0.060	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
ALPHA-PINENE	0.007	3.57	0.051	3605, 585, 1440	1.005g	05/03/24 16:26:50	3605
ALPHA-BISABOLOL	0.007	2.59	0.037	Analysis Batch : DA072407TER			Reviewed On : 05/06/24 13:26:11
3-CARENE	0.007	ND	ND	Instrument Used : DA-GCMS-004			Batch Date : 05/03/24 14:53:25
BORNEOL	0.013	ND	ND	Analysis Date : 05/03/24 16:27:11			
CAMPHENE	0.007	ND	ND	Dilution : 10			
CAMPHOR	0.007	ND	ND	Reagent : 022224.07			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Consumables : 947.109; 230613-634-D; CE0123			
CEDROL	0.007	ND	ND	Pipette : DA-063			
EUCALYPTOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
Total (%)			1.630				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 05/07/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40503005-037

Harvest/Lot ID: 0001 3428 6432 7753

Batch# : 0001 3428 6432

7753

Sampled : 05/03/24

Ordered : 05/03/24

Sample Size Received : 35 gram

Total Amount : 500 units

Completed : 05/07/24 Expires: 05/07/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.9942g Extraction date: 05/06/24 07:45:18 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA072419PES Instrument Used : DA-LCMS-003 (PES) Reviewed On : 05/07/24 08:40:30 Batch Date : 05/03/24 15:31:20 Analyzed Date : N/A Dilution : 250 Reagent : 050124.R17; 050224.R04; 050224.R05; 050124.R16; 042324.R01; 050224.R02; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 795, 585, 1440 Weight: 0.9942g Extraction date: 05/06/24 07:45:18 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA072423VOL Instrument Used : DA-GCMS-001 Reviewed On : 05/07/24 08:38:12 Batch Date : 05/03/24 15:32:52 Analyzed Date : 05/06/24 09:56:54 Dilution : 250 Reagent : 050224.R05; 040423.08; 050224.R31; 050224.R32 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/07/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40503005-037
Harvest/Lot ID: 0001 3428 6432 7753
Batch#: 0001 3428 6432 7753
Sample Size Received : 35 gram
Total Amount : 500 units
Completed : 05/07/24 Expires: 05/07/25
Sample Method : SOP.T.20.010
Sampled : 05/03/24
Ordered : 05/03/24

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	4000	PASS	100000

Analyzed by: 3390, 585, 1440
Weight: 1.2g
Extraction date: 05/03/24 16:16:13
Extracted by: 4044
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA072411MIC
Reviewed On : 05/06/24 18:59:29
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
Batch Date : 05/03/24 15:26:58
Analyzed Date : N/A
Dilution : N/A
Reagent : 041124.100; 041124.101; 041924.R15; 100223.08
Consumables : N/A
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440
Weight: 0.9942g
Extraction date: 05/06/24 07:45:18
Extracted by: 3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA072422MYC
Reviewed On : 05/06/24 13:24:29
Instrument Used : N/A
Batch Date : 05/03/24 15:32:50
Analyzed Date : N/A
Dilution : 250
Reagent : 050124.R17; 050224.R04; 050224.R05; 050124.R16; 042324.R01; 050224.R02; 040423.08
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219
 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440
Weight: 1.2g
Extraction date: 05/03/24 16:16:13
Extracted by: 4044
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA072413TYM
Reviewed On : 05/07/24 18:31:48
Instrument Used : N/A
Batch Date : 05/03/24 15:28:22
Analyzed Date : N/A
Dilution : N/A
Reagent : 041124.100; 041124.101; 041124.R12
Consumables : N/A
Pipette : N/A
 Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440
Weight: 0.2729g
Extraction date: 05/03/24 16:11:43
Extracted by: 4056,1022
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA072405HEA
Reviewed On : 05/06/24 10:24:53
Instrument Used : DA-ICPMS-004
Batch Date : 05/03/24 14:46:22
Analyzed Date : 05/04/24 11:18:05
Dilution : 50
Reagent : 042524.R10; 042924.R06; 042524.R09; 042924.R04; 042924.R05; 030424.01; 041224.R10
Consumables : 179436; 34623011; 210508058
Pipette : DA-061; DA-191; DA-216
 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/07/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40503005-037
Harvest/Lot ID: 0001 3428 6432 7753
Batch# : 0001 3428 6432 7753
Sample Size Received : 35 gram
Total Amount : 500 units
Completed : 05/07/24 Expires: 05/07/25
Sample Method : SOP.T.20.010
Sampled : 05/03/24
Ordered : 05/03/24

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1
Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090		Reviewed On : 05/06/24 13:26:09			
Analytical Batch : DA072426FIL		Batch Date : 05/03/24 23:29:29			
Instrument Used : Filth/Foreign Material Microscope					
Analyzed Date : N/A					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	13.07	PASS	15
Analyzed by: 4512, 585, 1440	Weight: 0.505g	Extraction date: 05/04/24 09:55:20	Extracted by: 4512		
Analysis Method : SOP.T.40.021		Reviewed On : 05/06/24 08:42:02			
Analytical Batch : DA072427MOI		Batch Date : 05/04/24 08:22:20			
Instrument Used : DA-003 Moisture Analyzer					
Analyzed Date : 05/04/24 10:33:47					
Dilution : N/A					
Reagent : 092520.50; 020124.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.507	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.9772g	Extraction date: 05/04/24 10:14:37	Extracted by: 4512		
Analysis Method : SOP.T.40.019		Reviewed On : 05/06/24 08:38:28			
Analytical Batch : DA072403WAT		Batch Date : 05/03/24 13:47:52			
Instrument Used : DA-028 Rotronic HygroPalm					
Analyzed Date : 05/04/24 10:38:05					
Dilution : N/A					
Reagent : 022024.29					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

