

Supply Pre-Roll Multipack 2.5g - Bnanas Foster (S) Bananas Foster Matrix: Flower Type: Flower-Cured



PASSED

MISC.

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

SUNNYSIDE

DA40503005-041

Certificate of Analysis COMPLIANCE FOR RETAIL

Sample:DA40503005-041 Harvest/Lot ID: 0001 3428 6432 9716 Batch#: 0001 3428 6432 9716 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6432 9716 Batch Date: 04/22/24 Sample Size Received: 27.5 gram Total Amount: 300 units Retail Product Size: 2.5 gram Retail Serving Size: 2.5 gram Servings: 1 Ordered: 04/25/24 Sampled: 05/03/24 Completed: 05/07/24 Sampling Method: SOP.T.20.010

Pages 1 of 5

May 07, 2024 | Sunnyside

indiantown, FL, 34956, US



SAFETY RESULTS

R O		Hg	Ċ,	స్తో		Ä			3)		Ô
Pesticio PASSI		avy Metals PASSED	Microbials PASSED	Mycotoxi PASSEI	C	Residuals Solvents	Filth PASSED		Activity SSED	Moisture PASSED	Terpenes TESTED
Ä	Cannal	binoid									PASSED
E	3 28	NI THC B.065 THC/Container) 0.	I CBD 085% CBD/Container	-	E	333	Cannabinoid 99249 Cannabinoids/Con	0
		П									
%	D9-ТНС 0.880	THCA 30,998	CBD ND	CBDA 0.098	D8-THC 0.028	св д 0.135	CBGA 1.766	CBN ND	THCV ND	CBDV ND	свс 0.019
⁷⁰ mg/unit	22.00	774.95	ND	2.45	0.70	3.38	44.15	ND	ND	ND	0.48
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 1665, 585, 1440			Weight: 0.2044g			tion date: 24 16:13:38				Extracted by: 1665	
Analytical Batch Instrument Used	: SOP.T.40.031, S : DA072420POT : DA-LC-002 05/03/24 16:14:2					Reviewed On : 05 Batch Date : 05/0					
Consumables : 9	24.R01; 032123.11 47.109; 2806707 9; DA-108; DA-078	23; CE0123; R1KB14	270								

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/07/24



Type: Flower-Cured

..... Supply Pre-Roll Multipack 2.5g - Bnanas Foster (S) Bananas Foster Matrix : Flower



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-041 Harvest/Lot ID: 0001 3428 6432 9716 Batch#:0001 3428 6432 9716

Sampled : 05/03/24 Ordered : 05/03/24

Sample Size Received : 27.5 gram Total Amount : 300 units Completed : 05/07/24 Expires: 05/07/25 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	27.85	1.114		ALPHA-BISABOLOL		0.007	ND	ND		
BETA-MYRCENE	0.007	10.88	0.435		ALPHA-CEDRENE		0.005	ND	ND		
LINALOOL	0.007	4.20	0.168		ALPHA-PHELLANDRENE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	2.95	0.118		ALPHA-PINENE		0.007	ND	ND		
CIMENE	0.007	2.50	0.100		ALPHA-TERPINENE		0.007	ND	ND		
IMONENE	0.007	2.13	0.085	, in the second s	ALPHA-TERPINOLENE		0.007	ND	ND		
ARNESENE	0.001	1.40	0.056		CIS-NEROLIDOL		0.003	ND	ND		
LPHA-HUMULENE	0.007	1.05	0.042		GAMMA-TERPINENE		0.007	ND	ND		
LPHA-TERPINEOL	0.007	0.78	0.031		Analyzed by:	Weight:		Extraction d	ate:		Extracted by:
ENCHYL ALCOHOL	0.007	0.68	0.027		3605, 585, 1440	1.0443g		05/03/24 16			3605
ETA-PINENE	0.007	0.68	0.027		Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL					
RANS-NEROLIDOL	0.005	0.63	0.025		Analytical Batch : DA072407TER Instrument Used : DA-GCMS-004					5/06/24 13:26:25 03/24 14:53:25	
-CARENE	0.007	ND	ND		Analyzed Date : 05/03/24 16:27:11			Batch	Date: US/	03/24 14:03:20	
ORNEOL	0.013	ND	ND		Dilution : 10						
AMPHENE	0.007	ND	ND		Reagent : 022224.07						
AMPHOR	0.007	ND	ND		Consumables : 947.109; 230613-634-D;	CE0123					
ARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-063						
EDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas C	_nromatograpny i	lass Specti	rometry. For all I	Flower samp	bies, the Total Terpenes % is	ary-weight corrected.
UCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
IEROL	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND								
ALENCENE	0.007	ND	ND								

Total (%)

1.114

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/07/24



Type: Flower-Cured

Supply Pre-Roll Multipack 2.5g - Bnanas Foster (S) Bananas Foster Matrix : Flower



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-041 Harvest/Lot ID: 0001 3428 6432 9716

Batch# :0001 3428 6432 9716 Sampled :05/03/24 Ordered :05/03/24 Sample Size Received : 27.5 gram Total Amount : 300 units Completed : 05/07/24 Expires: 05/07/25 Sample Method : SOP.T.20.010

Page 3 of 5

षिः
0

Pesticides

0.010	P.P.	Action Level	Pass/Fail PASS	Result	Pesticide	LOD 0.010	Units	Action Level 0.5	Pass/Fail	Result
0.010	P.P.		PASS	ND	OV A MVI	0.010	0000	0 5		
	nnm				OXAMITL	0.010	ppin	0.5	PASS	ND
	P.P.	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
0.010		0.2	PASS	ND	PRALLETHRIN	0.010	maa	0.1	PASS	ND
								0.1	PASS	ND
										ND
										ND
							1.1.			
										ND
					SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
					SPIROXAMINE	0.010	ppm	0.1	PASS	ND
		÷=			TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
					THIACLOPRID	0.010	ppm	0.1	PASS	ND
					THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
									PASS	ND
										ND
										ND
										ND
					CHLORDANE *	0.010	PPM	0.1	PASS	ND
	P.P.				CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
					CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
					CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
					Analyzed by: Weight:	Extract	tion date:		Extracted	hv:
					3379, 585, 1440 0.8447q				3379	
					Analysis Method : SOP.T.30.101.FL (Gainesville), SO	DP.T.30.10	2.FL (Davie), S	OP.T.40.101.F	L (Gainesville)	
					SOP.T.40.102.FL (Davie)					
							Batch Date :	05/03/24 15:3	1:20	
						150124 B1	6: 042324 B01	· 050224 B02	040423.08	
						50124.111	0, 042524.1101	., 050224.1102,	, 040425.00	
	P.P.				Pipette : DA-093; DA-094; DA-219					
					Testing for agricultural agents is performed utilizing Li	quid Chron	natography Trip	le-Quadrupole	Mass Spectrom	etry in
					accordance with F.S. Rule 64ER20-39.					
		0.1			Analyzed by: Weight:				Extracted	d by:
0.010	ppm									
0.010	ppm	0.1								
		0.2								
		0.1	PASS			Do	sen bate 105/	00,27 10.02.0	-	
0.010	ppm	0.1	PASS	ND						
		0.1	PASS	ND		0224.R32				
0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
0.010										
0.010	ppm	0.1 0.25	PASS PASS	ND ND	Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing G					
	0.010 0.010	0.010 ppm 0.010 </td <td>0.010 ppm 0.1 0.010 ppm<td>0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS 0.010<td>0.010 ppm 0.1 PASS ND 0.010 ppm 0.1 PASS</td><td>0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLORONITROBENZENE (PCNB) * 0.010 ppm 0.1 PASS ND CHLORFIDAX* 0.010 ppm 0.1 PASS ND CHLORFENAPYR *</td><td>0.010 ppm 0.1 PASS ND PRALETHRIN 0.010 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 0.010 ppm 0.1 PASS ND SPIROXAMINE 0.010 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 0.010 ppm 0.1 PASS ND THIAMETHOXAM 0.010 0.010 ppm 0.1 PASS ND TRIFLOXYSTROBIN 0.010 0.010 ppm 1 PASS ND CAPTAN * 0.010 0.010 ppm 1 PASS ND CHLORTAN * 0.010 0.010 ppm 0.1 PA</td><td>0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND PYRIDABEN 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND THALLETHRIN 0.010 ppm 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.010 ppm<td>0.010 ppm 0.1 PASS ND PRADPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PRIDABEN 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCOPRID 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCORID 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCORID 0.010 ppm 0.1 0.010 ppm <t< td=""><td>0.010 ppm 0.1 PASS ND PRALETHRIN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND THIACOPRIDE 0.010 ppm 0.1 PASS 0.010 ppm 0.5 PASS ND THIACOPRIDEZIENE (PCNB) * 0.010 pPM 0.1 PASS 0.010 ppm 1 PASS<!--</td--></td></t<></td></td></td></td>	0.010 ppm 0.1 0.010 ppm <td>0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS 0.010<td>0.010 ppm 0.1 PASS ND 0.010 ppm 0.1 PASS</td><td>0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLORONITROBENZENE (PCNB) * 0.010 ppm 0.1 PASS ND CHLORFIDAX* 0.010 ppm 0.1 PASS ND CHLORFENAPYR *</td><td>0.010 ppm 0.1 PASS ND PRALETHRIN 0.010 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 0.010 ppm 0.1 PASS ND SPIROXAMINE 0.010 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 0.010 ppm 0.1 PASS ND THIAMETHOXAM 0.010 0.010 ppm 0.1 PASS ND TRIFLOXYSTROBIN 0.010 0.010 ppm 1 PASS ND CAPTAN * 0.010 0.010 ppm 1 PASS ND CHLORTAN * 0.010 0.010 ppm 0.1 PA</td><td>0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND PYRIDABEN 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND THALLETHRIN 0.010 ppm 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.010 ppm<td>0.010 ppm 0.1 PASS ND PRADPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PRIDABEN 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCOPRID 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCORID 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCORID 0.010 ppm 0.1 0.010 ppm <t< td=""><td>0.010 ppm 0.1 PASS ND PRALETHRIN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND THIACOPRIDE 0.010 ppm 0.1 PASS 0.010 ppm 0.5 PASS ND THIACOPRIDEZIENE (PCNB) * 0.010 pPM 0.1 PASS 0.010 ppm 1 PASS<!--</td--></td></t<></td></td></td>	0.010 ppm 0.1 PASS 0.010 <td>0.010 ppm 0.1 PASS ND 0.010 ppm 0.1 PASS</td> <td>0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLORONITROBENZENE (PCNB) * 0.010 ppm 0.1 PASS ND CHLORFIDAX* 0.010 ppm 0.1 PASS ND CHLORFENAPYR *</td> <td>0.010 ppm 0.1 PASS ND PRALETHRIN 0.010 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 0.010 ppm 0.1 PASS ND SPIROXAMINE 0.010 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 0.010 ppm 0.1 PASS ND THIAMETHOXAM 0.010 0.010 ppm 0.1 PASS ND TRIFLOXYSTROBIN 0.010 0.010 ppm 1 PASS ND CAPTAN * 0.010 0.010 ppm 1 PASS ND CHLORTAN * 0.010 0.010 ppm 0.1 PA</td> <td>0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND PYRIDABEN 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND THALLETHRIN 0.010 ppm 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.010 ppm<td>0.010 ppm 0.1 PASS ND PRADPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PRIDABEN 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCOPRID 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCORID 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCORID 0.010 ppm 0.1 0.010 ppm <t< td=""><td>0.010 ppm 0.1 PASS ND PRALETHRIN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND THIACOPRIDE 0.010 ppm 0.1 PASS 0.010 ppm 0.5 PASS ND THIACOPRIDEZIENE (PCNB) * 0.010 pPM 0.1 PASS 0.010 ppm 1 PASS<!--</td--></td></t<></td></td>	0.010 ppm 0.1 PASS ND 0.010 ppm 0.1 PASS	0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND SPIROVESIFEN 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLORONITROBENZENE (PCNB) * 0.010 ppm 0.1 PASS ND CHLORFIDAX* 0.010 ppm 0.1 PASS ND CHLORFENAPYR *	0.010 ppm 0.1 PASS ND PRALETHRIN 0.010 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 0.010 ppm 0.1 PASS ND SPIROXAMINE 0.010 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 0.010 ppm 0.1 PASS ND THIAMETHOXAM 0.010 0.010 ppm 0.1 PASS ND TRIFLOXYSTROBIN 0.010 0.010 ppm 1 PASS ND CAPTAN * 0.010 0.010 ppm 1 PASS ND CHLORTAN * 0.010 0.010 ppm 0.1 PA	0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND PYRIDABEN 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND THALLETHRIN 0.010 ppm 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.010 ppm <td>0.010 ppm 0.1 PASS ND PRADPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PRIDABEN 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCOPRID 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCORID 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCORID 0.010 ppm 0.1 0.010 ppm <t< td=""><td>0.010 ppm 0.1 PASS ND PRALETHRIN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND THIACOPRIDE 0.010 ppm 0.1 PASS 0.010 ppm 0.5 PASS ND THIACOPRIDEZIENE (PCNB) * 0.010 pPM 0.1 PASS 0.010 ppm 1 PASS<!--</td--></td></t<></td>	0.010 ppm 0.1 PASS ND PRADPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PRIDABEN 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROTETRAMAT 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCOPRID 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCORID 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIALCORID 0.010 ppm 0.1 0.010 ppm <t< td=""><td>0.010 ppm 0.1 PASS ND PRALETHRIN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND THIACOPRIDE 0.010 ppm 0.1 PASS 0.010 ppm 0.5 PASS ND THIACOPRIDEZIENE (PCNB) * 0.010 pPM 0.1 PASS 0.010 ppm 1 PASS<!--</td--></td></t<>	0.010 ppm 0.1 PASS ND PRALETHRIN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND THIACOPRIDE 0.010 ppm 0.1 PASS 0.010 ppm 0.5 PASS ND THIACOPRIDEZIENE (PCNB) * 0.010 pPM 0.1 PASS 0.010 ppm 1 PASS </td

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/07/24

PASSED

PASSED



Type: Flower-Cured

Supply Pre-Roll Multipack 2.5g - Bnanas Foster (S) Bananas Foster Matrix : Flower



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40503005-041 Harvest/Lot ID: 0001 3428 6432 9716 Batch# : 0001 3428 6432 Sample

9716 Sampled : 05/03/24 Ordered : 05/03/24 Sample Size Received : 27.5 gram Total Amount : 300 units Completed : 05/07/24 Expires: 05/07/25 Sample Method : SOP.T.20.010

Page 4 of 5

🔥 Mic	robial				PAS	SED	လို့	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREU	IS			Not Present	PASS	Level	AFLATOXIN I	2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER	,5			Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIG	TUS			Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFI	C GENE			Not Present	PASS		AFLATOXIN	2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA		10	CELL/-	Not Present	PASS PASS	100000	Analyzed by:		Weight:	Extraction of			Extracted	by:
TOTAL YEAST AND MO		10	CFU/g	420		100000	3379, 585, 144		0.8447g	05/06/24 0			3379	
Analyzed by: 1390, 585, 1440	Weight: 0.9957g		action date: 3/24 16:16:1	4	Extracted 4044	l by:	Analysis Metho SOP.T.30.102.			inesville), SOP. .FL (Davie)	F.40.101.Fl	_ (Gainesv	ille),	
Analysis Method : SOP.T. Analytical Batch : DA072		7.40.058	8.FL, SOP.T.4		ed On : 05/0	06/24	Analytical Bate Instrument Use Analyzed Date	d:N/A	22MYC		wed On : 0 Date : 05/	- 1 1		
DA-049,Fisher Scientific Analyzed Date : N/A Dilution : N/A Reagent : 041124.100; 0 Consumables : N/A Pipette : N/A				8			040423.08 Consumables : Pipette : DA-09 Mycotoxins test accordance with	3; DA-094	Liquid Chromato	ography with Trip	le-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 3390, 585, 1440	Weight: 0.9957g		action date: 3/24 16:16:1	4	Extracted 4044	i by:	Hg	Неа	avy M	etals			PAS	SED
Analysis Method : SOP.T. Analytical Batch : DA072				.FL :05/07/24 18	-21.52									
nstrument Used : N/A Nalyzed Date : N/A	412111			05/03/24 15:2			Metal			LOD	Units	Result	Pass / Fail	Action Level
ilution : N/A							TOTAL CONT	AMINANT	LOAD META		ppm	ND	PASS	1.1
eagent : 041124.100; 0	41124.101; 043	1124.R1	12				ARSENIC			0.020	ppm	ND	PASS	0.2
onsumables : N/A							CADMIUM			0.020	ppm	ND ND	PASS PASS	0.2 0.2
ipette : N/A							MERCURY			0.020 0.020	ppm ppm	<0.100		0.2
otal yeast and mold testing ccordance with F.S. Rule 6		lizing MF	PN and traditio	nal culture base	d technique	s in	Analyzed by:		Weight:	Extraction d			ctracted b	
							1022, 585, 144)	0.2611g	05/03/24 16			056,1022	y:
							Analysis Metho Analytical Bato Instrument Use Analyzed Date	1:DA0724 d:DA-ICP	06HEA MS-004	Review	ved On : 05 Date : 05/0			
							Dilution : 50 Reagent : 0425 041224.R10 Consumables :			12524.R09; 042 508058	924.R04; ()42924.R0	5; 03042	4.01;
							Pipette : DA-06	1; DA-191	; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/07/24



Type: Flower-Cured

Page 5 of 5

Supply Pre-Roll Multipack 2.5g - Bnanas Foster (S) Bananas Foster Matrix : Flower



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside	
22205 Sw Martin Hwy	

indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.reyna@crescolabs.com Sample : DA40503005-041 Harvest/Lot ID: 0001 3428 6432 9716 Batch# : 0001 3428 6432 9716 Sampled : 05/03/24 Complet

Ordered : 05/03/24

Sample Size Received : 27.5 gram Total Amount : 300 units Completed : 05/07/24 Expires: 05/07/25 Sample Method : SOP.T.20.010



Filth/Foreign Material





PASSED

Analyte Filth and Forei	ign Material	LOD 0.100	Units) %	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD 1.00	Units %	Result 12.03	P/F PASS	Action Level
Analyzed by: 585, 1440	Weight: NA		xtraction d	late:	Extra N/A	cted by:	Analyzed by: 4512, 585, 1440	Weight: 0.509g		xtraction 5/04/24 1			tracted by: 12
Analysis Method Analytical Batch Instrument Used Analyzed Date :	: DA072426FIL : Filth/Foreign Mate	rial Micr	roscope			5/24 13:26:22 24 23:29:29	Analysis Method : SOP.T.4 Analytical Batch : DA0724 Instrument Used : DA-003 Analyzed Date : 05/04/24	27MOI Moisture A	analyze		Reviewed On Batch Date : (
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	/A						Dilution : N/A Reagent : 092520.50; 020 Consumables : N/A Pipette : DA-066)124.02					
	naterial inspection is pe cordance with F.S. Rule			spection utilizi	ng naked ey	ve and microscope	Moisture Content analysis uti	ilizing loss-or	n-drying	technology	in accordance	with F.S. Ru	le 64ER20-39.
(\bigcirc)	Water A	ctiv	/ity		PA	SSED							

Analyte Water Activity	_	OD .010	Units aw	Result 0.481	P/F PASS	Action Level 0.65
Analyzed by: 4512, 585, 1440	Weight: 0.7226g		traction d 5/04/24 10			tracted by:
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 05/04	72403WAT 028 Rotronic Hyg	ropal	m	Reviewed Or Batch Date :		
Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/07/24