



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40503005-045  
 Harvest/Lot ID: 0001 3428 6433 0698  
 Batch#: 0001 3428 6433 0698  
 Cultivation Facility: FL - Indiantown (3734)  
 Processing Facility: FL - Indiantown (3734)  
 Source Facility: FL - Indiantown (3734)  
 Seed to Sale# 0001 3428 6433 0698  
 Batch Date: 04/23/24  
 Sample Size Received: 27.5 gram  
 Total Amount: 440 units  
 Retail Product Size: 2.5 gram  
 Retail Serving Size: 2.5 gram  
 Servings: 1  
 Ordered: 04/26/24  
 Sampled: 05/03/24  
 Completed: 05/07/24  
 Sampling Method: SOP.T.20.010

May 07, 2024 | Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

Sunnyside\*

PASSED

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
 NOT TESTED



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
 TESTED

### MISC.



### Cannabinoid

PASSED



Total THC  
**28.946%**  
 Total THC/Container : 723.65 mg



Total CBD  
**0.063%**  
 Total CBD/Container : 1.58 mg



Total Cannabinoids  
**34.286%**  
 Total Cannabinoids/Container : 857.15 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.508	32.427	ND	0.072	0.025	0.095	1.100	ND	ND	ND	0.059
mg/unit	12.70	810.68	ND	1.80	0.63	2.38	27.50	ND	ND	ND	1.48
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 1665, 585, 1440

Weight:  
 0.2072g

Extraction date:  
 05/03/24 16:13:50

Extracted by:  
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA072420POT  
 Instrument Used : DA-LC-002  
 Analyzed Date : 05/03/24 16:14:25

Reviewed On : 05/06/24 08:43:36  
 Batch Date : 05/03/24 15:31:40

Dilution : 400  
 Reagent : 042524.R01; 032123.11; 043024.R01  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 05/07/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40503005-045

Harvest/Lot ID: 0001 3428 6433 0698

Batch# : 0001 3428 6433  
0698

Sample Size Received : 27.5 gram

Total Amount : 440 units

Completed : 05/07/24 Expires: 05/07/25

Ordered : 05/03/24

Sample Size Received : 27.5 gram

Total Amount : 440 units

Completed : 05/07/24 Expires: 05/07/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	25.38 1.015		VALENCENE	0.007	ND ND	
BETA-MYRCENE	0.007	7.43 0.297		ALPHA-CEDRENE	0.005	ND ND	
LIMONENE	0.007	4.78 0.191		ALPHA-PHELLANDRENE	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	3.33 0.133		ALPHA-PINENE	0.007	ND ND	
LINALOOL	0.007	2.90 0.116		ALPHA-TERPINENE	0.007	ND ND	
ALPHA-TERPINEOL	0.007	1.45 0.058		ALPHA-TERPINOLENE	0.007	ND ND	
FENCHYL ALCOHOL	0.007	1.40 0.056		CIS-NEROLIDOL	0.003	ND ND	
ALPHA-HUMULENE	0.007	1.35 0.054		GAMMA-TERPINENE	0.007	ND ND	
ALPHA-BISABOLOL	0.007	1.05 0.042					
BETA-PINENE	0.007	1.05 0.042		Analysis by:	Weight:	Extraction date:	Extracted by:
TRANS-NEROLIDOL	0.005	0.65 0.026		3605, 585, 1440	1.087g	05/03/24 16:26:52	3605
3-CARENE	0.007	ND ND		Analysis Method :			
BORNEOL	0.013	ND ND		SOP.T.30.061A.FL, SOP.T.40.061A.FL			
CAMPHENE	0.007	ND ND		Analytical Batch :		Revised On :	
CAMPHOR	0.007	ND ND		DA072407TER		05/06/24 13:24:59	
CARYOPHYLLENE OXIDE	0.007	ND ND		Instrument Used :		Batch Date :	
CEDROL	0.007	ND ND		DA-GCMS-004		05/03/24 14:53:25	
EUCALYPTOL	0.007	ND ND		Analyzed Date :			
FARNESENE	0.001	ND ND		05/03/24 16:27:11			
FENCHONE	0.007	ND ND		Dilution :			
GERANIOL	0.007	ND ND		10			
GERANYL ACETATE	0.007	ND ND		Reagent :			
GUAIOL	0.007	ND ND		022224.07			
HEXAHYDROTHYMOL	0.007	ND ND		Consumables :			
ISOBORNEOL	0.007	ND ND		947.109; 230613-634-D; CE0123			
ISOPULEGOL	0.007	ND ND		Pipette :			
NEROL	0.007	ND ND		DA-063			
OCIMENE	0.007	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
SABINENE HYDRATE	0.007	ND ND					
<b>Total (%)</b>		<b>1.015</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/07/24



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA40503005-045

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Harvest/Lot ID: 0001 3428 6433 0698

Batch# : 0001 3428 6433

Sample Size Received : 27.5 gram

0698

Total Amount : 440 units

Sampled : 05/03/24

Completed : 05/07/24 Expires: 05/07/25

Ordered : 05/03/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 1.0446g	<b>Extraction date:</b> 05/06/24 07:45:22	<b>Extracted by:</b> 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA072419PES		<b>Reviewed On :</b> 05/07/24 08:40:47	<b>Batch Date :</b> 05/03/24 15:31:20		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 050124.R17; 050224.R04; 050224.R05; 050124.R16; 042324.R01; 050224.R02; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 795, 585, 1440	<b>Weight:</b> 1.0446g	<b>Extraction date:</b> 05/06/24 07:45:22	<b>Extracted by:</b> 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA072423VOL		<b>Reviewed On :</b> 05/07/24 08:38:20	<b>Batch Date :</b> 05/03/24 15:32:52		
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 05/06/24 09:56:54					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 050224.R05; 040423.08; 050224.R31; 050224.R32					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
05/07/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40503005-045  
Harvest/Lot ID: 0001 3428 6433 0698  
Batch# : 0001 3428 6433 0698  
Sample Size Received : 27.5 gram  
Total Amount : 440 units  
Sampled : 05/03/24  
Completed : 05/07/24 Expires: 05/07/25  
Ordered : 05/03/24  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	150	PASS	100000
<b>Analyzed by:</b> 3390, 585, 1440 <b>Weight:</b> 0.8968g <b>Extraction date:</b> 05/03/24 16:16:16 <b>Extracted by:</b> 4044 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA072411MIC <b>Reviewed On :</b> 05/06/24 18:59:52 <b>Instrument Used :</b> PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 <b>Batch Date :</b> 05/03/24 15:26:58 <b>Analyzed Date :</b> N/A <b>Dilution :</b> N/A <b>Reagent :</b> 041124.100; 041124.101; 041924.R15; 100223.08 <b>Consumables :</b> N/A <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 1.0446g <b>Extraction date:</b> 05/06/24 07:45:22 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA072422MYC <b>Reviewed On :</b> 05/06/24 13:24:37 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 05/03/24 15:32:50 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 050124.R17; 050224.R04; 050224.R05; 050124.R16; 042324.R01; 050224.R02; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>Analyzed by:</b> 3390, 585, 1440 <b>Weight:</b> 0.8968g <b>Extraction date:</b> 05/03/24 16:16:16 <b>Extracted by:</b> 4044 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA072413TYM <b>Reviewed On :</b> 05/07/24 18:31:55 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 05/03/24 15:28:22 <b>Analyzed Date :</b> N/A <b>Dilution :</b> N/A <b>Reagent :</b> 041124.100; 041124.101; 041124.R12 <b>Consumables :</b> N/A <b>Pipette :</b> N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT LOAD METALS</b>					
ARSENIC	0.080	ppm	ND	PASS	1.1
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2555g <b>Extraction date:</b> 05/03/24 16:40:25 <b>Extracted by:</b> 4056,1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA072406HEA <b>Reviewed On :</b> 05/06/24 08:40:43 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 05/03/24 14:48:52 <b>Analyzed Date :</b> 05/04/24 11:17:50 <b>Dilution :</b> 50 <b>Reagent :</b> 042524.R10; 042924.R06; 042524.R09; 042924.R04; 042924.R05; 030424.01; 041224.R10 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

**Sample : DA40503005-045**

Harvest/Lot ID: 0001 3428 6433 0698  
Batch#: 0001 3428 6433 0698  
Sample Size Received : 27.5 gram  
Total Amount : 440 units  
Sampled : 05/03/24  
Ordered : 05/03/24  
Completed : 05/07/24 Expires: 05/07/25  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.100	%	ND	PASS	1	<b>Moisture Content</b>	1.00	%	12.60	PASS	15
<b>Analyzed by:</b> 585, 1440	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A			<b>Analyzed by:</b> 4512, 585, 1440	<b>Weight:</b> 0.508g	<b>Extraction date:</b> 05/04/24 10:21:29	<b>Extracted by:</b> 4512		
<b>Analysis Method :</b> SOP.T.40.090 <b>Analytical Batch :</b> DA072426FIL <b>Instrument Used :</b> Filth/Foreign Material Microscope <b>Analyzed Date :</b> N/A						<b>Analysis Method :</b> SOP.T.40.021 <b>Analytical Batch :</b> DA072427MOI <b>Instrument Used :</b> DA-003 Moisture Analyzer <b>Analyzed Date :</b> 05/04/24 10:33:47					
<b>Dilution :</b> N/A <b>Reagent :</b> N/A <b>Consumables :</b> N/A <b>Pipette :</b> N/A						<b>Dilution :</b> N/A <b>Reagent :</b> 092520.50; 020124.02 <b>Consumables :</b> N/A <b>Pipette :</b> DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.010	aw	0.463	PASS	0.65
<b>Analyzed by:</b> 4512, 585, 1440	<b>Weight:</b> 0.9508g	<b>Extraction date:</b> 05/04/24 10:24:04	<b>Extracted by:</b> 4512		
<b>Analysis Method :</b> SOP.T.40.019 <b>Analytical Batch :</b> DA072403WAT <b>Instrument Used :</b> DA-028 Rotronic HygroPalm <b>Analyzed Date :</b> 05/04/24 10:38:05					
<b>Dilution :</b> N/A <b>Reagent :</b> 022024.29 <b>Consumables :</b> PS-14 <b>Pipette :</b> N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

