

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

## **COMPLIANCE FOR RETAIL**

SUNNYSIDE

DA40506003-013

Supply Pre-Roll Multipack 2.5g - TK/CD (I) TK/CD



Matrix: Flower Type: Flower-Cured

**Kaycha Labs** 

Sample:DA40506003-013 Harvest/Lot ID: 0001 3428 6433 2104 Batch#: 0001 3428 6433 2104

Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6433 2104 Batch Date: 04/29/24 Sample Size Received: 27.5 gram Total Amount: 820 units Retail Product Size: 2.5 gram Retail Serving Size: 2.5 gram Servings: 1 Ordered: 04/30/24 Sampled: 05/06/24 Completed: 05/09/24

Sampling Method: SOP.T.20.010

Pages 1 of 5

PASSED

MISC.

#### May 09, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US



#### **SAFETY RESULTS**

0/11 = 11 111	100110										1110 01
Б С		Hg	Ç	ç		Ä			5)		Ô
Pesticio PASSI		avy Metals PASSED	Microbials PASSED	Mycotoxi PASSE	D	Residuals Solvents	Filth <b>PASSED</b>		Activity SSED	Moisture PASSED	Terpenes TESTED
Ä	Cannal	oinoid									PASSED
E	3 19	HTHC <b>9.420</b> THC/Container			) 0.	I CBD 050% CBD/Container		E T		Cannabinoid 672%	/ 0
		100							mg		
	D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС
%	0.524	21.547	ND	0.058	0.027	0.039	0.448	ND	ND	ND	0.029
mg/unit	13.10	538.68	ND	1.45	0.68	0.98	11.20	ND	ND	ND	0.73
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
analyzed by: 335, 585, 1440,	% , 1665	%	%	% Weight: 0.2146q		% traction date: //07/24 11:28:06	%	%		% racted by: 5,3335	%
Analytical Batch Instrument Used	: SOP.T.40.031, S : DA072500POT : DA-LC-002 05/07/24 11:30:46					Reviewed On : 05 Batch Date : 05/0					
Consumables : 9	24.R01; 032123.11 47.109; 2806707 9; DA-108; DA-078	23; CE0123; R1KB14	270								

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/09/24



Supply Pre-Roll Multipack 2.5g - TK/CD (I) TK/CD Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: jenna.mlsna@crescolabs.com Sample : DA40506003-013 Harvest/Lot ID: 0001 3428 6433 2104 Batch# : 0001 3428 6433 Sample 2104 Total Ar

Sampled : 05/06/24 Ordered : 05/06/24 33 2104 Sample Size Received : 27.5 gram Total Amount : 820 units Completed : 05/09/24 Expires: 05/09/25 Sample Method : SOP.T.20.010

Page 2 of 5

# Ô

)	Terpenes
	repences

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	24.83	0.993		ALPHA-CEDRENE	0.005	ND	ND		
BETA-CARYOPHYLLENE	0.007	4.90	0.196		ALPHA-PHELLANDREN	E 0.007	ND	ND		
BETA-MYRCENE	0.007	4.88	0.195		ALPHA-PINENE	0.007	ND	ND		
IMONENE	0.007	4.73	0.189		ALPHA-TERPINENE	0.007	ND	ND		
LINALOOL	0.007	4.00	0.160		ALPHA-TERPINOLENE	0.007	ND	ND		
ALPHA-BISABOLOL	0.007	1.55	0.062		CIS-NEROLIDOL	0.003	ND	ND		
ALPHA-HUMULENE	0.007	1.55	0.062		GAMMA-TERPINENE	0.007	ND	ND		
ENCHYL ALCOHOL	0.007	1.28	0.051		TRANS-NEROLIDOL	0.005	ND	ND		
ALPHA-TERPINEOL	0.007	1.23	0.049		Analyzed by:	Weight:	Extraction d	ate:		Extracted by:
BETA-PINENE	0.007	0.73	0.029		3605, 585, 1440	1.0978g	05/07/24 12			3605
3-CARENE	0.007	ND	ND			30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	ND	ND		Analytical Batch : DA072 Instrument Used : DA-GC				)5/08/24 13:03:38 /07/24 10:23:11	
AMPHENE	0.007	ND	ND		Analyzed Date : 05/07/24		Batch	Date: 05	/0//24 10:23:11	
AMPHOR	0.007	ND	ND		Pilution : 10					
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 022224.07					
CEDROL	0.007	ND	ND		Consumables : 947.109; 2	230613-634-D; CE0123				
UCALYPTOL	0.007	ND	ND		Pipette : DA-063					
ARNESENE	0.007	ND	ND		Terpenoid testing is perform	ed utilizing Gas Chromatography Mass Spect	rometry. For all	Flower sam	ples, the Total Terpenes % is dr	/-weight corrected.
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
SOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
DCIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
ABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
ALENCENE	0.007	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/09/24

### PASSED

TESTED



Type: Flower-Cured

Supply Pre-Roll Multipack 2.5g - TK/CD (I) TK/CD Matrix : Flower



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna mlsna@crescolabs.com Sample : DA40506003-013 Harvest/Lot ID: 0001 3428 6433 2104

Batch#:0001 3428 6433 2104 Sampled : 05/06/24 Ordered : 05/06/24

Sample Size Received : 27.5 gram Total Amount : 820 units Completed : 05/09/24 Expires: 05/09/25 Sample Method : SOP.T.20.010

Page 3 of 5



### Pesticides

Pesticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	maa	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ABAMECTIN B1A		ppm	0.1	PASS	ND							
ACEPHATE		ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL		ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB		ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN		ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE		ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID		ppm	0.1	PASS	ND	THIAMETHOXAM		0.010	maa	0.5	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN		ppm	0.1	PASS	ND		- (DCNR) *	0.010		0.15	PASS	ND
CHLORANTRANILIPROLE		ppm	1	PASS	ND	PENTACHLORONITROBENZEN	E (PCNB) *	0.010		0.1	PASS	ND
CHLORMEQUAT CHLORIDE		ppm	1	PASS	ND	PARATHION-METHYL *				0.7		
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070			PASS	ND
CLOFENTEZINE		ppm	0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE		ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON		ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS		ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extract	tion date:		Extracte	d by:
DIMETHOATE		ppm	0.1	PASS	ND	3379, 585, 1440	0.8454g		24 17:54:06		3379	
ETHOPROPHOS		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.103	1.FL (Gainesville)	, SOP.T.30.10	2.FL (Davie)	, SOP.T.40.10	1.FL (Gainesville	2),
ETOFENPROX		ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE		ppm	0.1	PASS	ND	Analytical Batch : DA072521PE				On:05/08/24		
FENHEXAMID		ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-00 Analyzed Date : 05/07/24 18:06			Batch Date	e:05/07/24 11	1:35:25	
FENOXYCARB		ppm	0.1	PASS	ND	Dilution : 250	1.45					
FENPYROXIMATE		ppm	0.1	PASS	ND	Reagent : 050224.R05; 040423	.08					
FIPRONIL		ppm	0.1	PASS	ND	Consumables : 326250IW						
FLONICAMID		ppm	0.1	PASS	ND	Pipette : N/A						
FLUDIOXONIL		ppm	0.1	PASS	ND	Testing for agricultural agents is		g Liquid Chron	natography T	riple-Quadrup	ole Mass Spectro	metry in
HEXYTHIAZOX		ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20						
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date: 4 17:54:06		Extracted 3379	d by:
IMIDACLOPRID		ppm	0.4	PASS	ND	450, 585, 1440 Analysis Method : SOP.T.30.153	0.8454g			) COD T 40.1		
KRESOXIM-METHYL		ppm	0.1	PASS	ND	Analytical Batch : DA072522VC				:05/08/24 11:		
MALATHION		ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-00				)5/07/24 11:36		
METALAXYL		ppm	0.1	PASS	ND	Analyzed Date :05/07/24 18:34						
METHIOCARB		ppm	0.1	PASS	ND	Dilution: 250						
METHOMYL		ppm	0.1	PASS	ND	Reagent: 050224.R05; 040423		; 050224.R32				
MEVINPHOS		ppm	0.1	PASS	ND	Consumables : 326250IW; 1472						
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-2		0 0				
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is accordance with F.S. Rule 64ER20		g Gas Chromai	tography Trip	oie-Quadrupole	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### PASSED

PASSED



Supply Pre-Roll Multipack 2.5g - TK/CD (I) TK/CD Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40506003-013 Harvest/Lot ID: 0001 3428 6433 2104 Batch#:0001 3428 6433

2104 Sampled : 05/06/24 Ordered : 05/06/24 Sample Size Received : 27.5 gram Total Amount : 820 units Completed : 05/09/24 Expires: 05/09/25 Sample Method : SOP.T.20.010

Page 4 of 5

Ţ.	Microbia	al			PAS	SED	သို့	Му	/cotoxi	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN I	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN I	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE		10	CFU/g	Not Present 26000	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 0.8454g	Extraction da 05/07/24 17:			Extracted 3379	l by:
	Weight: 1.0233g   bd : SOP.T.40.056C, SOP   h : DA072501MIC	05/0	raction date: 07/24 11:52: 8.FL, SOP.T.4	40.209.FL	Extracted 3621 d On : 05/0	-		FL (Davie) :h : DA072 ed : N/A		FL (Davie) Review	wed On : (	L (Gainesv )5/08/24 1 /07/24 11:	1:06:25	
lsotemp Heat I DA-049,Fisher Analyzed Date Dilution : N/A	ed : PathogenDx Scanno Block DA-020, fisherbrai Scientific Isotemp Heat : 05/07/24 16:05:41 124.96; 041124.99; 041	nd Isotem t Block D	np Heat Blocl A-021		a <b>te :</b> 05/07/ 1	24		326250IV	N g Liquid Chromatog	graphy with Triple	e-Quadrupo	le Mass Spe	ectrometry	in
Consumables : Pipette : N/A		1924.113	, 100223.08				accordance with	h F.S. Rule	64ER20-39.					
Analyzed by: 3390, 3621, 58	Weig 5,1440 1.02		Extraction d 05/07/24 11		Extracte 3621	ed by:	Hg	Не	avy Me	etals			PAS	SED
Analytical Batc	d : SOP.T.40.208 (Gain h : DA072502TYM ed : Incubator (25-27*C		Revi	9.FL ewed On : 05/0 :h Date : 05/07/			Metal			LOD	Units	Result	Pass / Fail	Action Level
	: 05/07/24 16:07:34	) DA-090	Ddlu	n Date : 05/07/	/24 09.15.4	Γ.	TOTAL CONT	AMINAN	T LOAD METAL	<b>.s</b> 0.080	ppm	ND	PASS	1.1
Dilution : N/A							ARSENIC			0.020	ppm	<0.100		0.2
Reagent : 0411	124.96; 041124.99; 041	L124.R12					CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables : Pipette : N/A	N/A						MERCURY LEAD			0.020 0.020	ppm ppm	ND ND	PASS PASS	0.2 0.5
	mold testing is performed	utilizina M	IPN and traditio	anal culture hase	d techniques	in			Weight:	Extraction dat	T. F.			
	F.S. Rule 64ER20-39.	oonzing M		mar culture Dase	a countique:	2.111	Analyzed by: 1022, 585, 144	0	0.2396g	05/07/24 11:4			<b>xtracted I</b> 022,4056	
							Analysis Metho Analytical Bato Instrument Uso Analyzed Date	<b>:h :</b> DA072 ed : DA-IC	PMS-004	Reviewe		/08/24 09: 7/24 10:46		
							Dilution : 50 Reagent : 0425	524.R10;(	050624.R04; 042	2524.R09; 0506	524.R03; (	)50624.R0	5; 03042	4.01;

041224.R10

Consumables : 179436; 34623011; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/09/24

PASSED



Page 5 of 5

Supply Pre-Roll Multipack 2.5g - TK/CD (I) TK/CD Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40506003-013 Harvest/Lot ID: 0001 3428 6433 2104 Batch# : 0001 3428 6433 Sample 2104 Total Ar

Sampled : 05/06/24 Ordered : 05/06/24 Sample Size Received : 27.5 gram Total Amount : 820 units Completed : 05/09/24 Expires: 05/09/25 Sample Method : SOP.T.20.010



Filth/Foreign Material





Ρ	AS	<b>5S</b>	E	D

Analyte Filth and Foreign Material		<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level	Analyte Moisture Content	<b>LOD</b> 1.00	Units %	<b>Result</b> 11.02	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weigh NA	t:	Extraction N/A	date:	Extrac N/A	cted by:	Analyzed by: Weight: 4444, 585, 1440 0.51g		<b>traction d</b> 5/08/24 12		<b>Ex</b> 44	racted by: 44
Analysis Method : SOP.T.40.09 Analytical Batch : DA072578FII Instrument Used : N/A Analyzed Date : 05/08/24 10:44	L			<b>On:</b> 05/08/2 e:05/08/24	24 11:09:20 10:41:44		Analysis Method : SOP.T.40.021 Analytical Batch : DA072547MOI Instrument Used : DA-003 Moisture Analyzed Date : 05/07/24 14:44:29	Analyze		Reviewed On Batch Date : (		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection technologies in accordance with F.				ection utilizir	ng naked eye	and microscope	Moisture Content analysis utilizing loss-o	n-drying	technology	in accordance	with F.S. Rul	e 64ER20-39.
() Wate	r Ao	ctiv	ity		PAS	SSED						

Analyte Water Activity		LOD 0.010	<b>Units</b> aw	Result 0.46	P/F 6 PASS	Action Level 0.65		
Analyzed by: 4444, 585, 1440	Weight: 1.67g		traction d /08/24 12			Extracted by: 4444		
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA2 Analyzed Date : 05/08,	72548WAT 56 Rotronic Hyd	groPaln	n		<b>On :</b> 05/08/2 a : 05/07/24			
Dilution: N/A Reagent:022024.29 Consumables:PS-14 Pipette:N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/09/24