



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40509015-016
Harvest/Lot ID: 2063 9069 0000 7127
Batch#: 2063 9069 0000 7127
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 0001 3428 6430 2867
Batch Date: 05/02/24
Sample Size Received: 16 units
Total Amount: 138 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 05/02/24
Sampled: 05/09/24
Completed: 05/13/24
Sampling Method: SOP.T.20.010

May 13, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

71.206%

Total THC/Container : 712.06 mg



Total CBD

0.228%

Total CBD/Container : 2.28 mg



Total Cannabinoids

87.138%

Total Cannabinoids/Container : 871.38 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.847	80.228	ND	0.260	0.128	0.380	5.037	ND	ND	ND	0.258
mg/unit	8.47	802.28	ND	2.60	1.28	3.80	50.37	ND	ND	ND	2.58
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 1440

Weight:
0.0989g

Extraction date:
05/10/24 12:35:57

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA072678POT

Instrument Used : DA-LC-003

Analyzed Date : 05/10/24 12:41:40

Reviewed On : 05/13/24 08:32:41

Batch Date : 05/10/24 09:14:35

Dilution : 400

Reagent : 042524.R01; 060723.24; 043024.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Sr Apls Bnanas (S)
Sour Apples Bananas
Matrix : Derivative
Type: Live Badder



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40509015-016

Harvest/Lot ID: 2063 9069 0000 7127

Batch# : 2063 9069 0000
7127

Sampled : 05/09/24
Ordered : 05/09/24

Sample Size Received : 16 units

Total Amount : 138 units

Completed : 05/13/24 Expires: 05/13/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	55.01	5.501		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	19.02	1.902		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	9.44	0.944		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	8.66	0.866		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	4.75	0.475		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.07	0.307		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	2.23	0.223		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	1.81	0.181		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.40	0.140		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	1.32	0.132		3605, 585, 1440	0.2189g	05/10/24 12:21:23	3605	
ALPHA-PINENE	0.007	1.26	0.126		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FARNESENE	0.007	0.98	0.098		Analytical Batch : DA072688TER			Reviewed On : 05/13/24 08:59:01	
TRANS-NEROLIDOL	0.005	0.48	0.048		Instrument Used : DA-GCMS-009			Batch Date : 05/10/24 09:52:36	
GERANIOL	0.007	0.34	0.034		Analyzed Date : 05/10/24 12:25:13				
CAMPHENE	0.007	0.25	0.025		Dilution : 10				
3-CARENE	0.007	ND	ND		Reagent : 022224.07				
BORNEOL	0.013	ND	ND		Consumables : 947.109; 230613-634-D; CE0123				
CAMPHOR	0.007	ND	ND		Pipette : DA-063				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			5.501						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Sr Apls Bnanas (S)
Sour Apples Bananas
Matrix : Derivative
Type: Live Badder



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40509015-016

Harvest/Lot ID: 2063 9069 0000 7127

Batch# : 2063 9069 0000
7127

Sampled : 05/09/24

Ordered : 05/09/24

Sample Size Received : 16 units

Total Amount : 138 units

Completed : 05/13/24 Expires: 05/13/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2535g Extraction date: 05/10/24 16:55:21 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA072707PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 05/10/24 11:55:59 Analyzed Date : 05/10/24 17:01:46 Dilution : 250 Reagent : 050724.R01; 050224.R04; 050224.R05; 050824.R14; 042324.R01; 050224.R02; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2535g Extraction date: 05/10/24 16:55:21 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA072710VOL Instrument Used : DA-GCMS-010 Batch Date : 05/13/24 10:36:15 Analyzed Date : 05/10/24 18:14:52 Dilution : 250 Reagent : 050224.R05; 040423.08; 050224.R31; 050224.R32 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2535g Extraction date: 05/10/24 16:55:21 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA072710VOL Instrument Used : DA-GCMS-010 Batch Date : 05/13/24 10:36:15 Analyzed Date : 05/10/24 18:14:52 Dilution : 250 Reagent : 050224.R05; 040423.08; 050224.R31; 050224.R32 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2535g Extraction date: 05/10/24 16:55:21 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA072710VOL Instrument Used : DA-GCMS-010 Batch Date : 05/13/24 10:36:15 Analyzed Date : 05/10/24 18:14:52 Dilution : 250 Reagent : 050224.R05; 040423.08; 050224.R31; 050224.R32 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2535g Extraction date: 05/10/24 16:55:21 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA072710VOL Instrument Used : DA-GCMS-010 Batch Date : 05/13/24 10:36:15 Analyzed Date : 05/10/24 18:14:52 Dilution : 250 Reagent : 050224.R05; 040423.08; 050224.R31; 050224.R32 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						
	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Sr Apls Bnanas (S)
Sour Apples Bananas
Matrix : Derivative
Type: Live Badder



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crecolabs.com

Sample : DA40509015-016

Harvest/Lot ID: 2063 9069 0000 7127

Batch# : 2063 9069 0000
7127

Sampled : 05/09/24
Ordered : 05/09/24

Sample Size Received : 16 units

Total Amount : 138 units

Completed : 05/13/24 Expires: 05/13/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0256g

Extraction date:
05/13/24 10:24:25

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07272450L
Instrument Used : DA-GCMS-002
Analyzed Date : 05/10/24 15:56:55

Reviewed On : 05/13/24 11:50:56
Batch Date : 05/10/24 15:34:44

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/13/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: jenna.mlsna@crezolabs.com

Sample : DA40509015-016

Harvest/Lot ID: 2063 9069 0000 7127

 Batch# : 2063 9069 0000
 7127

 Sampled : 05/09/24
 Ordered : 05/09/24


Sample Size Received : 16 units


Total Amount : 138 units


Completed : 05/13/24 Expires: 05/13/25


Sample Method : SOP.T.20.010

Page 5 of 6

	<h1>Microbial</h1>	<h2>PASSED</h2>																																																
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																													
ASPERGILLUS TERREUS			Not Present	PASS																																														
ASPERGILLUS NIGER			Not Present	PASS																																														
ASPERGILLUS FUMIGATUS			Not Present	PASS																																														
ASPERGILLUS FLAVUS			Not Present	PASS																																														
SALMONELLA SPECIFIC GENE			Not Present	PASS																																														
ECOLI SHIGELLA			Not Present	PASS																																														
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																													
<table><tr><td>Analyzed by: 3390, 585, 1440</td><td>Weight: 1.1717g</td><td>Extraction date: 05/10/24 12:05:39</td><td>Extracted by: 4044</td></tr></table>	Analyzed by: 3390, 585, 1440	Weight: 1.1717g	Extraction date: 05/10/24 12:05:39	Extracted by: 4044																																														
Analyzed by: 3390, 585, 1440	Weight: 1.1717g	Extraction date: 05/10/24 12:05:39	Extracted by: 4044																																															
<table><tr><td colspan="3">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td rowspan="3">Reviewed On : 05/13/24 18:04:06 Batch Date : 05/10/24 09:16:28</td></tr><tr><td colspan="3">Analytical Batch : DA072681MIC</td></tr><tr><td colspan="3">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td></tr></table>	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 05/13/24 18:04:06 Batch Date : 05/10/24 09:16:28	Analytical Batch : DA072681MIC			Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																																										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 05/13/24 18:04:06 Batch Date : 05/10/24 09:16:28																																															
Analytical Batch : DA072681MIC																																																		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																																																		
Analyzed Date : 05/10/24 12:11:24																																																		
Dilution : N/A																																																		
Reagent : 041124.90; 041124.97; 041924.R15; 100223.08																																																		
Consumables : 7572001042																																																		
Pipette : N/A																																																		
Analyzed by: 3390, 4451, 585, 1440			Weight: 1.1717g	Extraction date: 05/10/24 12:05:39	Extracted by: 4044																																													
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																																																		
Analytical Batch : DA072682TYM			Reviewed On : 05/13/24 08:49:33																																															
Instrument Used : Incubator (25-27°C) DA-096			Batch Date : 05/10/24 09:17:23																																															
Analyzed Date : 05/10/24 12:11:47																																																		
Dilution : N/A																																																		
Reagent : 041124.90; 041124.97; 041124.R12																																																		
Consumables : N/A																																																		
Pipette : N/A																																																		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																		

	<h1>Mycotoxins</h1>	<h2>PASSED</h2>																																				
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																	
<table><tr><td>Analyzed by: 3379, 585, 1440</td><td>Weight: 0.2535g</td><td>Extraction date: 05/10/24 16:55:21</td><td>Extracted by: 3379</td></tr></table>	Analyzed by: 3379, 585, 1440	Weight: 0.2535g	Extraction date: 05/10/24 16:55:21	Extracted by: 3379																																		
Analyzed by: 3379, 585, 1440	Weight: 0.2535g	Extraction date: 05/10/24 16:55:21	Extracted by: 3379																																			
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																						
Analytical Batch : DA072709MYC			Reviewed On : 05/13/24 08:59:39																																			
Instrument Used : N/A			Batch Date : 05/10/24 11:59:03																																			
Analyzed Date : 05/10/24 17:02:01																																						
Dilution : 250																																						
Reagent : 050724.R01; 050224.R04; 050224.R05; 050824.R14; 042324.R01; 050224.R02; 040423.08																																						
Consumables : 326250IW																																						
Pipette : DA-093; DA-094; DA-219																																						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																						

	<h1>Heavy Metals</h1>	<h2>PASSED</h2>																																				
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5		
Metal	LOD	Units	Result	Pass / Fail	Action Level																																	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																	
ARSENIC	0.020	ppm	ND	PASS	0.2																																	
CADMIUM	0.020	ppm	ND	PASS	0.2																																	
MERCURY	0.020	ppm	ND	PASS	0.2																																	
LEAD	0.020	ppm	ND	PASS	0.5																																	
<table><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2615g</td><td>Extraction date: 05/10/24 12:20:06</td><td>Extracted by: 1022</td></tr></table>	Analyzed by: 1022, 585, 1440	Weight: 0.2615g	Extraction date: 05/10/24 12:20:06	Extracted by: 1022																																		
Analyzed by: 1022, 585, 1440	Weight: 0.2615g	Extraction date: 05/10/24 12:20:06	Extracted by: 1022																																			

	<h1>Mycotoxins</h1>	<h1>PASSED</h1>			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.2535g	Extraction date: 05/10/24 16:55:21		Extracted by: 3379	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA072709MYC			Reviewed On : 05/13/24 08:59:39		
Instrument Used : N/A			Batch Date : 05/10/24 11:59:03		
Analyzed Date : 05/10/24 17:02:01					
Dilution : 250					
Reagent : 050724.R01; 050224.R04; 050224.R05; 050824.R14; 042324.R01; 050224.R02; 040423.08					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

<div><div>Hg</div></div>		Heavy Metals		PASSED		
Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440		Weight: 0.2615g	Extraction date: 05/10/24 12:20:06		Extracted by: 1022	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA072690HEA			Reviewed On : 05/13/24 08:28:25			
Instrument Used : DA-ICPMS-004			Batch Date : 05/10/24 10:21:30			
Analyzed Date : N/A						
Dilution : 50						
Reagent : 042524.R10; 050624.R04; 050824.R01; 050624.R03; 050624.R05; 030424.01; 041224.R10						
Consumables : 179436; 34623011; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Badder Rosin 1g - Sr Apls Bnanas (S)
Sour Apples Bananas
Matrix : Derivative
Type: Live Badder



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40509015-016

Harvest/Lot ID: 2063 9069 0000 7127

Batch# : 2063 9069 0000
7127

Sampled : 05/09/24

Ordered : 05/09/24

Sample Size Received : 16 units

Total Amount : 138 units

Completed : 05/13/24 Expires: 05/13/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA072705FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/10/24 13:00:13

Reviewed On : 05/10/24 13:10:04

Batch Date : 05/10/24 11:53:37

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.492	PASS	0.85

Analyzed by: 4351, 585, 1440	Weight: 1.0307g	Extraction date: 05/10/24 17:47:10	Extracted by: 4351
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA072708WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 05/13/24 08:29:33

Batch Date : 05/10/24 11:56:50

Dilution : N/A

Reagent : 041024.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/13/24