

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

PARTING STATE TO AND

### **Kaycha Labs**

Cresco Crushed Diamonds 1g - Red Pop (I) Red Pop



PASSED

MISC.

Matrix: Derivative Type: Other

# **Certificate of Analysis COMPLIANCE FOR RETAIL**

#### Sample:DA40509015-018 Harvest/Lot ID: 0001 3428 6433 2672 Batch#: 0001 3428 6433 2672 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6436 0762 Batch Date: 05/06/24 Sample Size Received: 16 gram Total Amount: 292 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 05/06/24 Sampled: 05/09/24 Completed: 05/13/24 Sampling Method: SOP.T.20.010

Pages 1 of 6

May 13, 2024 | Sunnyside 22205 Sw Martin Hwy

indiantown, FL, 34956, US

SUNNYSIDE

DA40509015-018



#### **SAFETY RESULTS**

Pesticio PASSI	des He	Hg eavy Metals PASSED	Microbials PASSED	مې Mycotoxii PASSEI		Residuals Solvents PASSED	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Canna	binoid									PASSED
	-) 8	al THC <b>6.773</b> I THC/Container			) 0.	al CBD 017% I CBD/Container			399	al Cannabinoids 9.277% Cannabinoids/Cont	)
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	CBC
%	0.442	98.439	ND		0.043	0.036	0.297	ND	ND	ND	<0.010
mg/unit	4.42	984.39	ND		0.43	0.36	2.97	ND	ND	ND	<0.10
LOD	0.001	0.001	0.001		<b>0.001</b> %	0.001	0.001	0.001	0.001	0.001	0.001
Analyzed by: 3335, 1665, 585,	% , 1440	%	%	% Weight: 0.106q	% traction date: 5/10/24 12:35:58	%	% % % % Extracted by: 1665,3335				
Analytical Batch Instrument Used	: SOP.T.40.031, : DA072678POT I: DA-LC-003 05/10/24 12:41:4			3		Reviewed On : 05/ Batch Date : 05/10					
Consumables : 9	24.R01; 060723.2 47.109; 2806707 9; DA-108; DA-078	23; CE0123; R1KB14	270								

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/13/24



Cresco Crushed Diamonds 1g - Red Pop (I) Red Pop Matrix : Derivative Type: Other



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: jenna.mlsna@crescolabs.com 
 Sample : DA40509015-018

 Harvest/Lot ID: 0001 3428 6433 2672

 Batch# : 0001 3428 6433
 Sample

 2672
 Total Ar

Sampled : 05/09/24 Ordered : 05/09/24 Sample Size Received : 16 gram Total Amount : 292 units Completed : 05/13/24 Expires: 05/13/25 Sample Method : SOP.T.20.010

Page 2 of 6

# Ô

### Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	2.21	0.221		ALPHA-TERPINENE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	0.85	0.085		ALPHA-TERPINEOL		0.007	ND	ND		
ARNESENE	0.007	0.48	0.048		ALPHA-TERPINOLENE		0.007	ND	ND		
IMONENE	0.007	0.43	0.043		BETA-MYRCENE		0.007	ND	ND		
INALOOL	0.007	0.23	0.023		BETA-PINENE		0.007	ND	ND		
LPHA-HUMULENE	0.007	0.22	0.022		CIS-NEROLIDOL		0.003	ND	ND		
CARENE	0.007	ND	ND		GAMMA-TERPINENE		0.007	ND	ND		
ORNEOL	0.013	ND	ND		TRANS-NEROLIDOL		0.005	ND	ND		
AMPHENE	0.007	ND	ND		Analyzed by:	Weight:		Extraction da			Extracted by:
AMPHOR	0.007	ND	ND		3605, 585, 1440	0.2189g		05/10/24 12:	21:23		3605
ARYOPHYLLENE OXIDE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP	P.T.40.061A.FL					
EDROL	0.007	ND	ND		Analytical Batch : DA072688TER Instrument Used : DA-GCMS-009					5/13/24 09:16:49 10/24 09:52:36	
JCALYPTOL	0.007	ND	ND		Analyzed Date : 05/10/24 12:25:13			Datth	Date: 03/.	10/24 09.32.30	
ENCHONE	0.007	ND	ND		Dilution: 10						
ENCHYL ALCOHOL	0.007	ND	ND		Reagent : 022224.07						
ERANIOL	0.007	ND	ND		Consumables : 947.109; 230613-634-D; Pipette : DA-063	CE0123					
ERANYL ACETATE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Cl						
UAIOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Ci	nromatograpny Ma	iss spectr	ometry. For all F	-lower samp	ies, the lotal lerpenes % is	ary-weight corrected.
EXAHYDROTHYMOL	0.007	ND	ND								
OBORNEOL	0.007	ND	ND								
OPULEGOL	0.007	ND	ND								
EROL	0.007	ND	ND								
CIMENE	0.007	ND	ND								
JLEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
ABINENE HYDRATE	0.007	ND	ND								
ALENCENE	0.007	ND	ND								
LPHA-BISABOLOL	0.007	ND	ND								
LPHA-CEDRENE	0.005	ND	ND								
LPHA-CEDRENE		ND	ND								
LPHA-CEDRENE	0.007	ND	IND.								
	0.007	ND	ND								

Total (%)

0.221

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/13/24



Cresco Crushed Diamonds 1g - Red Pop (I) Red Pop Matrix : Derivative Type: Other



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com 
 Sample : DA40509015-018

 Harvest/Lot ID: 0001 3428 6433
 Sample

 Batch#: 0001 3428 6433
 Sample

 2672
 Total And

Sampled : 05/09/24 Ordered : 05/09/24 Sample Size Received :16 gram Total Amount : 292 units Completed : 05/13/24 Expires: 05/13/25 Sample Method : SOP.T.20.010

Page 3 of 6



# Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND							
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	maa	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND					0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010				
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extrac	tion date:		Extracted	d by:
DIMETHOATE	0.010	T. F.	0.1	PASS	ND	3379, 585, 1440	0.2226q		24 16:55:22		3379	i by.
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101				SOP.T.40.101.	FL (Gainesville	),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA072707PE				n:05/13/241		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 Analyzed Date : 05/10/24 17:01			Batch Date	05/10/24 11:	55:59	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250	.40					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 050724.R01; 050224	R04: 050224.R05	: 050824.R1	4: 042324.R0	1: 050224.R0	2: 040423.08	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW		,	.,	_,		
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-2						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is p		Liquid Chron	natography Tri	ple-Quadrupol	e Mass Spectron	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20						
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight: 0.2226a		on date: 4 16:55:22		Extracted 3379	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440 Analysis Method : SOP.T.30.151				COD T 40 15		
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA072710VO			eviewed On :			
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-01			atch Date : 05			
METALAXYL	0.010		0.1	PASS	ND ND	Analyzed Date :05/10/24 18:14						
METHIOCARB	0.010					Dilution: 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent: 050224.R05; 040423		050224.R32				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 1472						
MYCLOBUTANIL	0.010		0.1	PASS	ND ND	Pipette : DA-080; DA-146; DA-2 Testing for agricultural agents is p		Cas Chrome	tography Trials	Quadrung!- *	Ance Constructor	ter i e
NALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20		Gas Unroma	tography iriple	-quadrupole I	vass spectrome	u y ifi

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/13/24



Page 4 of 6

Cresco Crushed Diamonds 1g - Red Pop (I) Red Pop Matrix : Derivative Type: Other



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: jenna.mlsna@crescolabs.com 
 Sample : DA40509015-018

 Harvest/Lot ID: 0001 3428 6433
 Sample

 Batch # : 0001 3428 6433
 Sample

 2672
 Total Ar

 Sample 0: 05/09/24
 Complet

 Ordered : 05/09/24
 Sample

8 6433 2672 Sample Size Received : 16 gram Total Amount : 292 units Completed : 05/13/24 Expires: 05/13/25 Sample Method : 50P.T.20.010



# **Residual Solvents**

0.800 0.200 75.000 12.500 0.100 50.000 0.200	ppm ppm ppm ppm ppm	8 2 750 125	PASS PASS PASS PASS	ND ND ND
75.000 12.500 0.100 50.000	ppm ppm ppm	750 125	PASS	ND
12.500 0.100 50.000	ppm ppm	125		
0.100 50.000	ppm		PASS	
50.000				ND
	nnm	1	PASS	ND
0.200	ppm	500	PASS	ND
	ppm	2	PASS	ND
500.000	ppm	5000	PASS	ND
40.000	ppm	400	PASS	ND
500.000	ppm	5000	PASS	ND
6.000	ppm	60	PASS	ND
50.000	ppm	500	PASS	ND
0.500	ppm	5	PASS	ND
500.000	ppm	5000	PASS	ND
25.000	ppm	250	PASS	ND
25.000	ppm	250	PASS	ND
75.000	ppm	750	PASS	ND
15.000	ppm	150	PASS	ND
15.000	ppm	150	PASS	ND
500.000	ppm	5000	PASS	ND
2.500	ppm	25	PASS	ND
<b>Weight:</b> 0.0299g	Extraction date: 05/13/24 10:24:26		<b>Ex</b> 85	tracted by: 0
	500.000 6.000 50.000 0.500 500.000 25.000 25.000 75.000 15.000 15.000 500.000 2.500 Weight:	500.000         ppm           6.000         ppm           50.000         ppm           50.000         ppm           50.000         ppm           50.000         ppm           25.000         ppm           25.000         ppm           25.000         ppm           75.000         ppm           15.000         ppm           15.000         ppm           25.000         ppm           2.500         ppm           2.500         ppm           Weight:         Extraction date:           0.0299g         05/13/24 10:24:26	500.000         ppm         5000           6.000         ppm         60           50.000         ppm         500           0.500         ppm         500           0.500         ppm         5000           25.000         ppm         250           25.000         ppm         250           25.000         ppm         750           15.000         ppm         150           15.000         ppm         150           15.000         ppm         5000           25.000         ppm         250           75.000         ppm         150           15.000         ppm         250           25.000         ppm         250           15.000         ppm         250           25.000         ppm         25	500000       ppm       500       PASS         500.000       ppm       60       PASS         50.000       ppm       500       PASS         50.000       ppm       500       PASS         0.500       ppm       500       PASS         0.500       ppm       5000       PASS         25.000       ppm       250       PASS         25.000       ppm       250       PASS         25.000       ppm       750       PASS         15.000       ppm       150       PASS         15.000       ppm       150       PASS         500.000       ppm       2500       PASS         15.000       ppm       150       PASS         500.000       ppm       250       PASS         500.000       ppm       250       PASS         2.500       ppm       25       PASS         0.0299g       05/13/24 10:24:26       85

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 304486

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/13/24

PASSED



Cresco Crushed Diamonds 1g - Red Pop (I) Red Pop Matrix : Derivative Type: Other



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40509015-018 Harvest/Lot ID: 0001 3428 6433 2672 Batch#:0001 3428 6433

2672 Sampled : 05/09/24 Ordered : 05/09/24 Sample Size Received : 16 gram Total Amount : 292 units Completed : 05/13/24 Expires: 05/13/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ę	Microl	bial			PAS	SED	သို့	M	ycotox	ins			PAS	SED
Analyte		LOI	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	IS TERREUS			Not Present	PASS	Level	AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
SPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
SPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
SPERGILLU	IS FLAVUS			Not Present	PASS		AFLATOXIN	51		0.002	ppm	ND	PASS	0.02
ALMONELL	A SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
COLI SHIGE	ELLA T AND MOLD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 0.2226g	Extraction da 05/10/24 16			Extracted 3379	l by:
nalyzed by: 390, 585, 144	Weig 10 0.99		traction date: 5/10/24 12:05:		Extracted 4044	by:			T.30.101.FL (Gair e), SOP.T.40.102.	FL (Davie)				
	od:SOP.T.40.0560 ch:DA072681MIC		)58.FL, SOP.T.		wed On : 05	/13/24	Analytical Bate Instrument Us Analyzed Date	ed:N/A				)5/13/24 08 /10/24 11:!		
Dilution : N/A	: 05/10/24 12:11: 124.90; 041124.9		15; 100223.08				accordance wit	93; DA-0 ing utilizin n F.S. Rule	94; DA-219 ng Liquid Chromato e 64ER20-39.		e-Quadrupo			
Analyzed by: 3390, 4451, 58	35, 1440	Weight: 0.9997g	Extraction 0 05/10/24 12		Extracte 4044	ed by:	Hg	Не	eavy Me	etals		l	PAS	SEC
Analytical Bate	od : SOP.T.40.208 ch : DA072682TYM ed : Incubator (25-	1	Rev	9.FL <b>iewed On :</b> 05/1 <b>ch Date :</b> 05/10			Metal			LOD	Units	Result	Fail	Action Level
	: 05/10/24 12:11:					-		AMINA	NT LOAD METAL		ppm	ND	PASS	1.1
ilution : N/A							ARSENIC			0.020	ppm	ND	PASS	0.2
	124.90; 041124.9	7; 041124.R	L2				CADMIUM			0.020	ppm ppm	ND ND	PASS PASS	0.2 0.2
Consumables : N/A Pipette : N/A					LEAD			0.020	ppm	<0.100		0.2		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							Analyzed by: 1022, 585, 144	0	Weight: 0.2779g	Extraction da	ate:		Extracted	l by:
								d:SOP. h:DA07 ed:DA-10	T.30.082.FL, SOP 2690HEA	.T.40.082.FL Review	ed On : 05	/13/24 08: 0/24 10:21	28:26	
							Dilution : 50 Reagent : 042	524.R10;	050624.R04; 05	0824.R01; 0506	524.R03; 0	)50624.R0	5; 03042	4.01;

041224.R10 Consumables : 179436; 34623011; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/13/24



Cresco Crushed Diamonds 1g - Red Pop (I) Red Pop Matrix : Derivative Type: Other



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: jenna.mlsna@crescolabs.com Sample : DA40509015-018 Harvest/Lot ID: 0001 3428 6433 2672 Batch# : 0001 3428 6433 2672 Sampled : 05/09/24 Completer

Ordered : 05/09/24

33 2672 Sample Size Received : 16 gram Total Amount : 292 units Completed : 05/13/24 Expires: 05/13/25 Sample Method : SOP.T.20.010

		Filth/ Mate	Foreig rial	n		PASSED				
	nalyte ilth and Fore	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level			
	nalyzed by: 879, 585, 1440		Weight: NA	Extraction N/A	on date:	a date: Extracted by: N/A				
Analysis Method : SOP.T.40.090 Analytical Batch : DA072705FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 05/10/24 13:00:13 Batch Date : 05/10/24 13:03										
R C	ilution : N/A eagent : N/A onsumables : N ipette : N/A	/A								
	Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.									

 Analyte Water Activity
 LOD Units Result 0.010 aw
 P/F 0.484
 Action Level 0.85

 Analyzed by: 4351, 585, 1440
 Weight: 1.1595g
 Extraction date: 4351, 1471:10
 Extracted by: 4351

Analysis Method : SOP.T.40.019 Analytical Batch : DA072708WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : N/A	<b>Reviewed On :</b> 05/13/24 08:29:36 <b>Batch Date :</b> 05/10/24 11:56:50
Dilution : N/A Reagent : 041024.01 Consumables : PS-14 Pipette : N/A	

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/13/24

# PASSED

Page 6 of 6