

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Orange orange Matrix: Edible Type: Soft Chew



Sample:DA40514010-001 Harvest/Lot ID: 0001 3428 6436 1392 Batch#: 0001 3428 6436 1392 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734)

Seed to Sale# 0001 3428 6436 5019 Batch Date: 05/07/24 Sample Size Received: 328 gram Total Amount: 1303 units Retail Product Size: 42.5627 gram Retail Serving Size: 4.1 gram Servings: 10 Ordered: 05/10/24 Sampled: 05/14/24

> Completed: 05/16/24 Sampling Method: SOP.T.20.010

Pages 1 of 5

PASSED

MISC.



May 16, 2024 | Sunnyside

COMPLIANCE FOR RETAIL

Certificate of Analysis

Sunnyside*

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US

R 0	[Hg	Ţ	ç	ۍر کړ	Ä		(\bigcirc		Ô
Pesticio PASSE		vy Metals ASSED	Microbials PASSED	Mycoto PASS		Residuals Solvents PASSED	Filth PASSED		r Activity SSED	Moisture NOT TESTED	Terpenes NOT TESTED
Ä	Cannab	inoid								I	PASSEI
	1	THC 238%	-		A N	tal CBD	• : 0.00 mg		30.	l Cannabinoids 245% Cannabinoids/Cont	
%	^{D9-THC} 0.238	THCA ND	CBD ND	cbda ND	D8-THC ND	св д 0.002	CBGA ND	CBN 0.003	тнсv ND	CBDV ND	свс 0.002
mg/unit	101.30	ND	ND	ND	ND	0.85	ND	1.28	ND	ND	0.85
OD	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %
alyzed by: 85, 1665, 585,		70	70	Weight: 2.957g		Extraction date: 05/14/24 14:16:41	,,,	70	Ext	tracted by: 65,3335	70
alytical Batch trument Used	: SOP.T.40.031, SC : DA072804POT : DA-LC-007 D5/14/24 14:16:53	DP.T.30.031				Reviewed On : 05 Batch Date : 05/3					
ution : 40 agent : 04252 nsumables : 94	4.R01; 060723.24;										

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/16/24



Kaycha Labs

..... Sunnyside Chews 100mg 10pk Orange orange Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna mlsna@crescolabs.com Sample : DA40514010-001 Harvest/Lot ID: 0001 3428 6436 1392

Batch#:0001 3428 6436 Sampled : 05/14/24 Ordered : 05/14/24


Sample Size Received : 328 gram Total Amount : 1303 units Completed : 05/16/24 Expires: 05/16/25 Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nnm	Level 30	PASS	ND		0.010		Level		ND
TOTAL DIMETHOMORPH	0.010	P.P.	3	PASS	ND	OXAMYL		ppm	0.5	PASS	ND
TOTAL PERMETHRIN	0.010		1	PASS	ND	PACLOBUTRAZOL		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		1	PASS	ND	PHOSMET		ppm	0.2	PASS	ND
TOTAL SPINETORAM	0.010		3	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINOSAD	0.010		3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
ABAMECTIN B1A	0.010		0.3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ACEPHATE	0.010		3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010		2	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN		ppm	3	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	3	PASS	ND
AZOXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE		ppm	0.1	PASS	ND
BIFENAZATE	0.010		3	PASS	ND				1	PASS	ND
BIFENTHRIN	0.010		0.5	PASS	ND	TEBUCONAZOLE		ppm			
BOSCALID	0.010		3	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM		ppm	1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN		ppm	3	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB)	* 0.010	PPM	0.2	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		3	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		PPM	1	PASS	ND
DIAZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *		PPM	1	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				1		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weig 3379, 585, 1440 1.054		tion date: 24 16:40:17		Extracted 3379	d by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gai			SOP T 40 101)
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	iesville), 501.1.50.10	2.1 L (Davie),	501.1.40.101	.i L (Gamesville	
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analytical Batch : DA072838PES		Reviewed C	n:05/15/24 1	12:10:00	
FENHEXAMID	0.010	ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:05/14/24 14	:01:11	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :05/14/24 16:57:03					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Dilution : 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 050224.R05; 040423.08 Consumables : 3262501W					
FLONICAMID	0.010	ppm	2	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed	d utilizina Liquid Chror	natography Tr	iple-Ouadrupo	le Mass Spectror	metry in
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.			.p		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weigh		ion date:		Extracted	l by:
IMIDACLOPRID	0.010	ppm	1	PASS	ND	450, 585, 1440 1.0543	5	4 16:40:17		3379	
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gai					
MALATHION	0.010	ppm	2	PASS	ND	Analytical Batch :DA072839VOL Instrument Used :DA-GCMS-001			05/15/24 11:0 5/14/24 14:02		
METALAXYL	0.010	ppm	3	PASS	ND	Analyzed Date :05/14/24 17:39:46	В	ate 10:	0/14/24 14:02	.34	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 050224.R05; 040423.08; 050	224.R31: 050224.R32				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401	, 11101				
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed accordance with F.S. Rule 64ER20-39.	d utilizing Gas Chroma	tography Tripl	e-Quadrupole	Mass Spectrome	etry in



Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/16/24

PASSED

PASSED



Sunnyside Chews 100mg 10pk Orange orange Matrix : Edible Type: Soft Chew



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

kaycha°

LABS

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: jenna.mlsna@crescolabs.com
 Sample : DA40514010-001

 Harvest/Lot ID: 0001 3428 6436 1392

 Batch# : 0001 3428 6436
 Sample

 1392
 Total Ar

Sampled : 05/14/24 Ordered : 05/14/24 36 1392 Sample Size Received : 328 gram Total Amount : 1303 units Completed : 05/16/24 Expires: 05/16/25 Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
BENZENE	0.100	ppm	1	PASS	ND			
P-PROPANOL	50.000	ppm	500	PASS	ND			
HLOROFORM	0.200	ppm	2	PASS	ND			
THANOL	500.000	ppm	5000	PASS	ND			
ETHYL ACETATE	40.000	ppm	400	PASS	ND			
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
CETONITRILE	6.000	ppm	60	PASS	ND			
THYL ETHER	50.000	ppm	500	PASS	ND			
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND			
IEPTANE	500.000	ppm	5000	PASS	ND			
1ETHANOL	25.000	ppm	250	PASS	ND			
I-HEXANE	25.000	ppm	250	PASS	ND			
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
OLUENE	15.000	ppm	150	PASS	ND			
TOTAL XYLENES	15.000	ppm	150	PASS	ND			
PROPANE	500.000	ppm	5000	PASS	ND			
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
Analyzed by: 605, 850, 585, 1440	Weight: 0.0186g	Extraction d 05/15/24 11			xtracted by: 605			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA072837SOL nstrument Used : DA-GCMS-002 Analyzed Date : 05/15/24 11:06:37	Reviewed On : 05/15/24 15:42:11 Batch Date : 05/14/24 13:55:08							

Reagent : 030420.09 Consumables : 429651; 304486 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/16/24



Kaycha Labs

..... Sunnyside Chews 100mg 10pk Orange orange Matrix : Edible Type: Soft Chew



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40514010-001 Harvest/Lot ID: 0001 3428 6436 1392 Batch#:0001 3428 6436

1392 Sampled : 05/14/24 Ordered : 05/14/24 Sample Size Received : 328 gram Total Amount : 1303 units Completed : 05/16/24 Expires: 05/16/25 Sample Method : SOP.T.20.010

Page 4 of 5

(Et	Microk	pial			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	TERREUS			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	NIGER			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FLAVUS			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELI		10	CFU/q	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 1.0543a	Extraction d 05/14/24 16			Extracted	by:
Analyzed by:		Weight:	Extraction	data.	Extracte	al have				nesville), SOP.T		(Cain agui		
4044, 3390, 585,	, 1440	0.8356a	05/14/24 13		4044	u by.	SOP.T.30.102.				.40.101.FL	Gamesvi	ne),	
Analysis Method Analytical Batch	: SOP.T.40.0560 : DA072805MIC	C, SOP.T.40.0	58.FL, SOP.T.		red On : 05	/16/24	Analytical Bate Instrument Us Analyzed Date	h:DA0728 ed:N/A	40MYC	Revie	wed On : 0 Date : 05/	- 1 - 1		
Biosystems Ther DA-020,fisherbra sotemp Heat Blo	I: PathogenDx S rmocycler DA-01 and Isotemp Hea ock DA-021 05/14/24 14:52:	0,fisherbrand It Block DA-0	d Isotemp He		58		Dilution : 250 Reagent : 050 Consumables : Pipette : N/A	326250IW		ography with Tripl	o Quadrupo	lo Macc Coc	ctromotru	
Consumables : 7 Pipette : N/A Analyzed by:		Weight:	Extraction	late:	Extracte	d by:	accordance wit	n F.S. Rule 64			e-Quadrupo			SED
4044, 3390, 585,	, 1440	0.8356g	05/14/24 13	3:10:26	4044		Metal			LOD	Units	Result	Pass /	Action
	: SOP.T.40.208				C 10 4 10 5 5	1	inclai			200	Units	nesult	Fail	Level
	: DA072816TYM I : Incubator (25-			riewed On : 05/1 ch Date : 05/14/			TOTAL CONT	AMINANT	LOAD META	LS 0.080	ppm	ND	PASS	5
	05/14/24 14:22:5		, Dau	cii Date : 03/14/	27 11.33.9	.0	ARSENIC			0.020	ppm	ND	PASS	1.5
Dilution : N/A							CADMIUM			0.020	ppm	ND	PASS	0.5
	4.03; 050324.06	5; 041124.R1	2				MERCURY			0.020	ppm	ND	PASS	3
Consumables : N							LEAD			0.020	ppm	ND	PASS	0.5
	old testing is perfo		MPN and tradit	ional culture based	d techniques	in	Analyzed by: 1022, 585, 144	0	Weight: 0.2594g	Extraction da 05/14/24 15:			(tracted b)22,4056	y:
accordance with F	.S. Rule 64ER20-39).					Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA0728 ed:DA-ICPI	822HEA MS-004	Review	red On : 05 Date : 05/1			

Dilution: 50

Reagent : 042524.R10; 051324.R03; 050824.R01; 051324.R01; 051324.R02; 030424.01 Consumables : 179436; 120123CH01; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/16/24



Kaycha Labs

Sunnyside Chews 100mg 10pk Orange orange Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40514010-001 Harvest/Lot ID: 0001 3428 6436 1392 Batch#: 0001 3428 6436 Sample 1392 Total Ar

PASSED

Sampled : 05/14/24 Ordered : 05/14/24 Sample Size Received : 328 gram Total Amount : 1303 units Completed : 05/16/24 Expires: 05/16/25 Sample Method : SOP.T.20.010

Homogeneity

PASSED

Page 5 of 5

Amount	of	tests	cond	ucted	÷	14

Analyte Filth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Leve	I
Analyzed by: 1879, 585, 1440		Weight: NA	Extraction N/A	on date:	Extr N/A	acted by:	_
Analysis Method Analytical Batch Instrument Used Analyzed Date :	: DA072890FIL : Filth/Foreign	Material Micro	oscope			5/24 12:52:35 24 12:31:03	
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	//A						-
Filth and foreign n technologies in ac				spection utilizi	ng naked ey	e and microscope	
(\bigcirc)	Wate	r Activ	ity		ΡΑ	SSED	

Analyte Water Activity	-	DD .010	Units aw	R	esult 0.604	P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1440	Weight: 4.1743g		traction d /15/24 15		08		tracted by:
Analysis Method : SOF Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 05/15	72886WAT 028 Rotronic Hyg	ropalr	n			1:05/15/2 05/15/24	4 16:33:30 10:40:37
Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Pass/Fail Result Active TOTAL THC - HOMOGENEITY (RSD) 0.001 % PASS 1.724 25 Analyzed by Average Weight Extraction date : Extra- : Extra- : Extra- : Extra- : 4351 Analysis Method : SOP.T.30.111.FL, Analytical Batch : DAV2802HOM Instrument Used : DA-LC-001 (HOmo) Analyzed Date : 05/14/24 14:28:39 Reviewed On : 05/15/24 10:34:16 Batch Date : 05/14/24 09:50:48 Batch Date : 05/14/24 09:50:48 Dilution : 40 Reagent : 043024.R08; 030322.03; Col124.02; 043024.R03 Consumables : 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1K Pipette : DA-055; DA-063; DA-067 Name State Sta	
Analyzed by Average Weight Extraction date : Extra : 4351, 3702, 585, 1440 4.18g 05/14/24 14:24:17 4351 Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL Reviewed On : 05/15/24 10:34:16 Instrument Used : DA-LC-001 (Homo) Batch Date : 05/14/24 09:50:48 Analyzed Date : 05/14/24 14:28:39 Dilution : 40 Reagent : 043024.R08; 030322.03; 020124.02; 043024.R03 Consumables : 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1K	
Analyzed by Weight Extraction date : : 4351, 3702, 585, 1440 4.18g 05/14/24 14:24:17 4351 Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL Reviewed On : 05/15/24 10:34:16 Instrument Used : DA-LC-001 (Homo) Batch Date : 05/14/24 09:50:48 Analyzed Date : 05/14/24 14:28:39 Dilution : 40 Reagent : 043024.R08; 030322.03; 020124.02; 043024.R03 Consumables : 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1K	
Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL Correction Reviewed On : 05/15/24 10:34:16 Analytical Batch : DA072802HOM Reviewed On : 05/15/24 10:34:16 Instrument Used : DA-LC-001 (Homo) Batch Date : 05/14/24 09:50:48 Analyzed Date : 05/14/24 14:28:39 Dilution : 40 Reagent : 043024.R08; 030322.03; 020124.02; 043024.R03 Consumables : 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1K	acted By
Analytical Batch : DA072802HOM Reviewed On : 05/15/24 10:34:16 Instrument Used : DA-LC-001 (Homo) Batch Date : 05/14/24 09:50:48 Analyzed Date : 05/14/24 14:28:39 Dilution : 40 Reagent : 043024.R08; 030322.03; 020124.02; 043024.R03 Consumables : 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1K	
Reagent : 043024.R08; 030322.03; 020124.02; 043024.R03 Consumables : 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1K	
	(B14270
Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV det accordance with F.S. Rule 64ER20-39.	tection in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/16/24

PASSED