




# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40514010-019  
Harvest/Lot ID: 0001 3428 6432 1886  
Batch#: 0001 3428 6432 1886  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 0001 3428 6436 2871  
Batch Date: 05/08/24  
Sample Size Received: 35 gram  
Total Amount: 990 units  
Retail Product Size: 7 gram  
Retail Serving Size: 7 gram  
Servings: 1  
Ordered: 05/08/24  
Sampled: 05/14/24  
Completed: 05/16/24  
Sampling Method: SOP.T.20.010

May 16, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**

### MISC.



Terpenes  
**TESTED**



### Cannabinoid

**PASSED**



Total THC

**23.665%**

Total THC/Container : 1656.55 mg



Total CBD

**0.065%**

Total CBD/Container : 4.55 mg



Total Cannabinoids

**28.342%**

Total Cannabinoids/Container : 1983.94 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.401	26.527	ND	0.075	0.037	0.120	1.158	ND	ND	ND	0.024
mg/unit	28.07	1856.89	ND	5.25	2.59	8.40	81.06	ND	ND	ND	1.68
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 585, 4351

Weight:  
0.1997g

Extraction date:  
05/14/24 13:54:32

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA072828POT

Instrument Used : DA-LC-002

Analyzed Date : 05/14/24 14:06:28

Reviewed On : 05/15/24 10:35:26

Batch Date : 05/14/24 13:13:54

Dilution : 400

Reagent : 042524.R01; 060723.24; 043024.R01

Consumables : 927.100; LLS-00-0005; 280670723; 0000185478

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
05/16/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Metaverse (S)

Metaverse

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40514010-019

Harvest/Lot ID: 0001 3428 6432 1886

Batch# : 0001 3428 6432  
1886

Sampled : 05/14/24

Ordered : 05/14/24

Sample Size Received : 35 gram

Total Amount : 990 units

Completed : 05/16/24 Expires: 05/16/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	88.97	1.271		ALPHA-BISABOLOL	0.007	ND	ND	
LIMONENE	0.007	25.20	0.360		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	19.74	0.282		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	14.07	0.201		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	13.44	0.192		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	4.41	0.063		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	3.99	0.057		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	3.08	0.044		TRANS-NEROLIDOL	0.005	ND	ND	
FENCHYL ALCOHOL	0.007	2.80	0.040						
ALPHA-PINENE	0.007	2.24	0.032						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			1.271						

Analyzed by: 3605, 585, 4351 Weight: 1.0985g Extraction date: 05/14/24 13:57:40 Extracted by: 3605  
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL  
Analytical Batch : DA072807TER  
Instrument Used : DA-GCMS-009  
Analyzed Date : 05/14/24 13:58:05  
Reviewed On : 05/15/24 10:36:32  
Batch Date : 05/14/24 10:50:58  
Dilution : 10  
Reagent : 022224.07  
Consumables : 947.109; 7931220; CE0123  
Pipette : DA-063  
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/16/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Metaverse (S)

Metaverse

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40514010-019

Harvest/Lot ID: 0001 3428 6432 1886

Batch# : 0001 3428 6432

1886

Sampled : 05/14/24

Ordered : 05/14/24

Sample Size Received : 35 gram

Total Amount : 990 units

Completed : 05/16/24 Expires: 05/16/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4351	Weight: 0.9861g	Extraction date: 05/14/24 16:44:10	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA072825PES		Reviewed On : 05/16/24 08:56:15			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 05/14/24 13:11:23			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/14/24 16:57:05					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 050224.R05; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4351	Weight: 0.9861g	Extraction date: 05/14/24 16:44:10	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA072826VOL		Reviewed On : 05/15/24 12:17:28			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 05/14/24 13:12:23			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 05/14/24 17:40:07					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 050224.R05; 040423.08; 050224.R31; 050224.R32					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/16/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Metaverse (S)

Metaverse

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40514010-019

Harvest/Lot ID: 0001 3428 6432 1886

Batch# : 0001 3428 6432  
1886

Sampled : 05/14/24

Ordered : 05/14/24



Sample Size Received : 35 gram


Total Amount : 990 units

Completed : 05/16/24 Expires: 05/16/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level										
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02										
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02										
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02										
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02										
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02										
ECOLI SHIGELLA			Not Present	PASS																	
TOTAL YEAST AND MOLD	10	CFU/g	39000	PASS	100000	Analyzed by: 3379, 585, 4351	Weight: 0.9861g	Extraction date: 05/14/24 16:44:10		Extracted by: 3379											
Analyzed by: 4044, 3390, 585, 4351			Weight: 1.0163g		Extraction date: 05/14/24 14:52:38	Extracted by: 4044		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)													
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Analytical Batch : DA072830MIC		Reviewed On : 05/16/24 08:59:03		Batch Date : 05/14/24 13:29:00		Reviewed On : 05/16/24 08:55:01 Batch Date : 05/14/24 13:13:53												
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250															
Analyzed Date : 05/14/24 14:52:49						Reagent : 050224.R05; 040423.08															
Dilution : N/A						Consumables : 326250IW															
Reagent : 041124.86; 042324.28; 051024.R14; 083123.108						Pipette : N/A															
Consumables : 7572002026						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Pipette : N/A																					
Analyzed by: 3390, 585, 4351			Weight: 1.0163g		Extraction date: 05/14/24 14:52:38	Extracted by: 4044															
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																					
Analytical Batch : DA072831TYM			Reviewed On : 05/16/24 18:37:46																		
Instrument Used : Incubator (25-27°C) DA-097			Batch Date : 05/14/24 13:31:10																		
Analyzed Date : N/A																					
Dilution : N/A																					
Reagent : 041124.86; 042324.28; 041124.R12																					
Consumables : N/A																					
Pipette : N/A																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																					

	Heavy Metals					PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level					
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1					
ARSENIC	0.020	ppm	ND	PASS	0.2					
CADMIUM	0.020	ppm	ND	PASS	0.2					
MERCURY	0.020	ppm	ND	PASS	0.2					
LEAD	0.020	ppm	ND	PASS	0.5					
Analyzed by: 1022, 585, 4351	Weight: 0.2411g	Extraction date: 05/14/24 13:47:54	Extracted by: 1022,4056							



## Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4351	Weight: 0.2411g	Extraction date: 05/14/24 13:47:54	Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA072829HEA		Reviewed On : 05/15/24 10:53:46			
Instrument Used : DA-ICPMS-004		Batch Date : 05/14/24 13:18:16			
Analyzed Date : 05/15/24 10:44:30					
Dilution : 50					
Reagent : 042524.R10; 051324.R03; 050824.R01; 051324.R01; 051324.R02; 030424.01					
Consumables : 179436; 120123CH01; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/16/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Metaverse (S)

Metaverse

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40514010-019

Harvest/Lot ID: 0001 3428 6432 1886

Batch# : 0001 3428 6432  
1886

Sampled : 05/14/24

Ordered : 05/14/24

Sample Size Received : 35 gram

Total Amount : 990 units

Completed : 05/16/24 Expires: 05/16/25

Sample Method : SOP.T.20.010

Page 5 of 5



**Filtration/Foreign  
Material**

**PASSED**



**Moisture**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	11.50	PASS	15
Analyzed by: 1879, 585, 4351	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4444, 585, 4351	Weight: 0.551g	Extraction date: 05/15/24 02:19:24	Extracted by: 4444		
Analysis Method : SOP.T.40.090 Analytical Batch : DA072890FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 05/15/24 12:34:38						Analysis Method : SOP.T.40.021 Analytical Batch : DA072844MOI Reviewed On : 05/15/24 12:43:46 Batch Date : 05/15/24 12:31:03					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A  Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Reviewed On : 05/15/24 07:32:17 Batch Date : 05/14/24 16:39:40					
						Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser Analyzed Date : N/A					
						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.532	PASS	0.65
Analyzed by: 4444, 585, 4351	Weight: 0.561g	Extraction date: 05/14/24 23:29:13	Extracted by: 4444		
Analysis Method : SOP.T.40.019 Analytical Batch : DA072843WAT Reviewed On : 05/15/24 07:34:44 Batch Date : 05/14/24 16:39:18					
Instrument Used : DA-324 Rotronic HygroPalm HC2-AW (Probe), DA-325 Rotronic HygroPalm HC2-AW (Probe), DA-326 Rotronic HygroPalm HC2-AW (Probe), DA-327 Rotronic HygroPalm HC2-AW (Probe) Analyzed Date : N/A Dilution : N/A Reagent : 041024.01 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/16/24