



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40516009-019
Harvest/Lot ID: 0001 3428 6436 2084
Batch#: 0001 3428 6436 2084
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0001 3428 6436 2084
Batch Date: 05/07/24
Sample Size Received: 15.5 gram
Total Amount: 1571 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 05/08/24
Sampled: 05/16/24
Completed: 05/20/24
Sampling Method: SOP.T.20.010

May 20, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

76.193%

Total THC/Container : 380.97 mg



Total CBD

0.524%

Total CBD/Container : 2.62 mg



Total Cannabinoids

80.486%

Total Cannabinoids/Container : 402.43 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	76.123	0.080	0.524	ND	0.321	2.191	ND	0.746	0.317	ND	0.184
mg/unit	380.62	0.40	2.62	ND	1.61	10.96	ND	3.73	1.59	ND	0.92
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.0952g

Extraction date:
05/17/24 11:47:34

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA072941POT

Instrument Used : DA-LC-002

Analyzed Date : 05/17/24 11:48:17

Reviewed On : 05/20/24 07:50:18

Batch Date : 05/17/24 08:22:08

Dilution : 400

Reagent : 042524.R01; 060723.24; 043024.R01

Consumables : 947.100; LLS-00-0005; 280670723; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 500mg
Me Time
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-019

Harvest/Lot ID: 0001 3428 6436 2084

Batch# : 0001 3428 6436
2084

Sampled : 05/16/24

Ordered : 05/16/24

Sample Size Received : 15.5 gram

Total Amount : 1571 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	24.06	4.811		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	7.48	1.495		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	5.31	1.062		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.19	1.038		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	1.79	0.357		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	1.34	0.267		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	0.90	0.180		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.65	0.130		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-PINENE	0.007	0.55	0.109		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	0.51	0.101		4451, 3605, 585, 1440	0.2169g	05/17/24 13:03:15	4451	
CARYOPHYLLENE OXIDE	0.007	0.19	0.038		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-HUMULENE	0.007	0.17	0.034		Analytical Batch : DA072977TER		Reviewed On : 05/20/24 09:49:37		
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-008		Batch Date : 05/17/24 09:57:06		
BORNEOL	0.013	ND	ND		Analyzed Date : 05/17/24 13:05:16				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 022224.07				
CEDROL	0.007	ND	ND		Consumables : 947.109; 7931220; CE0123				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-063				
FARNESENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)				4.811					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-019

Harvest/Lot ID: 0001 3428 6436 2084

Batch# : 0001 3428 6436

2084

Sampled : 05/16/24

Ordered : 05/16/24

Sample Size Received : 15.5 gram

Total Amount : 1571 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2063g	Extraction date: 05/17/24 14:27:15	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA072963PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 05/20/24 09:44:46		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 05/17/24 14:32:10			Batch Date : 05/17/24 09:37:10		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 051324.R13; 051524.R03; 051524.R04; 050824.R14; 042324.R01; 051524.R01; 040423.08					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.2063g	Extraction date: 05/17/24 14:27:15	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA072965VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Reviewed On : 05/20/24 09:43:39		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 05/17/24 14:57:02			Batch Date : 05/17/24 09:39:07		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 051524.R04; 040423.08; 050224.R31; 050224.R32					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 500mg

Me Time

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crecolabs.com

Sample : DA40516009-019

Harvest/Lot ID: 0001 3428 6436 2084

Batch# : 0001 3428 6436
2084

Sampled : 05/16/24

Ordered : 05/16/24

Sample Size Received : 15.5 gram

Total Amount : 1571 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0211g

Extraction date:
05/20/24 14:49:40

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA072983SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 05/17/24 12:39:48

Reviewed On : 05/20/24 15:30:25
Batch Date : 05/17/24 11:55:26

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 500mg
Me Time
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-019

Harvest/Lot ID: 0001 3428 6436 2084

Batch# : 0001 3428 6436
2084

Sampled : 05/16/24
Ordered : 05/16/24



Sample Size Received : 15.5 gram

Total Amount : 1571 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED																																																																																																									
	Mycotoxins	PASSED																																																																																																									
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td colspan="2">Analyzed by: 3390, 3621, 585, 1440</td><td>Weight: 1.103g</td><td colspan="2">Extraction date: 05/17/24 11:22:56</td><td>Extracted by: 3621</td></tr><tr><td colspan="3">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td colspan="3">Reviewed On : 05/20/24 08:05:19</td></tr><tr><td colspan="3">Analytical Batch : DA072949MIC</td><td colspan="3">Batch Date : 05/17/24 09:10:23</td></tr><tr><td colspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td></tr><tr><td colspan="6">Analyzed Date : 05/17/24 14:45:37</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 042324.30; 042324.48; 051024.R14; 083123.108</td></tr><tr><td colspan="6">Consumables : 7572002019</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3390, 3621, 585, 1440		Weight: 1.103g	Extraction date: 05/17/24 11:22:56		Extracted by: 3621	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 05/20/24 08:05:19			Analytical Batch : DA072949MIC			Batch Date : 05/17/24 09:10:23			Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 05/17/24 14:45:37						Dilution : N/A						Reagent : 042324.30; 042324.48; 051024.R14; 083123.108						Consumables : 7572002019						Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																						
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																							
ASPERGILLUS NIGER			Not Present	PASS																																																																																																							
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																							
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																							
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																							
ECOLI SHIGELLA			Not Present	PASS																																																																																																							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																						
Analyzed by: 3390, 3621, 585, 1440		Weight: 1.103g	Extraction date: 05/17/24 11:22:56		Extracted by: 3621																																																																																																						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 05/20/24 08:05:19																																																																																																								
Analytical Batch : DA072949MIC			Batch Date : 05/17/24 09:10:23																																																																																																								
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																																																																																																											
Analyzed Date : 05/17/24 14:45:37																																																																																																											
Dilution : N/A																																																																																																											
Reagent : 042324.30; 042324.48; 051024.R14; 083123.108																																																																																																											
Consumables : 7572002019																																																																																																											
Pipette : N/A																																																																																																											
<table><tr><td colspan="2">Analyzed by: 3390, 4520, 585, 1440</td><td>Weight: 1.103g</td><td colspan="2">Extraction date: 05/17/24 11:22:56</td><td>Extracted by: 3621</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td></tr><tr><td colspan="3">Analytical Batch : DA072950TYM</td><td colspan="3">Reviewed On : 05/20/24 07:57:45</td></tr><tr><td colspan="3">Instrument Used : Incubator (25-27°C) DA-097</td><td colspan="3">Batch Date : 05/17/24 09:11:17</td></tr><tr><td colspan="6">Analyzed Date : 05/17/24 14:45:19</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 042324.30; 042324.48; 041124.R12</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>						Analyzed by: 3390, 4520, 585, 1440		Weight: 1.103g	Extraction date: 05/17/24 11:22:56		Extracted by: 3621	Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA072950TYM			Reviewed On : 05/20/24 07:57:45			Instrument Used : Incubator (25-27°C) DA-097			Batch Date : 05/17/24 09:11:17			Analyzed Date : 05/17/24 14:45:19						Dilution : N/A						Reagent : 042324.30; 042324.48; 041124.R12						Consumables : N/A						Pipette : N/A																																																					
Analyzed by: 3390, 4520, 585, 1440		Weight: 1.103g	Extraction date: 05/17/24 11:22:56		Extracted by: 3621																																																																																																						
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																																																																																																											
Analytical Batch : DA072950TYM			Reviewed On : 05/20/24 07:57:45																																																																																																								
Instrument Used : Incubator (25-27°C) DA-097			Batch Date : 05/17/24 09:11:17																																																																																																								
Analyzed Date : 05/17/24 14:45:19																																																																																																											
Dilution : N/A																																																																																																											
Reagent : 042324.30; 042324.48; 041124.R12																																																																																																											
Consumables : N/A																																																																																																											
Pipette : N/A																																																																																																											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																											

<table><tr><td colspan="2">Analyzed by: 3379, 585, 1440</td><td>Weight: 0.2063g</td><td colspan="2">Extraction date: 05/17/24 14:27:15</td><td>Extracted by: 3379</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="3">Analytical Batch : DA072964MYC</td><td colspan="3">Reviewed On : 05/20/24 09:11:59</td></tr><tr><td colspan="3">Instrument Used : N/A</td><td colspan="3">Batch Date : 05/17/24 09:39:05</td></tr><tr><td colspan="6">Analyzed Date : 05/17/24 14:32:36</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 051324.R13; 051524.R03; 051524.R04; 050824.R14; 042324.R01; 051524.R01; 040423.08</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr></table>						Analyzed by: 3379, 585, 1440		Weight: 0.2063g	Extraction date: 05/17/24 14:27:15		Extracted by: 3379	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA072964MYC			Reviewed On : 05/20/24 09:11:59			Instrument Used : N/A			Batch Date : 05/17/24 09:39:05			Analyzed Date : 05/17/24 14:32:36						Dilution : 250						Reagent : 051324.R13; 051524.R03; 051524.R04; 050824.R14; 042324.R01; 051524.R01; 040423.08						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3379, 585, 1440		Weight: 0.2063g	Extraction date: 05/17/24 14:27:15		Extracted by: 3379																																																						
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																											
Analytical Batch : DA072964MYC			Reviewed On : 05/20/24 09:11:59																																																								
Instrument Used : N/A			Batch Date : 05/17/24 09:39:05																																																								
Analyzed Date : 05/17/24 14:32:36																																																											
Dilution : 250																																																											
Reagent : 051324.R13; 051524.R03; 051524.R04; 050824.R14; 042324.R01; 051524.R01; 040423.08																																																											
Consumables : 326250IW																																																											
Pipette : DA-093; DA-094; DA-219																																																											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																											

<div><div></div><div>Hg</div></div>	Heavy Metals	PASSED																																													
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td colspan="2">Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2649g</td><td colspan="2">Extraction date: 05/17/24 12:10:49</td><td>Extracted by: 1022,4056</td></tr></table>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440		Weight: 0.2649g	Extraction date: 05/17/24 12:10:49		Extracted by: 1022,4056
Metal	LOD	Units	Result	Pass / Fail	Action Level																																										
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																										
ARSENIC	0.020	ppm	ND	PASS	0.2																																										
CADMIUM	0.020	ppm	ND	PASS	0.2																																										
MERCURY	0.020	ppm	ND	PASS	0.2																																										
LEAD	0.020	ppm	ND	PASS	0.5																																										
Analyzed by: 1022, 585, 1440		Weight: 0.2649g	Extraction date: 05/17/24 12:10:49		Extracted by: 1022,4056																																										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Me Time Cartridge 500mg
Me Time
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-019

Harvest/Lot ID: 0001 3428 6436 2084

Batch# : 0001 3428 6436
2084

Sampled : 05/16/24

Ordered : 05/16/24

Sample Size Received : 15.5 gram

Total Amount : 1571 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA072985FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/17/24 13:19:00

Reviewed On : 05/17/24 14:33:29

Batch Date : 05/17/24 12:28:51

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.545	PASS	0.85

Analyzed by: 1879, 4512, 585, 1440	Weight: 0.6079g	Extraction date: 05/17/24 15:33:33	Extracted by: 4512
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA072962WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 05/17/24 13:20:37

Reviewed On : 05/20/24 07:49:27

Batch Date : 05/17/24 09:33:18

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/20/24