



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40516009-023  
Harvest/Lot ID: 0001 3428 6436 2289  
Batch#: 0001 3428 6436 2289  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 0001 3428 6436 6540  
Batch Date: 05/08/24  
Sample Size Received: 451 gram  
Total Amount: 1949 units  
Retail Product Size: 42.0907 gram  
Retail Serving Size: 4.1 gram  
Servings: 10  
Ordered: 05/13/24  
Sampled: 05/16/24  
Completed: 05/20/24  
Sampling Method: SOP.T.20.010

May 20, 2024 | Sunnyside  
22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**0.242%**

Total THC/Container : 101.86 mg



Total CBD  
**ND**

Total CBD/Container : 0.00 mg



Total Cannabinoids  
**0.250%**

Total Cannabinoids/Container : 105.23 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.242	ND	ND	ND	ND	0.002	ND	0.003	ND	ND	0.003
mg/unit	101.86	ND	ND	ND	ND	0.84	ND	1.26	ND	ND	1.26
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analized by:  
3335, 1665, 585, 1440

Weight:  
3.1418g

Extraction date:  
05/17/24 11:34:03

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA072957POT

Instrument Used : DA-LC-007

Analyzed Date : 05/17/24 11:43:55

Reviewed On : 05/20/24 08:01:39

Batch Date : 05/17/24 09:18:21

Dilution : 40

Reagent : 042524.R01; 060723.24; 043024.R01

Consumables : 927.100; LLS-00-0005; 280670723; 0000185478

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Sour Apple

Sour Apple

Matrix : Edible

Type: Soft Chew



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-023

Harvest/Lot ID: 0001 3428 6436 2289

Batch# : 0001 3428 6436  
2289

Sampled : 05/16/24  
Ordered : 05/16/24

Sample Size Received : 451 gram

Total Amount : 1949 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.8601g	05/17/24 14:29:01	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA072972PES		Reviewed On : 05/20/24 10:32:37			
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 05/17/24 09:47:07			
FENHEXAMID	0.010	ppm	3	PASS	ND	Analyzed Date : 05/17/24 14:32:13					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Reagent : 051324.R13; 051524.R03; 051524.R04; 050824.R14; 042324.R01; 051524.R01; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	1	PASS	ND	450, 585, 1440	0.8601g	05/17/24 14:29:01	3379		
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	2	PASS	ND	Analytical Batch : DA072974VOL		Reviewed On : 05/20/24 10:30:12			
METALAXYL	0.010	ppm	3	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 05/17/24 09:51:33			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 05/17/24 14:57:33					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 051524.R04; 040423.08; 050224.R31; 050224.R32					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.5	PASS	ND	Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Sour Apple  
Sour Apple  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crecolabs.com

Sample : DA40516009-023

Harvest/Lot ID: 0001 3428 6436 2289

Batch# : 0001 3428 6436  
2289

Sampled : 05/16/24

Ordered : 05/16/24

Sample Size Received : 451 gram

Total Amount : 1949 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0241g

Extraction date:  
05/20/24 14:51:13

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA072983SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 05/17/24 12:39:48

Reviewed On : 05/20/24 15:30:29  
Batch Date : 05/17/24 11:55:26

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 304486  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Sour Apple  
Sour Apple  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-023

Harvest/Lot ID: 0001 3428 6436 2289

Batch# : 0001 3428 6436  
2289

Sampled : 05/16/24  
Ordered : 05/16/24

Sample Size Received : 451 gram

Total Amount : 1949 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:					

Analyzed by: 3390, 3621, 585, 1440  
Weight: 1.0372g  
Extraction date: 05/17/24 10:48:11  
Extracted by: 3621

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA072951MIC  
Reviewed On : 05/20/24 08:11:29

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021  
Batch Date : 05/17/24  
Analyzed Date : 05/17/24 14:45:35

Dilution : N/A  
Reagent : 042324.30; 042324.48; 051024.R14; 083123.108  
Consumables : 7572002019  
Pipette : N/A

Analyzed by: 3390, 4451, 585, 1440  
Weight: 1.0372g  
Extraction date: 05/17/24 10:48:11  
Extracted by: 3621

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
Analytical Batch : DA072952TYM  
Instrument Used : Incubator (25-27°C) DA-097  
Batch Date : 05/17/24 09:13:20  
Analyzed Date : 05/17/24 14:45:15

Dilution : N/A  
Reagent : 042324.30; 042324.48; 041124.R12  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440  
Weight: 0.8601g  
Extraction date: 05/17/24 14:29:01  
Extracted by: 3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA072973MYC  
Instrument Used : N/A  
Reviewed On : 05/20/24 09:52:13  
Batch Date : 05/17/24 09:51:30  
Analyzed Date : 05/17/24 14:32:45

Dilution : 250  
Reagent : 051324.R13; 051524.R03; 051524.R04; 050824.R14; 042324.R01; 051524.R01; 040423.08  
Consumables : 326250IW  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
--	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	<0.100	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440  
Weight: 0.2921g  
Extraction date: 05/17/24 12:54:54  
Extracted by: 1022, 4056

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA072981HEA  
Instrument Used : DA-ICPMS-004  
Batch Date : 05/17/24 10:34:42  
Analyzed Date : 05/18/24 10:44:57

Dilution : 50  
Reagent : 042524.R10; 051324.R03; 050824.R01; 051324.R01; 051324.R02; 030424.01; 051424.R13  
Consumables : 179436; 120123CH01; 210508058  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Sour Apple  
Sour Apple  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-023

Harvest/Lot ID: 0001 3428 6436 2289

Batch# : 0001 3428 6436  
2289

Sampled : 05/16/24  
Ordered : 05/16/24

Sample Size Received : 451 gram

Total Amount : 1949 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 20

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA072985FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/17/24 13:19:00

Reviewed On : 05/17/24 14:31:53

Batch Date : 05/17/24 12:28:51

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.626	PASS	0.85

Analyzed by: 1879, 4512, 585, 1440	Weight: 4.0655g	Extraction date: 05/17/24 15:33:34	Extracted by: 4512
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA072962WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 05/17/24 13:20:37

Reviewed On : 05/20/24 07:49:30

Batch Date : 05/17/24 09:33:18

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.214	25

4351, 3702, 585, 1440	Average Weight 4.147g	Extraction date : 05/17/24 11:54:47	Extracted By : 4351
-----------------------	--------------------------	--	------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA072942HOM

Instrument Used : DA-LC-001 (Homo)

Analyzed Date : 05/17/24 12:27:59

Reviewed On : 05/20/24 07:50:23

Batch Date : 05/17/24 08:32:28

Dilution : 40

Reagent : 043024.R08; 030322.03; 020124.02; 043024.R03

Consumables : 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Dilution : 40

Reagent : 043024.R08; 030322.03; 020124.02; 043024.R03

Consumables : 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/24