



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40516009-024  
Harvest/Lot ID: 0001 3428 6436 3138  
Batch#: 0001 3428 6436 3138  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 0001 3428 6436 7078  
Batch Date: 05/09/24  
Sample Size Received: 328 gram  
Total Amount: 1353 units  
Retail Product Size: 41.0931 gram  
Retail Serving Size: 4.1 gram  
Servings: 10  
Ordered: 05/15/24  
Sampled: 05/16/24  
Completed: 05/20/24  
Sampling Method: SOP.T.20.010

May 20, 2024 | Sunnyside  
22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**0.273%**

Total THC/Container : 112.18 mg



Total CBD  
**ND**

Total CBD/Container : 0.00 mg



Total Cannabinoids  
**0.283%**

Total Cannabinoids/Container : 116.29 mg

|         | D9-THC | THCA  | CBD   | CBDA  | D8-THC | CBG   | CBGA  | CBN   | THCV  | CBDV  | CBC   |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %       | 0.273  | ND    | ND    | ND    | ND     | 0.003 | ND    | 0.004 | ND    | ND    | 0.003 |
| mg/unit | 112.18 | ND    | ND    | ND    | ND     | 1.23  | ND    | 1.64  | ND    | ND    | 1.23  |
| LOD     | 0.001  | 0.001 | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| %       |        | %     | %     | %     | %      | %     | %     | %     | %     | %     | %     |

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
3.0921g

Extraction date:  
05/17/24 11:34:03

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA072957POT  
Instrument Used : DA-LC-007  
Analyzed Date : 05/17/24 11:43:55

Reviewed On : 05/20/24 08:01:44  
Batch Date : 05/17/24 09:18:21

Dilution : 40  
Reagent : 042524.R01; 060723.24; 043024.R01  
Consumables : 927.100; LLS-00-0005; 280670723; 0000185478  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst  
Citrus blast  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-024

Harvest/Lot ID: 0001 3428 6436 3138

Batch# : 0001 3428 6436  
3138

Sampled : 05/16/24  
Ordered : 05/16/24

Sample Size Received : 328 gram

Total Amount : 1353 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

**PASSED**

| Pesticide                           | LOD   | Units | Action Level | Pass/Fail | Result | Pesticide                                                                                                                                                | LOD             | Units                              | Action Level       | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------------|--------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm   | 30           | PASS      | ND     | OXAMYL                                                                                                                                                   | 0.010           | ppm                                | 0.5                | PASS      | ND     |
| TOTAL DIMETHOMORPH                  | 0.010 | ppm   | 3            | PASS      | ND     | PACLOBUTRAZOL                                                                                                                                            | 0.010           | ppm                                | 0.1                | PASS      | ND     |
| TOTAL PERMETHRIN                    | 0.010 | ppm   | 1            | PASS      | ND     | PHOSMET                                                                                                                                                  | 0.010           | ppm                                | 0.2                | PASS      | ND     |
| TOTAL PYRETHRINS                    | 0.010 | ppm   | 1            | PASS      | ND     | PIPERONYL BUTOXIDE                                                                                                                                       | 0.010           | ppm                                | 3                  | PASS      | ND     |
| TOTAL SPINETORAM                    | 0.010 | ppm   | 3            | PASS      | ND     | PRALLETHRIN                                                                                                                                              | 0.010           | ppm                                | 0.4                | PASS      | ND     |
| TOTAL SPINOSAD                      | 0.010 | ppm   | 3            | PASS      | ND     | PROPICONAZOLE                                                                                                                                            | 0.010           | ppm                                | 1                  | PASS      | ND     |
| ABAMECTIN B1A                       | 0.010 | ppm   | 0.3          | PASS      | ND     | PROPOXUR                                                                                                                                                 | 0.010           | ppm                                | 0.1                | PASS      | ND     |
| ACEPHATE                            | 0.010 | ppm   | 3            | PASS      | ND     | PYRIDABEN                                                                                                                                                | 0.010           | ppm                                | 3                  | PASS      | ND     |
| ACEQUINOCYL                         | 0.010 | ppm   | 2            | PASS      | ND     | SPIROMESIFEN                                                                                                                                             | 0.010           | ppm                                | 3                  | PASS      | ND     |
| ACETAMIPRID                         | 0.010 | ppm   | 3            | PASS      | ND     | SPIROTETRAMAT                                                                                                                                            | 0.010           | ppm                                | 3                  | PASS      | ND     |
| ALDICARB                            | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROXAMINE                                                                                                                                              | 0.010           | ppm                                | 0.1                | PASS      | ND     |
| AZOXYSTROBIN                        | 0.010 | ppm   | 3            | PASS      | ND     | TEBUCONAZOLE                                                                                                                                             | 0.010           | ppm                                | 1                  | PASS      | ND     |
| BIFENAZATE                          | 0.010 | ppm   | 3            | PASS      | ND     | THIACLOPRID                                                                                                                                              | 0.010           | ppm                                | 0.1                | PASS      | ND     |
| BIFENTHRIN                          | 0.010 | ppm   | 0.5          | PASS      | ND     | THIAMETHOXAM                                                                                                                                             | 0.010           | ppm                                | 1                  | PASS      | ND     |
| BOSCALID                            | 0.010 | ppm   | 3            | PASS      | ND     | TRIFLOXYSTROBIN                                                                                                                                          | 0.010           | ppm                                | 3                  | PASS      | ND     |
| CARBARYL                            | 0.010 | ppm   | 0.5          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) *                                                                                                                         | 0.010           | PPM                                | 0.2                | PASS      | ND     |
| CARBOFURAN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | PARATHION-METHYL *                                                                                                                                       | 0.010           | PPM                                | 0.1                | PASS      | ND     |
| CHLORANTRANILIPROLE                 | 0.010 | ppm   | 3            | PASS      | ND     | CAPTAN *                                                                                                                                                 | 0.070           | PPM                                | 3                  | PASS      | ND     |
| CHLORMEQUAT CHLORIDE                | 0.010 | ppm   | 3            | PASS      | ND     | CHLORDANE *                                                                                                                                              | 0.010           | PPM                                | 0.1                | PASS      | ND     |
| CHLORPYRIFOS                        | 0.010 | ppm   | 0.1          | PASS      | ND     | CHLORFENAPYR *                                                                                                                                           | 0.010           | PPM                                | 0.1                | PASS      | ND     |
| CLOFENTEZINE                        | 0.010 | ppm   | 0.5          | PASS      | ND     | CYFLUTHRIN *                                                                                                                                             | 0.050           | PPM                                | 1                  | PASS      | ND     |
| COUMAPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *                                                                                                                                           | 0.050           | PPM                                | 1                  | PASS      | ND     |
| DAMINOZIDE                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                          |                 |                                    |                    |           |        |
| DIAZINON                            | 0.010 | ppm   | 3            | PASS      | ND     | Analyzed by: 3379, 585, 1440                                                                                                                             | Weight: 0.9808g | Extraction date: 05/17/24 14:29:01 | Extracted by: 3379 |           |        |
| DICHLORVOS                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)                         |                 |                                    |                    |           |        |
| DIMETHOATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analytical Batch : DA072972PES                                                                                                                           |                 | Reviewed On : 05/20/24 10:32:40    |                    |           |        |
| ETHOPROPHOS                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-LCMS-003 (PES)                                                                                                                      |                 | Batch Date : 05/17/24 09:47:07     |                    |           |        |
| ETOFENPROX                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed Date : 05/17/24 14:32:13                                                                                                                        |                 |                                    |                    |           |        |
| ETOXAZOLE                           | 0.010 | ppm   | 1.5          | PASS      | ND     | Dilution : 250                                                                                                                                           |                 |                                    |                    |           |        |
| FENHEXAMID                          | 0.010 | ppm   | 3            | PASS      | ND     | Reagent : 051324.R13; 051524.R03; 051524.R04; 050824.R14; 042324.R01; 051524.R01; 040423.08                                                              |                 |                                    |                    |           |        |
| FENOXYCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Consumables : 326250IW                                                                                                                                   |                 |                                    |                    |           |        |
| FENPYROXIMATE                       | 0.010 | ppm   | 2            | PASS      | ND     | Pipette : DA-093; DA-094; DA-219                                                                                                                         |                 |                                    |                    |           |        |
| FIPRONIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                 |                                    |                    |           |        |
| FLONICAMID                          | 0.010 | ppm   | 2            | PASS      | ND     | Analyzed by: 450, 585, 1440                                                                                                                              | Weight: 0.9808g | Extraction date: 05/17/24 14:29:01 | Extracted by: 3379 |           |        |
| FLUDIOXONIL                         | 0.010 | ppm   | 3            | PASS      | ND     | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL                                                               |                 |                                    |                    |           |        |
| HEXYTHIAZOX                         | 0.010 | ppm   | 2            | PASS      | ND     | Analytical Batch : DA072974VOL                                                                                                                           |                 | Reviewed On : 05/20/24 10:30:12    |                    |           |        |
| IMAZALIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-GCMS-001                                                                                                                            |                 | Batch Date : 05/17/24 09:51:33     |                    |           |        |
| IMIDACLOPRID                        | 0.010 | ppm   | 1            | PASS      | ND     | Analyzed Date : 05/17/24 14:57:33                                                                                                                        |                 |                                    |                    |           |        |
| KRESOXIM-METHYL                     | 0.010 | ppm   | 1            | PASS      | ND     | Dilution : 250                                                                                                                                           |                 |                                    |                    |           |        |
| MALATHION                           | 0.010 | ppm   | 2            | PASS      | ND     | Reagent : 051524.R04; 040423.08; 050224.R31; 050224.R32                                                                                                  |                 |                                    |                    |           |        |
| METALAXYL                           | 0.010 | ppm   | 3            | PASS      | ND     | Consumables : 326250IW; 14725401                                                                                                                         |                 |                                    |                    |           |        |
| METHIOCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Pipette : DA-080; DA-146; DA-218                                                                                                                         |                 |                                    |                    |           |        |
| METHOMYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.    |                 |                                    |                    |           |        |
| MEVINPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                          |                 |                                    |                    |           |        |
| MYCLOBUTANIL                        | 0.010 | ppm   | 3            | PASS      | ND     |                                                                                                                                                          |                 |                                    |                    |           |        |
| NALED                               | 0.010 | ppm   | 0.5          | PASS      | ND     |                                                                                                                                                          |                 |                                    |                    |           |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst  
Citrus blast  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crecolabs.com

Sample : DA40516009-024

Harvest/Lot ID: 0001 3428 6436 3138

Batch# : 0001 3428 6436  
3138

Sampled : 05/16/24  
Ordered : 05/16/24

Sample Size Received : 328 gram

Total Amount : 1353 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

**PASSED**

| Solvents             | LOD     | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE   | 0.800   | ppm   | 8            | PASS      | ND     |
| 1,2-DICHLOROETHANE   | 0.200   | ppm   | 2            | PASS      | ND     |
| ACETONE              | 75.000  | ppm   | 750          | PASS      | ND     |
| DICHLOROMETHANE      | 12.500  | ppm   | 125          | PASS      | ND     |
| BENZENE              | 0.100   | ppm   | 1            | PASS      | ND     |
| 2-PROPANOL           | 50.000  | ppm   | 500          | PASS      | ND     |
| CHLOROFORM           | 0.200   | ppm   | 2            | PASS      | ND     |
| ETHANOL              | 500.000 | ppm   | 5000         | PASS      | ND     |
| ETHYL ACETATE        | 40.000  | ppm   | 400          | PASS      | ND     |
| BUTANES (N-BUTANE)   | 500.000 | ppm   | 5000         | PASS      | ND     |
| ACETONITRILE         | 6.000   | ppm   | 60           | PASS      | ND     |
| ETHYL ETHER          | 50.000  | ppm   | 500          | PASS      | ND     |
| ETHYLENE OXIDE       | 0.500   | ppm   | 5            | PASS      | ND     |
| HEPTANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| METHANOL             | 25.000  | ppm   | 250          | PASS      | ND     |
| N-HEXANE             | 25.000  | ppm   | 250          | PASS      | ND     |
| PENTANES (N-PENTANE) | 75.000  | ppm   | 750          | PASS      | ND     |
| TOLUENE              | 15.000  | ppm   | 150          | PASS      | ND     |
| TOTAL XYLENES        | 15.000  | ppm   | 150          | PASS      | ND     |
| PROPANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| TRICHLOROETHYLENE    | 2.500   | ppm   | 25           | PASS      | ND     |

Analyzed by:  
850, 585, 1440

Weight:  
0.0253g

Extraction date:  
05/20/24 14:51:13

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA072983SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 05/17/24 12:39:48

Reviewed On : 05/20/24 15:30:32  
Batch Date : 05/17/24 11:55:26

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 304486  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst  
Citrus blast  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-024

Harvest/Lot ID: 0001 3428 6436 3138

Batch# : 0001 3428 6436  
3138

Sampled : 05/16/24  
Ordered : 05/16/24


Sample Size Received : 328 gram


Total Amount : 1353 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 4 of 5

|                                                                                                                                                                                                            |           |       |             |             |              |                                                                                                                                     |                                 |                    |                                       |        |                       |              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|-------------|-------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------------------|---------------------------------------|--------|-----------------------|--------------|
|                                                                                                                           | Microbial |       |             |             |              | PASSED                                                                                                                              |                                 |                    |                                       |        |                       |              |
| Analyte                                                                                                                                                                                                    | LOD       | Units | Result      | Pass / Fail | Action Level |                                                                                                                                     | Analyte                         | LOD                | Units                                 | Result | Pass / Fail           | Action Level |
| ASPERGILLUS TERREUS                                                                                                                                                                                        |           |       | Not Present | PASS        |              |                                                                                                                                     | AFLATOXIN B2                    | 0.002              | ppm                                   | ND     | PASS                  | 0.02         |
| ASPERGILLUS NIGER                                                                                                                                                                                          |           |       | Not Present | PASS        |              |                                                                                                                                     | AFLATOXIN B1                    | 0.002              | ppm                                   | ND     | PASS                  | 0.02         |
| ASPERGILLUS FUMIGATUS                                                                                                                                                                                      |           |       | Not Present | PASS        |              |                                                                                                                                     | OCHRATOXIN A                    | 0.002              | ppm                                   | ND     | PASS                  | 0.02         |
| ASPERGILLUS FLAVUS                                                                                                                                                                                         |           |       | Not Present | PASS        |              |                                                                                                                                     | AFLATOXIN G1                    | 0.002              | ppm                                   | ND     | PASS                  | 0.02         |
| SALMONELLA SPECIFIC GENE                                                                                                                                                                                   |           |       | Not Present | PASS        |              |                                                                                                                                     | AFLATOXIN G2                    | 0.002              | ppm                                   | ND     | PASS                  | 0.02         |
| ECOLI SHIGELLA                                                                                                                                                                                             |           |       | Not Present | PASS        |              |                                                                                                                                     |                                 |                    |                                       |        |                       |              |
| TOTAL YEAST AND MOLD                                                                                                                                                                                       | 10        | CFU/g | <10         | PASS        | 100000       |                                                                                                                                     | Analyzed by:<br>3379, 585, 1440 | Weight:<br>0.9808g | Extraction date:<br>05/17/24 14:29:01 |        | Extracted by:<br>3379 |              |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL                                                                                                                                          |           |       |             |             |              | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)    |                                 |                    |                                       |        |                       |              |
| Analytical Batch : DA072951MIC                                                                                                                                                                             |           |       |             |             |              | Analytical Batch : DA072973MYC                                                                                                      |                                 |                    |                                       |        |                       |              |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 |           |       |             |             |              | Instrument Used : N/A                                                                                                               |                                 |                    |                                       |        |                       |              |
| Analyzed Date : 05/17/24 14:45:35                                                                                                                                                                          |           |       |             |             |              | Analyzed Date : 05/17/24 14:32:45                                                                                                   |                                 |                    |                                       |        |                       |              |
| Dilution : N/A                                                                                                                                                                                             |           |       |             |             |              | Dilution : 250                                                                                                                      |                                 |                    |                                       |        |                       |              |
| Reagent : 042324.30; 042324.48; 051024.R14; 083123.108                                                                                                                                                     |           |       |             |             |              | Reagent : 051324.R13; 051524.R03; 051524.R04; 050824.R14; 042324.R01; 051524.R01; 040423.08                                         |                                 |                    |                                       |        |                       |              |
| Consumables : 7572002019                                                                                                                                                                                   |           |       |             |             |              | Consumables : 326250IW                                                                                                              |                                 |                    |                                       |        |                       |              |
| Pipette : N/A                                                                                                                                                                                              |           |       |             |             |              | Pipette : DA-093; DA-094; DA-219                                                                                                    |                                 |                    |                                       |        |                       |              |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.                                                                   |           |       |             |             |              | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                                 |                    |                                       |        |                       |              |

|                                                                                   |              |       |        |             |              |                                       |         |       |       |        |             |              |
|-----------------------------------------------------------------------------------|--------------|-------|--------|-------------|--------------|---------------------------------------|---------|-------|-------|--------|-------------|--------------|
|  | Heavy Metals |       |        |             |              | PASSED                                |         |       |       |        |             |              |
| Metal                                                                             | LOD          | Units | Result | Pass / Fail | Action Level |                                       | Metal   | LOD   | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS                                                     | 0.080        | ppm   | ND     | PASS        | 5            |                                       | ARSENIC | 0.020 | ppm   | ND     | PASS        | 1.5          |
| CADMIUM                                                                           | 0.020        | ppm   | ND     | PASS        | 0.5          |                                       | MERCURY | 0.020 | ppm   | ND     | PASS        | 3            |
| LEAD                                                                              | 0.020        | ppm   | ND     | PASS        | 0.5          |                                       |         |       |       |        |             |              |
| Analyzed by:<br>1022, 585, 1440                                                   |              |       |        |             |              | Analyzed by:<br>1022, 585, 1440       |         |       |       |        |             |              |
| Weight:<br>0.2795g                                                                |              |       |        |             |              | Weight:<br>0.2795g                    |         |       |       |        |             |              |
| Extraction date:<br>05/17/24 13:00:17                                             |              |       |        |             |              | Extraction date:<br>05/17/24 13:00:17 |         |       |       |        |             |              |
| Extracted by:<br>1022.4056                                                        |              |       |        |             |              | Extracted by:<br>1022.4056            |         |       |       |        |             |              |



Heavy Metals

PASSED

| Metal                                                                                                                         | LOD                | Units                                 | Result                     | Pass / Fail | Action Level |
|-------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|----------------------------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS                                                                                                 | 0.080              | ppm                                   | ND                         | PASS        | 5            |
| ARSENIC                                                                                                                       | 0.020              | ppm                                   | ND                         | PASS        | 1.5          |
| CADMIUM                                                                                                                       | 0.020              | ppm                                   | ND                         | PASS        | 0.5          |
| MERCURY                                                                                                                       | 0.020              | ppm                                   | ND                         | PASS        | 3            |
| LEAD                                                                                                                          | 0.020              | ppm                                   | ND                         | PASS        | 0.5          |
| Analyzed by:<br>1022, 585, 1440                                                                                               | Weight:<br>0.2795g | Extraction date:<br>05/17/24 13:00:17 | Extracted by:<br>1022,4056 |             |              |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL                                                                            |                    |                                       |                            |             |              |
| Analytical Batch : DA072981HEA                                                                                                |                    | Reviewed On : 05/20/24 08:13:07       |                            |             |              |
| Instrument Used : DA-ICPMS-004                                                                                                |                    | Batch Date : 05/17/24 10:34:42        |                            |             |              |
| Analyzed Date : 05/18/24 10:44:57                                                                                             |                    |                                       |                            |             |              |
| Dilution : 50                                                                                                                 |                    |                                       |                            |             |              |
| Reagent : 042524.R10; 051324.R03; 050824.R01; 051324.R01; 051324.R02; 030424.01; 051424.R13                                   |                    |                                       |                            |             |              |
| Consumables : 179436; 120123CH01; 210508058                                                                                   |                    |                                       |                            |             |              |
| Pipette : DA-061; DA-191; DA-216                                                                                              |                    |                                       |                            |             |              |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                    |                                       |                            |             |              |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst  
Citrus blast  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-024

Harvest/Lot ID: 0001 3428 6436 3138

Batch# : 0001 3428 6436  
3138

Sampled : 05/16/24

Ordered : 05/16/24

Sample Size Received : 328 gram

Total Amount : 1353 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 14

| Analyte                    | LOD   | Units | Result | P/F  | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | %     | ND     | PASS | 1            |

|                                 |               |                         |                      |
|---------------------------------|---------------|-------------------------|----------------------|
| Analyzed by:<br>1879, 585, 1440 | Weight:<br>NA | Extraction date:<br>N/A | Extracted by:<br>N/A |
|---------------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA072985FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/17/24 13:19:00

Reviewed On : 05/17/24 14:31:51

Batch Date : 05/17/24 12:28:51

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte        | LOD   | Units | Result | P/F  | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw    | 0.634  | PASS | 0.85         |

|                                       |                  |                                       |                       |
|---------------------------------------|------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>1879, 4512, 585, 1440 | Weight:<br>3.22g | Extraction date:<br>05/17/24 15:33:34 | Extracted by:<br>4512 |
|---------------------------------------|------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA072962WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 05/17/24 13:20:37

Reviewed On : 05/20/24 07:49:31

Batch Date : 05/17/24 09:33:18

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte                       | LOD   | Units | Pass/Fail | Result | Action Level |
|-------------------------------|-------|-------|-----------|--------|--------------|
| TOTAL THC - HOMOGENEITY (RSD) | 0.001 | %     | PASS      | 8.946  | 25           |

|                       |                         |                                        |                        |
|-----------------------|-------------------------|----------------------------------------|------------------------|
| 4351, 3702, 585, 1440 | Average Weight<br>4.08g | Extraction date :<br>05/17/24 12:19:25 | Extracted By :<br>4351 |
|-----------------------|-------------------------|----------------------------------------|------------------------|

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA072943HOM

Instrument Used : DA-LC-001 (Homo)

Analyzed Date : 05/17/24 12:29:29

Reviewed On : 05/20/24 07:50:25

Batch Date : 05/17/24 08:33:38

Dilution : 40

Reagent : 043024.R08; 030322.03; 020124.02; 043024.R03

Consumables : 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Dilution : 40

Reagent : 043024.R08; 030322.03; 020124.02; 043024.R03

Consumables : 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/20/24