




Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40516009-025
Harvest/Lot ID: 0001 3428 6436 4048
Batch#: 0001 3428 6436 4048
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0001 3428 6436 7695
Batch Date: 05/10/24
Sample Size Received: 287 gram
Total Amount: 1317 units
Retail Product Size: 40.1702 gram
Retail Serving Size: 4.1 gram
Servings: 10
Ordered: 05/15/24
Sampled: 05/16/24
Completed: 05/20/24
Sampling Method: SOP.T.20.010

May 20, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.265%

Total THC/Container : 106.45 mg



Total CBD
ND

Total CBD/Container : 0.00 mg



Total Cannabinoids
0.275%

Total Cannabinoids/Container : 110.47 mg

| % | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| mg/unit | 106.45 | ND | ND | ND | ND | 1.21 | ND | 1.61 | ND | ND | 1.21 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
3.1347g

Extraction date:
05/17/24 11:34:03

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA072957POT
Instrument Used : DA-LC-007
Analyzed Date : 05/17/24 11:43:55

Reviewed On : 05/20/24 08:01:50
Batch Date : 05/17/24 09:18:21

Dilution : 40
Reagent : 042524.R01; 060723.24; 043024.R01
Consumables : 927.100; LLS-00-0005; 280670723; 0000185478
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst
citrus blast
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-025

Harvest/Lot ID: 0001 3428 6436 4048

Batch# : 0001 3428 6436
4048

Sampled : 05/16/24
Ordered : 05/16/24

Sample Size Received : 287 gram

Total Amount : 1317 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|---------|---------------------------------|---------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 30 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 3 | PASS | ND | PYRIDABEN | 0.010 | ppm | 3 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 2 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 3 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 3 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 3 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 1 | PASS | ND |
| BOSCALID | 0.010 | ppm | 3 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.2 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 3 | PASS | ND | CAPTAN * | 0.070 | PPM | 3 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 3 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.5 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 1 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 1 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 3 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | 3379, 585, 1440 | 0.8672g | 05/17/24 14:29:02 | 3379 | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| ETOXAZOLE | 0.010 | ppm | 1.5 | PASS | ND | Analytical Batch : DA072972PES | | Reviewed On : 05/20/24 10:32:41 | | | |
| FENHEXAMID | 0.010 | ppm | 3 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch Date : 05/17/24 09:47:07 | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 05/17/24 14:32:13 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 2 | PASS | ND | Dilution : 250 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 051324.R13; 051524.R03; 051524.R04; 050824.R14; 042324.R01; 051524.R01; 040423.08 | | | | | |
| FLONICAMID | 0.010 | ppm | 2 | PASS | ND | Consumables : 326250IW | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 3 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 2 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| IMIDACLOPRID | 0.010 | ppm | 1 | PASS | ND | 450, 585, 1440 | 0.8672g | 05/17/24 14:29:02 | 3379 | | |
| KRESOXIM-METHYL | 0.010 | ppm | 1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| MALATHION | 0.010 | ppm | 2 | PASS | ND | Analytical Batch : DA072974VOL | | Reviewed On : 05/20/24 10:30:13 | | | |
| METALAXYL | 0.010 | ppm | 3 | PASS | ND | Instrument Used : DA-GCMS-001 | | Batch Date : 05/17/24 09:51:33 | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 05/17/24 14:57:33 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 051524.R04; 040423.08; 050224.R31; 050224.R32 | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 3 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| NALED | 0.010 | ppm | 0.5 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst
citrus blast
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crecolabs.com

Sample : DA40516009-025

Harvest/Lot ID: 0001 3428 6436 4048

Batch# : 0001 3428 6436
4048

Sampled : 05/16/24
Ordered : 05/16/24

Sample Size Received : 287 gram

Total Amount : 1317 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
850, 585, 1440

Weight:
0.0227g

Extraction date:
05/20/24 14:51:13

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA072983SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 05/17/24 12:39:48

Reviewed On : 05/20/24 15:30:33
Batch Date : 05/17/24 11:55:26

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst
citrus blast
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crezolabs.com

Sample : DA40516009-025

Harvest/Lot ID: 0001 3428 6436 4048

Batch# : 0001 3428 6436
4048

Sampled : 05/16/24
Ordered : 05/16/24



Sample Size Received : 287 gram

Total Amount : 1317 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 4 of 5

|  | Microbial | | | | | PASSED | | | | |  | Mycotoxins | | | | | PASSED | | | | |
|--|-----------|--------------------|---------------------------------------|---|-----------------------|---|--|--|--------------------|---------------------------------------|---|-----------------------|--------------|------|------|--|--------|--|--|--|--|
| Analyte | | LOD | Units | Result | Pass / Fail | Action Level | Analyte | | LOD | Units | Result | Pass / Fail | Action Level | | | | | | | | |
| ASPERGILLUS TERREUS | | | | Not Present | PASS | | AFLATOXIN B2 | | | | 0.002 | ppm | ND | PASS | 0.02 | | | | | | |
| ASPERGILLUS NIGER | | | | Not Present | PASS | | AFLATOXIN B1 | | | | 0.002 | ppm | ND | PASS | 0.02 | | | | | | |
| ASPERGILLUS FUMIGATUS | | | | Not Present | PASS | | OCHRATOXIN A | | | | 0.002 | ppm | ND | PASS | 0.02 | | | | | | |
| ASPERGILLUS FLAVUS | | | | Not Present | PASS | | AFLATOXIN G1 | | | | 0.002 | ppm | ND | PASS | 0.02 | | | | | | |
| SALMONELLA SPECIFIC GENE | | | | Not Present | PASS | | AFLATOXIN G2 | | | | 0.002 | ppm | ND | PASS | 0.02 | | | | | | |
| ECOLI SHIGELLA | | | | Not Present | PASS | | | | | | | | | | | | | | | | |
| TOTAL YEAST AND MOLD | | 10 | CFU/g | <10 | PASS | 100000 | Analyzed by: 3379, 585, 1440 | | Weight: 0.8672g | Extraction date: 05/17/24 14:29:02 | | Extracted by: 3379 | | | | | | | | | |
| Analyzed by: 3390, 3621, 585, 1440 | | Weight: 1.1395g | Extraction date: 05/17/24 10:48:12 | | Extracted by: 3621 | | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | | | | | | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | Reviewed On : 05/20/24 08:11:33 Batch Date : 05/17/24 09:12:19 | | Analytical Batch : DA072973MYC | | | | Reviewed On : 05/20/24 09:52:15 | | | | | | | | | | | |
| Analytical Batch : DA072951MIC | | | | | | Batch Date : 05/17/24 09:51:30 | | | | | | | | | | | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 | | | | | | Dilution : 250 | | | | | | | | | | | | | | | |
| Analyzed Date : 05/17/24 14:45:35 | | | | | | Reagent : 051324.R13; 051524.R03; 051524.R04; 050824.R14; 042324.R01; 051524.R01; 040423.08 | | | | | | | | | | | | | | | |
| Dilution : N/A Reagent : 042324.30; 042324.48; 051024.R14; 083123.108 Consumables : 7572002019 Pipette : N/A | | | | | | Consumables : 326250IW | | | | | | | | | | | | | | | |
| | | | | | | Pipette : DA-093; DA-094; DA-219 | | | | | | | | | | | | | | | |
| | | | | | | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | |
| Analyzed by: 3390, 4451, 585, 1440 | | Weight: 1.1395g | Extraction date: 05/17/24 10:48:12 | | Extracted by: 3621 | | <div><div><div>Hg</div></div></div> <div>Heavy Metals</div> <div>PASSED</div> | | | | | | | | | | | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | | | | | | | | | | | | | | | | | | | | | |
| Analytical Batch : DA072952TYM | | | | Reviewed On : 05/20/24 08:07:01 | | | | | | | | | | | | | | | | | |
| Instrument Used : Incubator (25-27°C) DA-097 | | | | Batch Date : 05/17/24 09:13:20 | | | | | | | | | | | | | | | | | |
| Analyzed Date : 05/17/24 14:45:15 | | | | | | | | | | | | | | | | | | | | | |
| Dilution : N/A | | | | | | | | | | | | | | | | | | | | | |
| Reagent : 042324.30; 042324.48; 041124.R12 | | | | | | | | | | | | | | | | | | | | | |
| Consumables : N/A | | | | | | | | | | | | | | | | | | | | | |
| Pipette : N/A | | | | | | | | | | | | | | | | | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | |
|---------------------------------|--|--------------------|---------------------------------------|--|----------------------------|--|
| Analyzed by: 1022, 585, 1440 | | Weight: 0.2518g | Extraction date: 05/17/24 13:05:56 | | Extracted by: 1022.4056 | |
|---------------------------------|--|--------------------|---------------------------------------|--|----------------------------|--|



Heavy Metals

PASSED

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|---|-------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 5 |
| ARSENIC | 0.020 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.020 | ppm | <0.100 | PASS | 3 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 585, 1440 | | | | | |
| Weight: 0.2518g | | | | | |
| Extraction date: 05/17/24 13:05:56 | | | | | |
| Extracted by: 1022, 4056 | | | | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | |
| Analytical Batch : DA072981HEA | | | | | |
| Instrument Used : DA-ICPMS-004 | | | | | |
| Analyzed Date : 05/18/24 10:44:57 | | | | | |
| Dilution : 50 | | | | | |
| Reagent : 042524.R10; 051324.R03; 050824.R01; 051324.R01; 051324.R02; 030424.01; 051424.R13 | | | | | |
| Consumables : 179436; 120123CH01; 210508058 | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst
citrus blast
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40516009-025

Harvest/Lot ID: 0001 3428 6436 4048

Batch# : 0001 3428 6436
4048

Sampled : 05/16/24

Ordered : 05/16/24

Sample Size Received : 287 gram

Total Amount : 1317 units

Completed : 05/20/24 Expires: 05/20/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 14

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|-------------------------|----------------------|
| Analyzed by: 1879, 585, 1440 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|---------------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA072985FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/17/24 13:19:00

Reviewed On : 05/17/24 14:31:51

Batch Date : 05/17/24 12:28:51

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.644 | PASS | 0.85 |

| | | | |
|---------------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 4512, 585, 1440 | Weight: 4.3444g | Extraction date: 05/17/24 15:33:34 | Extracted by: 4512 |
|---------------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA072962WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 05/17/24 13:20:37

Reviewed On : 05/20/24 07:49:32

Batch Date : 05/17/24 09:33:18

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Pass/Fail | Result | Action Level |
|-------------------------------|-------|-------|-----------|--------|--------------|
| TOTAL THC - HOMOGENEITY (RSD) | 0.001 | % | PASS | 0.966 | 25 |

| | | | |
|-----------------------|--------------------------|--|------------------------|
| 4351, 3702, 585, 1440 | Average Weight 3.981g | Extraction date : 05/17/24 12:00:37 | Extracted By : 4351 |
|-----------------------|--------------------------|--|------------------------|

Analyzed by

Average Weight

Extraction date :

Extracted By :

4351, 3702, 585, 1440

3.981g

05/17/24 12:00:37

4351

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA072944HOM

Instrument Used : DA-LC-001 (Homo)

Analyzed Date : 05/17/24 12:29:20

Reviewed On : 05/20/24 07:50:29

Batch Date : 05/17/24 08:58:05

Dilution : 40

Reagent : 030322.03; 020124.02; 043024.R08; 043024.R03

Consumables : 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/20/24