



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40520002-001  
Harvest/Lot ID: 0001 3428 6436 4767  
Batch#: 0001 3428 6436 4767  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 0001 3428 6436 5106  
Batch Date: 05/10/24  
Sample Size Received: 16 gram  
Total Amount: 810 units  
Retail Product Size: 1 gram  
Retail Serving Size: 1 gram  
Servings: 1  
Ordered: 05/10/24  
Sampled: 05/20/24  
Completed: 05/23/24  
Sampling Method: SOP.T.20.010

May 23, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**88.110%**

Total THC/Container : 881.10 mg



Total CBD

**0.332%**

Total CBD/Container : 3.32 mg



Total Cannabinoids

**93.202%**

Total Cannabinoids/Container : 932.02 mg

|         | D9-THC | THCA  | CBD   | CBDA  | D8-THC | CBG   | CBGA  | CBN   | THCV  | CBDV  | CBC   |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %       | 88.051 | 0.068 | 0.332 | ND    | 0.396  | 2.307 | ND    | 1.042 | 0.573 | ND    | 0.433 |
| mg/unit | 880.51 | 0.68  | 3.32  | ND    | 3.96   | 23.07 | ND    | 10.42 | 5.73  | ND    | 4.33  |
| LOD     | 0.001  | 0.001 | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| %       | %      | %     | %     | %     | %      | %     | %     | %     | %     | %     | %     |

Analized by:  
3335, 1665, 585, 1440

Weight:  
0.1223g

Extraction date:  
05/21/24 12:40:24

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA073061POT  
Instrument Used : DA-LC-003  
Analized Date : 05/21/24 12:45:21

Reviewed On : 05/22/24 09:32:28  
Batch Date : 05/21/24 07:28:55

Dilution : 400  
Reagent : 042524.R01; 032123.11; 043024.R01  
Consumables : 947.109; 280670723; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/23/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g  
Pride  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40520002-001

Harvest/Lot ID: 0001 3428 6436 4767

Batch# : 0001 3428 6436

4767

Sampled : 05/20/24

Ordered : 05/20/24

Sample Size Received : 16 gram

Total Amount : 810 units

Completed : 05/23/24 Expires: 05/23/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

| Terpenes            | LOD (%) | mg/unit | %     | Result (%) | Terpenes   | LOD (%) | mg/unit | %  | Result (%) |
|---------------------|---------|---------|-------|------------|--|---------|---------|----|------------|
| TOTAL TERPENES      | 0.007   | 42.79   | 4.279 |            | SABINENE HYDRATE   | 0.007   | ND      | ND |            |
| VALENCENE           | 0.007   | 12.97   | 1.297 |            | ALPHA-CEDRENE  | 0.005   | ND      | ND |            |
| BETA-CARYOPHYLLENE  | 0.007   | 9.89    | 0.989 |            | ALPHA-PHELLANDRENE   | 0.007   | ND      | ND |            |
| LIMONENE            | 0.007   | 6.26    | 0.626 |            | ALPHA-TERPINENE  | 0.007   | ND      | ND |            |
| ALPHA-HUMULENE      | 0.007   | 3.14    | 0.314 |            | ALPHA-TERPINOLENE  | 0.007   | ND      | ND |            |
| ALPHA-BISABOLOL     | 0.007   | 2.70    | 0.270 |            | CIS-NEROLIDOL  | 0.003   | ND      | ND |            |
| BETA-MYRCENE        | 0.007   | 2.14    | 0.214 |            | GAMMA-TERPINENE  | 0.007   | ND      | ND |            |
| LINALOOL            | 0.007   | 1.14    | 0.114 |            | TRANS-NEROLIDOL  | 0.005   | ND      | ND |            |
| BETA-PINENE         | 0.007   | 1.05    | 0.105 |            |  |         |         |    |            |
| GERANYL ACETATE     | 0.007   | 0.74    | 0.074 |            | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL   |         |         |    |            |
| FENCHYL ALCOHOL     | 0.007   | 0.59    | 0.059 |            | Analytical Batch : DA073075TER   |         |         |    |            |
| ALPHA-PINENE        | 0.007   | 0.56    | 0.056 |            | Instrument Used : DA-GCMS-009  |         |         |    |            |
| CARYOPHYLLENE OXIDE | 0.007   | 0.54    | 0.054 |            | Analysis Date : 05/21/24 12:32:28  |         |         |    |            |
| ALPHA-TERPINEOL     | 0.007   | 0.28    | 0.028 |            | Dilution : 10  |         |         |    |            |
| FARNESENE           | 0.007   | 0.27    | 0.027 |            | Reagent : 022224.07  |         |         |    |            |
| GERANIOL            | 0.007   | 0.27    | 0.027 |            | Consumables : 947.109; 7931220; CE0123   |         |         |    |            |
| GUAJOL              | 0.007   | 0.25    | 0.025 |            | Pipette : DA-063   |         |         |    |            |
| 3-CARENE            | 0.007   | ND      | ND    |            | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. |         |         |    |            |
| BORNEOL             | 0.013   | ND      | ND    |            |  |         |         |    |            |
| CAMPHENE            | 0.007   | ND      | ND    |            |  |         |         |    |            |
| CAMPHOR             | 0.007   | ND      | ND    |            |  |         |         |    |            |
| CEDROL              | 0.007   | ND      | ND    |            |  |         |         |    |            |
| EUCALYPTOL          | 0.007   | ND      | ND    |            |  |         |         |    |            |
| FENCHONE            | 0.007   | ND      | ND    |            |  |         |         |    |            |
| HEXAHYDROTHYMOL     | 0.007   | ND      | ND    |            |  |         |         |    |            |
| ISOBORNEOL          | 0.007   | ND      | ND    |            |  |         |         |    |            |
| ISOPULEGOL          | 0.007   | ND      | ND    |            |  |         |         |    |            |
| NEROL               | 0.007   | ND      | ND    |            |  |         |         |    |            |
| OCIMENE             | 0.007   | ND      | ND    |            |  |         |         |    |            |
| PULEGONE            | 0.007   | ND      | ND    |            |  |         |         |    |            |
| SABINENE            | 0.007   | ND      | ND    |            |  |         |         |    |            |
| Total (%)           |         |         | 4.279 |            |  |         |         |    |            |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/23/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g

Pride

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40520002-001

Harvest/Lot ID: 0001 3428 6436 4767

Batch# : 0001 3428 6436

4767

Sampled : 05/20/24

Ordered : 05/20/24

Sample Size Received : 16 gram

Total Amount : 810 units

Completed : 05/23/24 Expires: 05/23/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

| Pesticide                           | LOD   | Units | Action Level | Pass/Fail | Result | Pesticide  | LOD             | Units                              | Action Level                    | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|---------------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm   | 5            | PASS      | ND     | OXAMYL   | 0.010           | ppm                                | 0.5                             | PASS      | ND     |
| TOTAL DIMETHOMORPH                  | 0.010 | ppm   | 0.2          | PASS      | ND     | PACLOBUTRAZOL  | 0.010           | ppm                                | 0.1                             | PASS      | ND     |
| TOTAL PERMETHRIN                    | 0.010 | ppm   | 0.1          | PASS      | ND     | PHOSMET  | 0.010           | ppm                                | 0.1                             | PASS      | ND     |
| TOTAL PYRETHRINS                    | 0.010 | ppm   | 0.5          | PASS      | ND     | PIPERONYL BUTOXIDE   | 0.010           | ppm                                | 3                               | PASS      | ND     |
| TOTAL SPINETORAM                    | 0.010 | ppm   | 0.2          | PASS      | ND     | PRALLETHRIN  | 0.010           | ppm                                | 0.1                             | PASS      | ND     |
| TOTAL SPINOSAD                      | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPICONAZOLE  | 0.010           | ppm                                | 0.1                             | PASS      | ND     |
| ABAMECTIN B1A                       | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPOXUR   | 0.010           | ppm                                | 0.1                             | PASS      | ND     |
| ACEPHATE                            | 0.010 | ppm   | 0.1          | PASS      | ND     | PYRIDABEN  | 0.010           | ppm                                | 0.2                             | PASS      | ND     |
| ACEQUINOCYL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROMESIFEN   | 0.010           | ppm                                | 0.1                             | PASS      | ND     |
| ACETAMIPRID                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROTETRAMAT  | 0.010           | ppm                                | 0.1                             | PASS      | ND     |
| ALDICARB                            | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROXAMINE  | 0.010           | ppm                                | 0.1                             | PASS      | ND     |
| AZOXYSTROBIN                        | 0.010 | ppm   | 0.1          | PASS      | ND     | TEBUCONAZOLE   | 0.010           | ppm                                | 0.1                             | PASS      | ND     |
| BIFENAZATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIACLOPRID  | 0.010           | ppm                                | 0.1                             | PASS      | ND     |
| BIFENTHRIN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIAMETHOXAM   | 0.010           | ppm                                | 0.5                             | PASS      | ND     |
| BOSCALID                            | 0.010 | ppm   | 0.1          | PASS      | ND     | TRIFLOXYSTROBIN  | 0.010           | ppm                                | 0.1                             | PASS      | ND     |
| CARBARYL                            | 0.010 | ppm   | 0.5          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) *   | 0.010           | PPM                                | 0.15                            | PASS      | ND     |
| CARBOFURAN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | PARATHION-METHYL *   | 0.010           | PPM                                | 0.1                             | PASS      | ND     |
| CHLORANTRANILIPROLE                 | 0.010 | ppm   | 1            | PASS      | ND     | CAPTAN *   | 0.070           | PPM                                | 0.7                             | PASS      | ND     |
| CHLORMEQUAT CHLORIDE                | 0.010 | ppm   | 1            | PASS      | ND     | CHLORDANE *  | 0.010           | PPM                                | 0.1                             | PASS      | ND     |
| CHLORPYRIFOS                        | 0.010 | ppm   | 0.1          | PASS      | ND     | CHLORFENAPYR *   | 0.010           | PPM                                | 0.1                             | PASS      | ND     |
| CLOFENTEZINE                        | 0.010 | ppm   | 0.2          | PASS      | ND     | CYFLUTHRIN *   | 0.050           | PPM                                | 0.5                             | PASS      | ND     |
| COUMAPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *   | 0.050           | PPM                                | 0.5                             | PASS      | ND     |
| DAMINOZIDE                          | 0.010 | ppm   | 0.1          | PASS      | ND     |  |                 |                                    |                                 |           |        |
| DIAZINON                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)                         | Weight: 0.2587g | Extraction date: 05/21/24 16:57:16 | Extracted by: 3379              |           |        |
| DICHLORVOS                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : DA073082PES  |                 |                                    |                                 |           |        |
| DIMETHOATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-LCMS-003 (PES)  |                 |                                    | Reviewed On : 05/23/24 10:02:10 |           |        |
| ETHOPROPHOS                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Date : 05/21/24 17:01:01  |                 |                                    | Batch Date : 05/21/24 10:50:29  |           |        |
| ETOFENPROX                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Dilution : 250   |                 |                                    |                                 |           |        |
| ETOXAZOLE                           | 0.010 | ppm   | 0.1          | PASS      | ND     | Reagent : 051724.R14; 051524.R03; 051524.R04; 051724.R13; 042324.R01; 051524.R01; 040423.08  |                 |                                    |                                 |           |        |
| FENHEXAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Consumables : 326250IW   |                 |                                    |                                 |           |        |
| FENOXYCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Pipette : DA-093; DA-094; DA-219   |                 |                                    |                                 |           |        |
| FENPYROXIMATE                       | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                 |                                    |                                 |           |        |
| FIPRONIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL   | Weight: 0.2587g | Extraction date: 05/21/24 16:57:16 | Extracted by: 3379              |           |        |
| FLONICAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : DA073085VOL  |                 |                                    |                                 |           |        |
| FLUDIOXONIL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-GCMS-010  |                 |                                    | Reviewed On : 05/22/24 10:59:05 |           |        |
| HEXYTHIAZOX                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Date : 05/21/24 17:22:11  |                 |                                    | Batch Date : 05/21/24 10:54:12  |           |        |
| IMAZALIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Dilution : 250   |                 |                                    |                                 |           |        |
| IMIDACLOPRID                        | 0.010 | ppm   | 0.4          | PASS      | ND     | Reagent : 051524.R04; 040423.08; 050224.R31; 050224.R32  |                 |                                    |                                 |           |        |
| KRESOXIM-METHYL                     | 0.010 | ppm   | 0.1          | PASS      | ND     | Consumables : 326250IW; 14725401   |                 |                                    |                                 |           |        |
| MALATHION                           | 0.010 | ppm   | 0.2          | PASS      | ND     | Pipette : DA-080; DA-146; DA-218   |                 |                                    |                                 |           |        |
| METALAXYL                           | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.    |                 |                                    |                                 |           |        |
| METHIOCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     |  |                 |                                    |                                 |           |        |
| METHOMYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |  |                 |                                    |                                 |           |        |
| MEVINPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     |  |                 |                                    |                                 |           |        |
| MYCLOBUTANIL                        | 0.010 | ppm   | 0.1          | PASS      | ND     |  |                 |                                    |                                 |           |        |
| NALED                               | 0.010 | ppm   | 0.25         | PASS      | ND     |  |                 |                                    |                                 |           |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/23/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g  
Pride  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crecolabs.com

Sample : DA40520002-001

Harvest/Lot ID: 0001 3428 6436 4767

Batch# : 0001 3428 6436  
4767

Sampled : 05/20/24

Ordered : 05/20/24

Sample Size Received : 16 gram

Total Amount : 810 units

Completed : 05/23/24 Expires: 05/23/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

| Solvents             | LOD     | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE   | 0.800   | ppm   | 8            | PASS      | ND     |
| 1,2-DICHLOROETHANE   | 0.200   | ppm   | 2            | PASS      | ND     |
| ACETONE              | 75.000  | ppm   | 750          | PASS      | ND     |
| DICHLOROMETHANE      | 12.500  | ppm   | 125          | PASS      | ND     |
| BENZENE              | 0.100   | ppm   | 1            | PASS      | ND     |
| 2-PROPANOL           | 50.000  | ppm   | 500          | PASS      | ND     |
| CHLOROFORM           | 0.200   | ppm   | 2            | PASS      | ND     |
| ETHANOL              | 500.000 | ppm   | 5000         | PASS      | ND     |
| ETHYL ACETATE        | 40.000  | ppm   | 400          | PASS      | ND     |
| BUTANES (N-BUTANE)   | 500.000 | ppm   | 5000         | PASS      | ND     |
| ACETONITRILE         | 6.000   | ppm   | 60           | PASS      | ND     |
| ETHYL ETHER          | 50.000  | ppm   | 500          | PASS      | ND     |
| ETHYLENE OXIDE       | 0.500   | ppm   | 5            | PASS      | ND     |
| HEPTANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| METHANOL             | 25.000  | ppm   | 250          | PASS      | ND     |
| N-HEXANE             | 25.000  | ppm   | 250          | PASS      | ND     |
| PENTANES (N-PENTANE) | 75.000  | ppm   | 750          | PASS      | ND     |
| TOLUENE              | 15.000  | ppm   | 150          | PASS      | ND     |
| TOTAL XYLENES        | 15.000  | ppm   | 150          | PASS      | ND     |
| PROPANE              | 500.000 | ppm   | 5000         | PASS      | ND     |
| TRICHLOROETHYLENE    | 2.500   | ppm   | 25           | PASS      | ND     |

Analyzed by:  
850, 585, 1440

Weight:  
0.0265g

Extraction date:  
05/22/24 10:42:33

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA073101SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 05/22/24 11:01:35

Reviewed On : 05/22/24 12:39:28  
Batch Date : 05/21/24 15:48:04

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 304486  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
05/23/24



# Certificate of Analysis




**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: jenna.mlsna@crescolabs.com

 Sample : DA40520002-001  
 Harvest/Lot ID: 0001 3428 6436 4767  
 Batch# : 0001 3428 6436 4767  
 Sample Size Received : 16 gram  
 Total Amount : 810 units  
 Completed : 05/23/24 Expires: 05/23/25  
 Sample Method : SOP.T.20.010  
 Sampled : 05/20/24  
 Ordered : 05/20/24

Page 5 of 6

|  <b>Microbial</b> <b>PASSED</b>   |       |       |             |             |              |  <b>Mycotoxins</b> <b>PASSED</b>   |       |       |        |             |              |
|--|-------|-------|-------------|-------------|--------------|---|-------|-------|--------|-------------|--------------|
| Analyte  | LOD   | Units | Result      | Pass / Fail | Action Level | Analyte   | LOD   | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS  |       |       | Not Present | PASS        |              | AFLATOXIN B2  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ASPERGILLUS NIGER  |       |       | Not Present | PASS        |              | AFLATOXIN B1  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ASPERGILLUS FUMIGATUS  |       |       | Not Present | PASS        |              | OCHRATOXIN A  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ASPERGILLUS FLAVUS   |       |       | Not Present | PASS        |              | AFLATOXIN G1  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| SALMONELLA SPECIFIC GENE   |       |       | Not Present | PASS        |              | AFLATOXIN G2  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ECOLI SHIGELLA   |       |       | Not Present | PASS        |              |   |       |       |        |             |              |
| TOTAL YEAST AND MOLD   | 10    | CFU/g | <10         | PASS        | 100000       |   |       |       |        |             |              |
| Analyzed by: 3621, 4044, 585, 1440<br>Weight: 0.917g<br>Extraction date: 05/21/24 11:39:24<br>Extracted by: 3621<br>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL<br>Analytical Batch : DA073062MIC<br>Reviewed On : 05/22/24 15:01:41<br>Batch Date : 05/21/24 08:46:59<br>Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021<br>Analyzed Date : 05/21/24 10:49:40<br>Dilution : N/A<br>Reagent : 051024.R14; 083123.108; 042324.34; 042324.37<br>Consumables : 7572002014<br>Pipette : N/A |       |       |             |             |              | Analyzed by: 3379, 585, 1440<br>Weight: 0.2587g<br>Extraction date: 05/21/24 16:57:16<br>Extracted by: 3379<br>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)<br>Analytical Batch : DA073084MYC<br>Instrument Used : N/A<br>Analyzed Date : 05/21/24 17:01:07<br>Dilution : 250<br>Reagent : 051724.R14; 051524.R03; 051524.R04; 051724.R13; 042324.R01; 051524.R01; 040423.08<br>Consumables : 326250IW<br>Pipette : DA-093; DA-094; DA-219<br>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |       |       |        |             |              |
| Analyzed by: 4520, 3390, 585, 1440<br>Weight: 0.917g<br>Extraction date: 05/21/24 11:39:24<br>Extracted by: 3621<br>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL<br>Analytical Batch : DA073063TYM<br>Instrument Used : Incubator (25-27°C) DA-097<br>Analyzed Date : 05/21/24 13:08:07<br>Dilution : N/A<br>Reagent : 041124.R12<br>Consumables : N/A<br>Pipette : N/A<br>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.   |       |       |             |             |              |  <b>Heavy Metals</b> <b>PASSED</b>   |       |       |        |             |              |
| Metal  | LOD   | Units | Result      | Pass / Fail | Action Level |   |       |       |        |             |              |
| TOTAL CONTAMINANT LOAD METALS  | 0.080 | ppm   | ND          | PASS        | 1.1          |   |       |       |        |             |              |
| ARSENIC  | 0.020 | ppm   | ND          | PASS        | 0.2          |   |       |       |        |             |              |
| CADMIUM  | 0.020 | ppm   | ND          | PASS        | 0.2          |   |       |       |        |             |              |
| MERCURY  | 0.020 | ppm   | ND          | PASS        | 0.2          |   |       |       |        |             |              |
| LEAD   | 0.020 | ppm   | ND          | PASS        | 0.5          |   |       |       |        |             |              |
| Analyzed by: 1022, 585, 1440<br>Weight: 0.2641g<br>Extraction date: 05/21/24 12:15:59<br>Extracted by: 1022<br>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL<br>Analytical Batch : DA073087HEA<br>Instrument Used : DA-ICPMS-004<br>Analyzed Date : 05/21/24 17:20:40<br>Dilution : 50<br>Reagent : 051824.R03; 052024.R08; 051724.R17; 052024.R06; 052024.R07; 030424.01; 051424.R13<br>Consumables : 179436; 120123CH01; 210508058<br>Pipette : DA-061; DA-191; DA-216<br>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.   |       |       |             |             |              |   |       |       |        |             |              |



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g  
Pride  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40520002-001

Harvest/Lot ID: 0001 3428 6436 4767

Batch# : 0001 3428 6436  
4767

Sampled : 05/20/24

Ordered : 05/20/24

Sample Size Received : 16 gram

Total Amount : 810 units

Completed : 05/23/24 Expires: 05/23/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

| Analyte                    | LOD   | Units | Result | P/F  | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | %     | ND     | PASS | 1            |

|                                 |               |                         |                      |
|---------------------------------|---------------|-------------------------|----------------------|
| Analyzed by:<br>1879, 585, 1440 | Weight:<br>NA | Extraction date:<br>N/A | Extracted by:<br>N/A |
|---------------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA073147FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/22/24 20:04:02

Reviewed On : 05/22/24 20:20:08

Batch Date : 05/22/24 18:26:34

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte        | LOD   | Units | Result | P/F  | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw    | 0.463  | PASS | 0.85         |

|                                 |                  |                                       |                           |
|---------------------------------|------------------|---------------------------------------|---------------------------|
| Analyzed by:<br>4512, 585, 1440 | Weight:<br>0.15g | Extraction date:<br>05/21/24 13:47:25 | Extracted by:<br>4531,795 |
|---------------------------------|------------------|---------------------------------------|---------------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA073100WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 05/22/24 09:29:35

Batch Date : 05/21/24 12:06:30

Dilution : N/A

Reagent : 041024.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/23/24