

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664 Kaycha Labs

Good News Vape Cartridge 1g Pnppl Pineapple Matrix: Derivative Type: Distillate



Certificate of Analysis

Sample:DA40520002-003 Harvest/Lot ID: 0001 3428 6436 6860 Batch#: 0001 3428 6436 6860 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6436 7844 Batch Date: 05/14/24 Sample Size Received: 16 gram Total Amount: 900 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 05/15/24 Sampled: 05/20/24 Completed: 05/23/24

Pages 1 of 6

Sampling Method: SOP.T.20.010

PASSED

MISC.

May 23, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

indiancown, r E, 9 1990,



SAFETY RESULTS

Pestici PASS	- ides Hea	Hg avy Metals ASSED	Microbials PASSED	ې Mycoto PASS		Residuals Solvents PASSED	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannak	oinoid								F	PASSED
Total THC 91.935% Total THC/Container : 919.35 mg Total CBD/Container : 4.24 mg Total CBD/Container : 4.24 mg Total Cannabinoids/Container : 961.33											
%	^{D9-THC} 91.855	THCA 0.092	свр 0.424	CBDA	D8-THC 0.489	св д 1.470	CBGA	CBN 0.615	тнсv 0.472	CBDV	свс 0.716
mg/unit	918.55	0.92	4.24	ND	4.89	14.70	ND	6.15	4.72	ND	7.16
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585	5, 1440			Weight: 0.1159g		Extraction date: 05/21/24 12:40:24				tracted by: 65,3335	
Analytical Batch Instrument Use	Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 05/22/24 09:32:33 Analytical Batch : DAO73061POT Reviewed On : 05/22/24 09:32:33 Instrument Used : DA-LC-003 Batch Date : 05/21/24 07:28:55 Analyzei Date : 05/21/24 12:45:21 State : 05/21/24 07:28:55										
Consumables :	524.R01; 032123.11 947.109; 28067072 79; DA-108; DA-078	3; R1KB14270									

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/23/24



Good News Vape Cartridge 1g Pnppl Pineapple Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40520002-003 Harvest/Lot ID: 0001 3428 6436 6860 Batch#:0001 3428 6436

6860 Sampled : 05/20/24 Ordered : 05/20/24

Sample Size Received : 16 gram Total Amount : 900 units Completed : 05/23/24 Expires: 05/23/25 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

lerpenes .	LOD (%)	mg/uni	t %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	23.75	2.375		VALENCENE		0.007	ND	ND		
ETA-MYRCENE	0.007	6.92	0.692		ALPHA-CEDRENE		0.005	ND	ND		
ETA-CARYOPHYLLENE	0.007	5.35	0.535		ALPHA-PHELLANDRENE		0.007	ND	ND		
PHA-PINENE	0.007	4.95	0.495		ALPHA-TERPINENE		0.007	ND	ND		
TA-PINENE	0.007	1.87	0.187		ALPHA-TERPINEOL		0.007	ND	ND		
IONENE	0.007	1.55	0.155		ALPHA-TERPINOLENE		0.007	ND	ND		
PHA-BISABOLOL	0.007	0.94	0.094		CIS-NEROLIDOL		0.003	ND	ND		
PHA-HUMULENE	0.007	0.81	0.081		GAMMA-TERPINENE		0.007	ND	ND		
RNESENE	0.007	0.68	0.068		Analyzed by:	Weight:		Extraction da	ite:		Extracted by:
ALOOL	0.007	0.41	0.041		3605, 585, 1440	0.234g		05/21/24 12:	32:00		3605
ANS-NEROLIDOL	0.005	0.27	0.027		Analysis Method : SOP.T.30.061A.FL	, SOP.T.40.061A.FL					
CARENE	0.007	ND	ND		Analytical Batch : DA073075TER Instrument Used : DA-GCMS-009					05/22/24 09:32:35 5/21/24 10:13:39	
RNEOL	0.013	ND	ND		Analyzed Date : 05/21/24 12:32:28			Datch	Date: 0.	3/21/24 10.13.39	
MPHENE	0.007	ND	ND		Dilution : 10						
MPHOR	0.007	ND	ND		Reagent : 022224.07						
RYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.109; 7931220; 0 Pipette : DA-063	CE0123					
DROL	0.007	ND	ND						-		
CALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing (aas Chromatography M	lass spec	rometry. For all	Flower sam	npies, the Total Terpenes % is di	ry-weight corrected
CHONE	0.007	ND	ND								
ICHYL ALCOHOL	0.007	ND	ND								
RANIOL	0.007	ND	ND								
RANYL ACETATE	0.007	ND	ND								
AIOL	0.007	ND	ND								
XAHYDROTHYMOL	0.007	ND	ND								
DBORNEOL	0.007	ND	ND								
PULEGOL	0.007	ND	ND								
ROL	0.007	ND	ND								
IMENE	0.007	ND	ND								
	0.007	ND	ND								
LEGONE		ND	ND								
	0.007	ND	ND								
ULEGONE ABINENE ABINENE HYDRATE	0.007	ND	ND								

Total (%)

2.375

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/23/24



..... Good News Vape Cartridge 1g Pnppl Pineapple Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna mlsna@crescolabs.com Sample : DA40520002-003 Harvest/Lot ID: 0001 3428 6436 6860

Batch#:0001 3428 6436 Sampled : 05/20/24 Ordered : 05/20/24

Sample Size Received : 16 gram Total Amount : 900 units Completed : 05/23/24 Expires: 05/23/25 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
FOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
FOTAL PYRETHRINS	0.010	P.P.	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
FOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND						PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010	1.1.	0.1		
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	maa	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	1.1.	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		(56115) +	0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *					
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	P.P.	0.1	PASS	ND	Analyzed by:	Weight:	Extract	tion date:		Extracted	d by:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440	0.2814q		24 16:57:16		3379	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.	FL (Gainesville)	, SOP.T.30.10	2.FL (Davie),	SOP.T.40.101	.FL (Gainesville	.),
TOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
TOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA073082PES	(850)			n:05/23/241		
ENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 Analyzed Date : 05/21/24 17:01:0			Batch Date	:05/21/24 10	:50:29	
ENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250)1					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 051724.R14; 051524.P	03· 051524 R0	4· 051724 R1	3· 042324 R0	1.051524 BO	1.040423.08	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW		1, 00172 1111		2, 00102 1110	1, 010125.00	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-21	9					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is pe		g Liquid Chron	natography Tri	ple-Quadrupo	le Mass Spectror	metry in
IEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-						
MAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	l by:
MIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440	0.2814g		4 16:57:16		3379	
CRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151. Analytical Batch : DA073085VOL			IA.FL (Davie) eviewed On :			
ALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010			atch Date : 05			
IETALAXYL	0.010		0.1	PASS	ND	Analyzed Date :05/21/24 17:22:1			and and too	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	i de las	
IETHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent: 051524.R04; 040423.0		; 050224.R32				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 3262501W; 14725						
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-21						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is pe accordance with F.S. Rule 64ER20-		g Gas Chromai	tography Triple	e-Quadrupole	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/23/24

PASSED

PASSED



Page 4 of 6

Good News Vape Cartridge 1g Pnppl Pineapple Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: jenna.mlsna@crescolabs.com
 Sample : DA40520002-003

 Harvest/Lot ID: 0001 3428 6436 6860

 Batch# : 0001 3428 6436

 Sample

 6860

 Total Ar

 Sampled : 05/20/24

Ordered : 05/20/24

28 6436 6860 Sample Size Received : 16 gram Total Amount : 900 units Completed : 05/23/24 Expires: 05/23/25 Sample Method : SOP.T.20.010

Ä

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
BENZENE	0.100	ppm	1	PASS	ND			
2-PROPANOL	50.000	ppm	500	PASS	ND			
CHLOROFORM	0.200	ppm	2	PASS	ND			
ETHANOL	500.000	ppm	5000	PASS	ND			
ETHYL ACETATE	40.000	ppm	400	PASS	ND			
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
ACETONITRILE	6.000	ppm	60	PASS	ND			
ETHYL ETHER	50.000	ppm	500	PASS	ND			
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND			
IEPTANE	500.000	ppm	5000	PASS	ND			
METHANOL	25.000	ppm	250	PASS	ND			
N-HEXANE	25.000	ppm	250	PASS	ND			
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
FOLUENE	15.000	ppm	150	PASS	ND			
TOTAL XYLENES	15.000	ppm	150	PASS	ND			
PROPANE	500.000	ppm	5000	PASS	ND			
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
Analyzed by: 350, 585, 1440	Weight: 0.0249g	Extraction date: 05/22/24 10:42:34		E x 85	tracted by: 50			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA073101SOL Instrument Used : DA-GCMS-002 Analyzed Date : 05/22/24 11:01:35	Reviewed On: 05/22/24 12:39:30 Batch Date: 05/21/24 15:48:04							
Dilution : 1								

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 304486 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/23/24

PASSED

PASSED



. Good News Vape Cartridge 1g Pnppl Pineapple Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40520002-003 Harvest/Lot ID: 0001 3428 6436 6860

Batch#:0001 3428 6436 Sampled : 05/20/24 Ordered : 05/20/24

Sample Size Received : 16 gram Total Amount : 900 units Completed : 05/23/24 Expires: 05/23/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ţ.	Microl	bial			PAS	SED	သို့	Му	/cotoxi	ns			PAS	SED
Analyte		LOD	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	to		Extracted	by
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000		0	0.2814g	05/21/24 16:			3379	i by.
Analyzed by: Weight: Extraction date: Extracted by: 3621, 4044, 585, 1440 0.84g 05/21/24 11:39:24 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL SOP.T.40.209.FL 3621							SOP.T.30.102. Analytical Bate	FL (Davie) h : DA073	.30.101.FL (Gain , SOP.T.40.102.F 8084MYC	L (Davie) Revie	wed On : 0	5/23/24 0	9:56:59	
	h: DA073062MIC				red On : 05	/22/24	Instrument Us Analyzed Date		4 17:01:07	Batch	Date : 05/	21/24 10:	54:08	
Dilution : N/A	: 05/21/24 10:49: 024.R14; 083123.		.34; 042324.3	17			accordance wit	93; DA-09 ing utilizing n F.S. Rule	4; DA-219 g Liquid Chromatog 64ER20-39.		e-Quadrupo			
Analyzed by: 4520, 3390, 58	5, 1440	Weight: 0.84g	Extraction d 05/21/24 11		Extracte 3621	d by:	[Hg]	не	avy Me	etais			PAS	SED
Analytical Bate	d : SOP.T.40.208 h : DA073063TYM ed : Incubator (25-	1	Rev	9.FL iewed On : 05/22 ch Date : 05/21/2			Metal			LOD	Units	Result	Fail	Action Level
	: 05/21/24 13:08:							AMINAN	T LOAD METAL		ppm	ND	PASS	1.1
Dilution : N/A							ARSENIC			0.020	ppm	ND	PASS	0.2
Reagent : 0411							CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables :	N/A						MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is perfo F.S. Rule 64ER20-3		MPN and traditi	ional culture based	d techniques	sin	Analyzed by: Weight: Extraction date: Extracted 1022, 585, 1440 0.2289g 05/21/24 12:10:44 1022						by:	
							Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA073	PMS-004	Review		/22/24 10 1/24 10:5		
							Dilution : 50 Reagent : 051 051424.R13	324.R03; (052024.R08; 051	724.R17; 0520)24.R06; ()52024.R0	7; 03042	4.01;

Consumables : 179436; 120123CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/23/24



Good News Vape Cartridge 1g Pnppl Pineapple Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna mlsna@crescolabs.com Sample : DA40520002-003 Harvest/Lot ID: 0001 3428 6436 6860 Batch#:0001 3428 6436

Batch Date : 05/22/24 18:26:34

Sampled : 05/20/24 Ordered : 05/20/24 Sample Size Received : 16 gram Total Amount : 900 units Completed : 05/23/24 Expires: 05/23/25 Sample Method : SOP.T.20.010



Analytical Batch : DA073147FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 05/22/24 20:04:02

Dilution : N/A Reagent : N/A

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	_	. OD).010	Units aw	Result 0.451	P/F PASS	Action Level 0.85		
Analyzed by: 4512, 585, 1440	Weight: 0.1457g		traction d a /21/24 13:			acted by: 1,795		
Analysis Method : SOP. Analytical Batch : DA07 Instrument Used : DA-0 Analyzed Date : N/A	73100WAT	m	Reviewed On : 05/22/24 09:29:36 Batch Date : 05/21/24 12:06:30					
Dilution : N/A Reagent : 041024.01 Consumables : PS-14								

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/23/24

PASSED

Page 6 of 6