



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40520002-007
Harvest/Lot ID: 0001 3428 6436 4765
Batch#: 0001 3428 6436 4765
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 0001 3428 6436 4965
Batch Date: 05/10/24
Sample Size Received: 15.5 gram
Total Amount: 776 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 05/10/24
Sampled: 05/20/24
Completed: 05/23/24
Sampling Method: SOP.T.20.010

May 23, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS

 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED
---	---	---	---	---	--	---	---	---

Cannabinoid PASSED



Total THC
90.233%
Total THC/Container : 451.17 mg



Total CBD
0.625%
Total CBD/Container : 3.13 mg



Total Cannabinoids
95.312%
Total Cannabinoids/Container : 476.56 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.158	0.086	0.625	ND	0.351	2.621	ND	0.878	0.376	ND	0.217
mg/unit	450.79	0.43	3.13	ND	1.76	13.11	ND	4.39	1.88	ND	1.09
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 585, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA073061POT Instrument Used : DA-LC-003 Analyzed Date : 05/21/24 12:45:21	Weight: 0.1049g	Extraction date: 05/21/24 12:40:25	Extracted by: 1665,3335
Reviewed On : 05/22/24 09:50:31 Batch Date : 05/21/24 07:28:55			

Dilution : 400
Reagent : 042524.R01; 032123.11; 043024.R01
Consumables : 947.109; 280670723; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/23/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 500mg
 Vegas
 Matrix : Derivative
 Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: jenna.mlsna@crescolabs.com

Sample : DA40520002-007

Harvest/Lot ID: 0001 3428 6436 4765

Batch# : 0001 3428 6436
 4765

Sampled : 05/20/24

Ordered : 05/20/24

Sample Size Received : 15.5 gram

Total Amount : 776 units

Completed : 05/23/24 Expires: 05/23/25

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	23.03 4.606		PULEGONE	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	7.26 1.452		SABINENE	0.007	ND ND	
LIMONENE	0.007	4.51 0.902		SABINENE HYDRATE	0.007	ND ND	
LINALOOL	0.007	2.10 0.419		ALPHA-CEDRENE	0.005	ND ND	
ALPHA-HUMULENE	0.007	1.98 0.396		ALPHA-PHELLANDRENE	0.007	ND ND	
VALENCENE	0.007	1.62 0.324		ALPHA-TERPINENE	0.007	ND ND	
BETA-MYRCENE	0.007	1.40 0.279		CIS-NEROLIDOL	0.003	ND ND	
ALPHA-BISABOLOL	0.007	0.99 0.198		GAMMA-TERPINENE	0.007	ND ND	
BETA-PINENE	0.007	0.75 0.150					
HEXAHYDROTHYMOL	0.007	0.67 0.134		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 0.2219g	Extraction date: 05/21/24 12:32:00	Extracted by: 3605
ALPHA-PINENE	0.007	0.43 0.085		Analytical Batch : DA073075TER			Reviewed On : 05/22/24 09:50:33
FENCHYL ALCOHOL	0.007	0.40 0.079		Instrument Used : DA-GCMS-009			Batch Date : 05/21/24 10:13:39
ALPHA-TERPINEOL	0.007	0.32 0.063		Analyzed Date : 05/21/24 12:32:28			
CARYOPHYLLENE OXIDE	0.007	0.20 0.039		Dilution : 10			
GERANIOL	0.007	0.17 0.034		Reagent : 022224.07			
TRANS-NEROLIDOL	0.005	0.16 0.032		Consumables : 947.109; 7931220; CE0123			
ALPHA-TERPINOLENE	0.007	0.10 0.020		Pipette : DA-063			
3-CARENE	0.007	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
BORNEOL	0.013	ND ND					
CAMPHERE	0.007	ND ND					
CAMPHOR	0.007	ND ND					
CEDROL	0.007	ND ND					
EUCALYPTOL	0.007	ND ND					
FARNESENE	0.007	ND ND					
FENCHONE	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
GUAJOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
OCIMENE	0.007	ND ND					
Total (%)		4.606					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164

Signature
 05/23/24



Certificate of Analysis

PASSED


Sunnyside

Sample : DA40520002-007
Harvest/Lot ID: 0001 3428 6436 4765

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crecolabs.com

Batch# : 0001 3428 6436 Sample Size Received : 15.5 gram
4765 Total Amount : 776 units
Sampled : 05/20/24 Completed : 05/23/24 Expires: 05/23/25
Ordered : 05/20/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.272g Extraction date: 05/21/24 16:57:17 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA073082PES Reviewed On : 05/23/24 10:02:13 Instrument Used : DA-LCMS-003 (PES) Batch Date : 05/21/24 10:50:29 Analyzed Date : 05/21/24 17:01:01 Dilution : 250 Reagent : 051724.R14; 051524.R03; 051524.R04; 051724.R13; 042324.R01; 051524.R01; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/23/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: jenna.mlsna@crescolabs.com

Sample : DA40520002-007

 Harvest/Lot ID: 0001 3428 6436 4765
 Batch# : 0001 3428 6436 4765
 Sample Size Received : 15.5 gram
 Total Amount : 776 units
 Completed : 05/23/24 Expires: 05/23/25
 Ordered : 05/20/24
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0214g	Extraction date: 05/22/24 10:42:34	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07310150L Instrument Used : DA-GCMS-002 Analyzed Date : 05/22/24 11:01:35	Reviewed On : 05/22/24 12:39:34 Batch Date : 05/21/24 15:48:04
---	---

Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 304486
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40520002-007
Harvest/Lot ID: 0001 3428 6436 4765
Batch# : 0001 3428 6436 4765
Sample Size Received : 15.5 gram
Total Amount : 776 units
Completed : 05/23/24 Expires: 05/23/25
Ordered : 05/20/24
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------


Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 4044, 585, 1440 Weight: 0.835g Extraction date: 05/21/24 11:39:26 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA073062MIC Reviewed On : 05/22/24 15:01:48 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 05/21/24 08:46:59 Analyzed Date : 05/21/24 10:49:40					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 0.272g Extraction date: 05/21/24 16:57:17 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA073084MYC Reviewed On : 05/23/24 09:57:02 Instrument Used : N/A Batch Date : 05/21/24 10:54:08 Analyzed Date : 05/21/24 17:01:07 Dilution : 250 Reagent : 051724.R14; 051524.R03; 051524.R04; 051724.R13; 042324.R01; 051524.R01; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					

Dilution : N/A
Reagent : 051024.R14; 083123.108; 042324.34; 042324.37
Consumables : 7572002014
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 4520, 3390, 585, 1440 Weight: 0.835g Extraction date: 05/21/24 11:39:26 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA073063TYM Reviewed On : 05/23/24 16:44:59 Instrument Used : Incubator (25-27°C) DA-097 Batch Date : 05/21/24 08:48:14 Analyzed Date : 05/21/24 13:08:07 Dilution : N/A Reagent : 041124.R12 Consumables : N/A Pipette : N/A					

	Heavy Metals	PASSED
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2444g Extraction date: 05/21/24 12:13:58 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA073087HEA Reviewed On : 05/22/24 10:38:45 Instrument Used : DA-ICPMS-004 Batch Date : 05/21/24 10:57:02 Analyzed Date : 05/21/24 17:20:40 Dilution : 50 Reagent : 051824.R03; 052024.R08; 051724.R17; 052024.R06; 052024.R07; 030424.01; 051424.R13 Consumables : 179436; 120123CH01; 210508058 Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40520002-007

Harvest/Lot ID: 0001 3428 6436 4765
Batch# : 0001 3428 6436 Sample Size Received : 15.5 gram
4765 Total Amount : 776 units
Sampled : 05/20/24 Completed : 05/23/24 Expires: 05/23/25
Ordered : 05/20/24 Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA073147FIL Reviewed On : 05/22/24 20:20:01
Instrument Used : Filth/Foreign Material Microscope Batch Date : 05/22/24 18:26:34
Analyzed Date : 05/22/24 20:04:02

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.460	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.1259g	Extraction date: 05/21/24 13:47:26	Extracted by: 4531,795
---------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA073100WAT Reviewed On : 05/22/24 09:29:37
Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 05/21/24 12:06:30
Analyzed Date : N/A

Dilution : N/A
Reagent : 041024.01
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

