

Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon

Watermelon

Matrix: Edible Type: Soft Chew



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample:DA40523011-005

Harvest/Lot ID: 0001 3428 6436 7754 Batch#: 0001 3428 6436 7754

Cultivation Facility: FL - Indiantown (3734)

Processing Facility: FL - Indiantown (3734) Source Facility: FL - Indiantown (3734)

Seed to Sale# 0001 3428 6437 0910

Batch Date: 05/16/24

Sample Size Received: 410 gram

Total Amount: 1618 units

Retail Product Size: 42.5827 gram Retail Serving Size: 4.1 gram

Servings: 10

Ordered: 05/22/24 Sampled: 05/23/24

Completed: 05/27/24 Sampling Method: SOP.T.20.010

PASSED

May 27, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins Residuals **PASSED** Solvents



PASSED



Water Activity **PASSED**



Moisture **NOT TESTED**





NOT **TESTED**

PASSED



Cannabinoid

Total THC

Total THC/Container: 103.90 mg

0.244%



Total CBD

PASSED

Total CBD/Container: 0.00 mg



Total Cannabinoids

Total Cannabinoids/Container: 106.03

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA073230POT Instrument Used: DA-LC-007 Analyzed Date: 05/24/24 12:34:56

Dilution: 40

Dilution : 40
Reagent : 052424.R01; 071222.01; 052324.R01
Consumables : 927.100; 280670723; CE0123; 0000185478
Pipette : DA-079; DA-108; DA-078

m cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 05/26/24 10:46:05 Batch Date: 05/24/24 09:44:18

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon

Watermelon Matrix: Edible



Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40523011-005 Harvest/Lot ID: 0001 3428 6436 7754

Batch#:0001 3428 6436

Sampled: 05/23/24 Ordered: 05/23/24

Sample Size Received: 410 gram Total Amount : 1618 units

Completed: 05/27/24 Expires: 05/27/25 Sample Method: SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAINING LOAD (DECTIONES)	0.010		Level 30	PASS	ND					Level		
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	30	PASS	ND ND	OXAMYL		0.010		0.5	PASS	ND
TOTAL DIMETHOMORPH		ppm		PASS		PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN		ppm	1	PASS	ND ND	PHOSMET		0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS		ppm	3		ND ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINETORAM		ppm	3	PASS PASS		PRALLETHRIN		0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD		ppm		PASS	ND	PROPICONAZOLE		0.010		1	PASS	ND
ABAMECTIN B1A		ppm	0.3	PASS	ND ND	PROPOXUR		0.010		0.1	PASS	ND
ACEPHATE		ppm	2	PASS	ND	PYRIDABEN		0.010		3	PASS	ND
ACEQUINOCYL		ppm	3	PASS	ND					3	PASS	ND
ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN		0.010				
ALDICARB		ppm	3	PASS	ND	SPIROTETRAMAT		0.010		3	PASS	ND
AZOXYSTROBIN			3	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENAZATE		ppm	0.5	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
BIFENTHRIN			3	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID		ppm	0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	1	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	3	PASS	ND
CARBOFURAN		ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PO	CNB) *	0.010	PPM	0.2	PASS	ND
CHLORANTRANILIPROLE		ppm	3	PASS	ND	PARATHION-METHYL *	,	0.010	PPM	0.1	PASS	ND
CHLORMEQUAT CHLORIDE CHLORPYRIFOS		ppm	0.1	PASS	ND	CAPTAN *		0.070		3	PASS	ND
CLOFENTEZINE		ppm	0.5	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS		ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
DAMINOZIDE		ppm	0.1	PASS	ND	CHLORFENAPYR *						
DIAZINON		ppm	3	PASS	ND	CYFLUTHRIN *		0.050		1	PASS	ND
DICHLORVOS		ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	1	PASS	ND
DIMETHOATE		ppm	0.1	PASS	ND		Weight:		ion date:		Extracted	l by:
ETHOPROPHOS		ppm	0.1	PASS	ND		0.9153g		4 15:45:44		3379	
ETOFENPROX		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL	(Gainesville), SOP	P.T.30.10	2.FL (Davie)	SOP.T.40.101	FL (Gainesville),
ETOXAZOLE		ppm	1.5	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch : DA073243PES			Reviewed (On: 05/27/24	10.38.11	
FENHEXAMID		ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PI	ES)			:05/24/24 10		
FENOXYCARB		mag	0.1	PASS	ND	Analyzed Date : 05/24/24 15:52:56						
FENPYROXIMATE		ppm	2	PASS	ND	Dilution: 250						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 051724.R14; 052224.R03	3; 052224.R04; 05	1724.R1	3; 042324.R	01; 052224.R0	1; 040423.08	
FLONICAMID	0.010	ppm	2	PASS	ND	Consumables: 326250IW Pipette: DA-093: DA-094: DA-219						
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is perfo	ormed utilizing Liqu	id Chrom	atography T	rinle-Ouadruno	lo Mass Sportror	netry in
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.		na cinon	latography i	ipic Quadrupo	ic i-idaa apeedioi	ned y m
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: W	leight:	Extracti	on date:		Extracted	l by:
IMIDACLOPRID	0.010	ppm	1	PASS	ND	450, 585, 1440 0.	.9153g	05/24/24	15:45:44		3379	
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method: SOP.T.30.151.FL	(Gainesville), SOP					
MALATHION	0.010	ppm	2	PASS	ND	Analytical Batch : DA073246VOL				:05/27/24 09:		
METALAXYL	0.010	ppm	3	PASS	ND	Instrument Used : DA-GCMS-001 Analyzed Date : 05/24/24 17:43:19		Ва	itch Date : 0	5/24/24 10:37	:49	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 052224.R04; 040423.08;	052224.R40: 052	224.R41				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 1472540		, , ,				
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Pipette: DA-080; DA-146; DA-218						
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is perfo	ormed utilizing Gas	Chromat	ography Trip	le-Quadrupole	Mass Spectrome	try in
						accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon

Watermelon Matrix : Edible



Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** ienna.mlsna@crescolabs.com Sample: DA40523011-005 Harvest/Lot ID: 0001 3428 6436 7754

Batch#:0001 3428 6436

Sampled: 05/23/24 Ordered: 05/23/24 Sample Size Received : 410 gram Total Amount : 1618 units

Completed: 05/27/24 Expires: 05/27/25 Sample Method: SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		E	xtracted by:	

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by

 850, 585, 1440
 0.0265g
 05/27/24 10:35:53
 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA073255SOL Instrument Used: DA-GCMS-002 Analyzed Date: 05/24/24 15:17:38

Dilution: 1 Reagent: 030420.09

Consumables : G201.062; G201.167 Pipette : DA-309 25 uL Syringe 35028 Reviewed On: 05/27/24 11:49:58 Batch Date: 05/24/24 14:46:19

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon

Watermelon Matrix: Edible



Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40523011-005 Harvest/Lot ID: 0001 3428 6436 7754

Batch#: 0001 3428 6436

Sampled: 05/23/24 Ordered: 05/23/24 Sample Size Received: 410 gram Total Amount: 1618 units

Completed: 05/27/24 Expires: 05/27/25 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

Extracted by:

3621



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Α
ASPERGILLUS TERREUS			Not Present	PASS		Α
ASPERGILLUS NIGER			Not Present	PASS		Α
ASPERGILLUS FUMIGATUS			Not Present	PASS		0
ASPERGILLUS FLAVUS			Not Present	PASS		Α
SALMONELLA SPECIFIC GENE			Not Present	PASS		Α
ECOLI SHIGELLA			Not Present	PASS		An
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	33

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 4044, 585, 1440 05/24/24 12:09:35 1.0877g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA073212MIC

Reviewed On: 05/26/24 10:37:01

Batch Date: 05/24/24 Instrument Used: PathogenDx Scanner DA-111.Applied

Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:11:25 DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 **Analyzed Date :** 05/24/24 16:05:29

Dilution: N/A

Reagent: 042324.45; 050324.05; 051024.R14; 030724.35

Consumables: 7573002038

Pipette: N/A

Analyzed by: 3390, 4520, 585, 1440

200	,					
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN E	32	0.002	ppm	ND	PASS	0.02
AFLATOXIN E	31	0.002	ppm	ND	PASS	0.02
OCHRATOXIN	IA	0.002	ppm	ND	PASS	0.02

AFLATOXIN B2		0.002	maa	ND	PASS	0.02
			1-1-			
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.9153g	Extraction date: 05/24/24 15:45:44			Extracted 3379	d by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA073245MYC Reviewed On: 05/27/24 10:37:03 Instrument Used : N/A Batch Date: 05/24/24 10:37:46

Analyzed Date: 05/24/24 15:51:50

Dilution: 250

Reagent: 051724.R14; 052224.R03; 052224.R04; 051724.R13; 042324.R01; 052224.R01;

040423.08 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$



Heavy Metals

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						
Analytical Batch : DA073214TYM	Reviewed On: 05/26/24 16:10:22					
Instrument Used : Incubator (25-27*C) DA-097	Batch Date: 05/24/24 09:13:07					
Analyzed Date: 05/24/24 16:10:20						

Extraction date

05/24/24 12:09:35

Weight:

1.0877g

Dilution: N/A Reagent: 042324.45; 050324.05; 041124.R12 Consumables : N/A

Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LO	AD METALS	0.080	ppm	ND	PASS	5
ARSENIC		0.020	ppm	ND	PASS	1.5
CADMIUM		0.020	ppm	ND	PASS	0.5
MERCURY		0.020	ppm	ND	PASS	3
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 4056, 585, 1440	Weight: 0.2937g	Extraction 05/24/24			Extracted by: 1022,4056	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 05/26/24 10:34:52 Analytical Batch : DA073247HEA Instrument Used : DA-ICPMS-004 Batch Date: 05/24/24 10:47:49 Analyzed Date: 05/24/24 17:22:22

Dilution: 50

Reagent: 051824.R03; 052024.R08; 051724.R17; 052024.R06; 052024.R07; 030424.01;

051424.R13

Consumables: 179436; 120123CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon

Watermelon Matrix: Edible Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40523011-005 Harvest/Lot ID: 0001 3428 6436 7754

Batch#:0001 3428 6436

Sampled: 05/23/24 **Ordered**: 05/23/24 Sample Size Received: 410 gram Total Amount: 1618 units

Completed: 05/27/24 Expires: 05/27/25 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED

Homogeneity

PASSED

Amount of tests conducted: 18

Analyzed by:	Weight:	Extraction	n date:	Extracted by:	
Filth and Foreign Material	0.100	%	ND	PASS	1
Analyte	LOD	Units	Result	P/F	Action Level

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA073257FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 05/24/24 21:30:10 Batch Date: 05/24/24 20:47:24 Analyzed Date: 05/24/24 21:13:07

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 05/25/24 13:25:18

Batch Date: 05/24/24 10:52:58

Analyte	LOD	Units	Pass/Fail	Result	Action

TOTAL THC - HOMOGENEITY 0.001 % **PASS** 1.314 25

Average **Extracted By** Analyzed by Extraction date: Weight 4351, 3702, 585, 1440 4.247g 05/24/24 12:23:32

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA073204HOM Instrument Used : DA-LC-001 (Homo) Reviewed On: 05/25/24 13:37:00 Batch Date: 05/24/24 08:48:59 Analyzed Date : 05/24/24 13:05:41

Reagent: 052324.R12; 030322.03; 020124.02; 052324.R16

Consumables: 947.109; LCJ0311R; 120123CH01; 250346; 1009056395; CE0123; R1KB14270

Pipette: DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

LOD Units Result P/F **Action Level** Analyte PASS Water Activity 0.010 aw 0.467 0.85 Extraction date: 05/25/24 07:45:29 Analyzed by: 4512, 585, 1440 Extracted by: 4512

Analysis Method: SOP.T.40.019 Analytical Batch: DA073250WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/25/24 07:59:46

Dilution: N/A Reagent: 022024.29 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164