

Kaycha Labs Supply Vape Cartridge 1g - Lmn Ersr (H) x Tye Dye (H)

> Lemon Eraser X Tye Dye Matrix: Derivative

> > Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA40523011-014 Harvest/Lot ID: 0001 3428 6430 2869 Batch#: 0001 3428 6430 2869 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6436 7751 Batch Date: 05/15/24 Sample Size Received: 16 gram Total Amount: 3206 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 05/17/24 Sampled: 05/23/24 Completed: 05/27/24

Pages 1 of 6

Sampling Method: SOP.T.20.010

PASSED

MISC.

May 27, 2024 | Sunnyside

indiantown, FL, 34956, US



SAFETY RESULTS

SALETTIN	LUCEIU										inider
R Ø		Hg	Ċ,	ۍ پې	0	Ä			\bigcirc		Ô
Pesticio PASSI		avy Metals ASSED	Microbials PASSED	Mycotox PASSE	D	Residuals Solvents PASSED	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannab	oinoid								F	PASSED
	3 91	I THC L.562 THC/Container) 0.	al CBD 269%	-		397	l Cannabinoids 7.483% Cannabinoids/Conta) iner : 974.83
	D9-ТНС 91.438	тнса 0.142	свр 0,269	CBDA ND	D8-ТНС 0.484	свд 3.608	CBGA ND	св n 0.467	тнсv 0.621	CBDV ND	свс 0.454
% mg/unit	91.438	1.42	2.69	ND	0.484 4.84	36.08	ND	0.467 4.67	6.21	ND	0.454 4.54
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585,	, 1440			Weight: 0.1053g		xtraction date: 5/24/24 12:45:49				tracted by: 665,3335	
Analytical Batch Instrument Used	: SOP.T.40.031, SO DA073211POT DA-LC-003 05/24/24 12:47:32					Reviewed On : 05 Batch Date : 05/2					
Consumables : 9	24.R01; 060723.24; 947.109; 28067072 9; DA-108; DA-078	; 052324.R01 3; CE0123; R1KB14	1270								

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/27/24



..... Supply Vape Cartridge 1g - Lmn Ersr (H) x Tye Dye (H) Lemon Eraser X Tye Dye Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40523011-014 Harvest/Lot ID: 0001 3428 6430 2869 Batch#:0001 3428 6430 2869

Sampled : 05/23/24 Ordered : 05/23/24

Sample Size Received : 16 gram Total Amount : 3206 units Completed : 05/27/24 Expires: 05/27/25 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

OTAL TERPENES BETA-CARYOPHYLLENE	(%)		%	Result (%)	Terpenes	LOD (%)	mg/unit		Result (%)	
ETA-CARYOPHYLLENE	0.007	23.39	2.339		PULEGONE	0.007	ND	ND		
	0.007	4.22	0.422		SABINENE	0.007	ND	ND		
ETA-MYRCENE	0.007	3.81	0.381		SABINENE HYDRATE	0.007	ND	ND		
IMONENE	0.007	3.55	0.355		VALENCENE	0.007	ND	ND		
NALOOL	0.007	1.89	0.189		ALPHA-CEDRENE	0.005	ND	ND		
PHA-HUMULENE	0.007	1.62	0.162		ALPHA-PHELLANDRENE	0.007	ND	ND		
LPHA-BISABOLOL	0.007	0.99	0.099		CIS-NEROLIDOL	0.003	ND	ND		
INCHYL ALCOHOL	0.007	0.81	0.081		GAMMA-TERPINENE	0.007	ND	ND		
PHA-TERPINEOL	0.007	0.81	0.081		Analyzed by:	Weight:		ction date:		Extracted by:
RNESENE	0.001	0.76	0.076		4451, 3605, 585, 1440	0.2323g	05/24	/24 12:25:33	3	4451
ANS-NEROLIDOL	0.005	0.71	0.071		Analysis Method : SOP.T.30.061A.FL, SOP.T.	40.061A.FL				
DRNEOL	0.013	0.66	0.066		Analytical Batch : DA073226TER Instrument Used : DA-GCMS-004				/26/24 16:10:59 4/24 09:39:29	
RANIOL	0.007	0.60	0.060		Analyzed Date : 05/24/24 12:25:59		Ddtt	n Date : 03/2	4/24 09.39.29	
TA-PINENE	0.007	0.54	0.054		Dilution : 10					
ARYOPHYLLENE OXIDE	0.007	0.47	0.047		Reagent : 022224.07					
PHA-PINENE	0.007	0.45	0.045		Consumables : 947.109; 7931220; CE0123 Pipette : DA-063					
NCHONE	0.007	0.36	0.036							
PHA-TERPINOLENE	0.007	0.35	0.035		Terpenoid testing is performed utilizing Gas Chron	natography Mass Spectr	ometry. For all	Flower sample	es, the Total Terpenes % I	s dry-weight corrected
JAIOL	0.007	0.31	0.031							
MPHENE	0.007	0.25	0.025							
PHA-TERPINENE	0.007	0.23	0.023							
CARENE	0.007	ND	ND							
MPHOR	0.007	ND	ND							
DROL	0.007	ND	ND							
JCALYPTOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
OBORNEOL	0.007	ND	ND							
OPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/27/24



Supply Vape Cartridge 1g - Lmn Ersr (H) x Tye Dye (H) Lemon Eraser X Tye Dye Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40523011-014 Harvest/Lot ID: 0001 3428 6430 2869

Batch# : 0001 3428 6430 2869 Sampled : 05/23/24 Ordered : 05/23/24 Sample Size Received :16 gram Total Amount : 3206 units Completed : 05/27/24 Expires: 05/27/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	P. P.	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	maa	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND			ppm	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN			0.15		ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *				PASS	
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	1.1.	0.1	PASS	ND	Analyzed by: Weigh	t Extrac	tion date:		Extracted	by
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440 0.2382		24 15:48:41		3379	
ETHOPROPHOS	0.010	1.1.	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaine	esville), SOP.T.30.10	2.FL (Davie), 9	50P.T.40.101.I	FL (Gainesville)	,
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA073231PES			n:05/27/24 23		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Analyzed Date :05/24/24 15:53:04		Batch Date :	05/24/24 10:2	26:15	
FENOXYCARB	0.010	1.1.	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 051724.R14; 052224.R03; 0522	224.R04: 051724.R1	3: 042324.R0	1: 052224.R01	: 040423.08	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW			-,	,	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed	utilizing Liquid Chron	natography Trij	ole-Quadrupole	Mass Spectrom	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND ND	Analyzed by: Weight: 450, 585, 1440 0.2382g		i on date: 4 15:48:41		Extracted 3379	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaine			COD T 40 151		
KRESOXIM-METHYL	0.010		0.1	PASS		Analytical Batch : DA073234VOL		eviewed On :			
MALATHION	0.010 0.010		0.2	PASS	ND ND	Instrument Used : DA-GCMS-010		atch Date : 05			
METALAXYL						Analyzed Date :05/24/24 17:48:02					
METHIOCARB	0.010		0.1	PASS PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent: 052224.R04; 040423.08; 05222	24.R40; 052224.R41				
MEVINPHOS	0.010		0.1	PASS	ND ND	Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010			PASS		Testing for agricultural agents is performed	utilizing Cos Chroma	tography Triple	Quadrupala N	lace Coestromot	to cin
NALED	0.010	рш	0.25	PA33	ND	accordance with F.S. Rule 64ER20-39.	ucinzing das crifoma	tography mple	quaurupole M	iass spectromet	u y iff

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/27/24



Page 4 of 6

Supply Vape Cartridge 1g - Lmn Ersr (H) x Tye Dye (H) Lemon Eraser X Tye Dye Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com
 Sample : DA40523011-014

 Harvest/Lot ID: 0001 3428 6430 2869

 Batch# : 0001 3428 6430
 Sample

 2869
 Total Ar

 Sampled : 05/23/24
 Compler

Ordered : 05/23/24

6430 2869 Sample Size Received :16 gram Total Amount : 3206 units Completed :05/27/24 Expires: 05/27/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
-PROPANOL	50.000	ppm	500	PASS	ND
HLOROFORM	0.200	ppm	2	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0269g	Extraction date: 05/27/24 10:35:53		E x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA073255SOL nstrument Used : DA-GCMS-002 Analyzed Date : 05/24/24 15:17:38			I On : 05/27/24 11:50:24 te : 05/24/24 14:46:19		
Dilution : 1					

Dilution : 1 Reagent : 030420.09 Consumables : G201.062; G201.1

Consumables : G201.062; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/27/24

PASSED

PASSED



Supply Vape Cartridge 1g - Lmn Ersr (H) x Tye Dye (H) Lemon Eraser X Tye Dye Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40523011-014 Harvest/Lot ID: 0001 3428 6430 2869 Batch# : 0001 3428 6430 Sample

2869 Sampled : 05/23/24 Ordered : 05/23/24 Sample Size Received : 16 gram Total Amount : 3206 units Completed : 05/27/24 Expires: 05/27/25 Sample Method : SOP.T.20.010

Page 5 of 6

.							•							
<u>F</u>	Microk	oial			PAS	SED	ւ	Му	cotox	ins			PAS	SED
Analyte		LOI	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	NA		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	ate:		Extracted	bv:
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 14	40	0.2382g	05/24/24 15:	48:41		3379	.,
Analyzed by: 3390, 4044, 58	35, 1440	Weight: 1.112g	Extraction d 05/24/24 12		Extracte 3621	d by:	SOP.T.30.102	.FL (Davie),	SOP.T.40.102.					
	od : SOP.T.40.056C :h : DA073212MIC	C, SOP.T.40.0)58.FL, SOP.T.		ed On : 05	/26/24	Analytical Bat Instrument Us Analyzed Date	sed : N/A				5/27/24 2 24/24 10:		
Dilution : N/A	: 05/24/24 16:05:2 324.45; 050324.05		14; 030724.35				accordance wit	993; DA-094 sting utilizing th F.S. Rule 6	; DA-219 Liquid Chromato 4ER20-39.	ography with Triple	e-Quadrupo			
Analyzed by: 3390, 4520, 58	35, 1440	Weight: 1.112g	Extraction d 05/24/24 12		Extracte 3621	d by:	Hg	неа	avy Mo	etais			PAS	SED
Analytical Bate	od : SOP.T.40.208 (ch : DA073214TYM ed : Incubator (25-		Rev	9.FL iewed On : 05/20 ch Date : 05/24/2			Metal			LOD	Units	Result	Pass / Fail	Action Level
	: 05/24/24 16:10:2	- /	Ddl	ch Date : 03/24/2	24 09.13.0		TOTAL CON	TAMINANT	LOAD METAI	LS 0.080	ppm	ND	PASS	1.1
Dilution : N/A							ARSENIC			0.020	ppm	ND	PASS	0.2
	324.45; 050324.05	; 041124.RI	L2				CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables :	N/A						MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is perfor F.S. Rule 64ER20-39		MPN and traditi	onal culture based	l techniques	s in	Analyzed by: 1022, 4056, 5	85, 1440	Weigh 0.2663		on date: 4 12:11:44	ļ	Extracte 4056	ed by:
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch:DA0733 sed:DA-ICP	MS-004	Review		/26/24 10: 4/24 11:04		
							Dilution : 50 Reagent : 051 051424.R13	.824.R03; 0	52024.R08; 05	51724.R17; 0520)24.R06; 0	52024.R0	7; 030424	4.01;

Consumables : 179436; 120123CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/27/24



Supply Vape Cartridge 1g - Lmn Ersr (H) x Tye Dye (H) Lemon Eraser X Tye Dye Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Filth/Foreign

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com
 Sample : DA40523011-014

 Harvest/Lot ID: 0001 3428 6430 2869

 Batch#: 0001 3428 6430 2869

 2869
 Total Ar

 Sampled: 05/23/24
 Complet

 Ordered: 05/23/24
 Sample

PACCED

30 2869 Sample Size Received :16 gram Total Amount : 3206 units Completed : 05/27/24 Expires: 05/27/25 Sample Method : SOP.T.20.010

	Materi					33ED
Analyte Filth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Leve
Analyzed by: 1879, 585, 1440	W NA	eight: A	Extraction N/A	on date:	Extr N/A	acted by:
			oscope			4/24 21:25:49 24 20:47:24
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A Filth and foreign n	naterial inspection is			spection utilizi	ng naked ey	ve and microscope
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A Filth and foreign n	,	Rule 64ER20-	39.	spection utilizi		re and microscope
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A Filth and foreign n	naterial inspection is cordance with F.S. P Water	Rule 64ER20-	vity Units	spection utilizione Result 0.488		

 Analytical Batch : DA073250WAT
 Reviewed on : 05/25/24 13:25:19

 Instrument Used : DA-028 Rotronic Hygropalm
 Batch Date : 05/25/24 10:52:58

 Analytical Batch : DA073250WAT
 Batch Date : 05/24/24 10:52:58

 Dilution : N/A
 Reagent : 022024.29

 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/27/24

Page 6 of 6