



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40523011-018
Harvest/Lot ID: 0001 3428 6436 8104
Batch#: 0001 3428 6436 8104
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 0001 3428 6436 8104
Batch Date: 05/16/24
Sample Size Received: 26 gram
Total Amount: 500 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 05/17/24
Sampled: 05/23/24
Completed: 05/27/24
Sampling Method: SOP.T.20.010

May 27, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS


Pesticides
PASSED


Heavy Metals
PASSED


Microbials
PASSED


Mycotoxins
PASSED


Residuals
Solvents
NOT TESTED


Filtration
PASSED


Water Activity
PASSED


Moisture
PASSED

MISC.


Terpenes
TESTED



Cannabinoid

PASSED



Total THC
24.065%
Total THC/Container : 240.65 mg



Total CBD
0.048%
Total CBD/Container : 0.48 mg



Total Cannabinoids
28.179%
Total Cannabinoids/Container : 281.79 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.804 | 26.524 | ND | 0.055 | 0.021 | 0.132 | 0.593 | ND | ND | ND | 0.050 |
| mg/unit | 8.04 | 265.24 | ND | 0.55 | 0.21 | 1.32 | 5.93 | ND | ND | ND | 0.50 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.196g

Extraction date:
05/24/24 12:41:57

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA073202POT
Instrument Used : DA-LC-002
Analyzed Date : 05/24/24 13:00:12

Reviewed On : 05/26/24 10:43:01
Batch Date : 05/24/24 08:40:51

Dilution : 400
Reagent : 052424.R01; 092723.44; 052324.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/27/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40523011-018

Harvest/Lot ID: 0001 3428 6436 8104

Batch# : 0001 3428 6436
8104

Sample Size Received : 26 gram

Total Amount : 500 units

Completed : 05/27/24

Expires: 05/27/25

Ordered : 05/23/24

Sample Method : SOP.T.20.010

Page 2 of 5

| Terpenes | | | | TESTED | | | |
|---------------------|---------|-----------|--------------|--|---------|---------------------------------|--------------------------------|
| Terpenes | LOD (%) | mg/unit % | Result (%) | Terpenes | LOD (%) | mg/unit % | Result (%) |
| TOTAL TERPENES | 0.007 | 12.35 | 1.235 | ALPHA-BISABOLOL | 0.007 | ND | ND |
| BETA-CARYOPHYLLENE | 0.007 | 3.98 | 0.398 | ALPHA-CEDRENE | 0.005 | ND | ND |
| LIMONENE | 0.007 | 2.32 | 0.232 | ALPHA-PHELLANDRENE | 0.007 | ND | ND |
| ALPHA-HUMULENE | 0.007 | 1.31 | 0.131 | ALPHA-TERPINENE | 0.007 | ND | ND |
| FARNESENE | 0.007 | 1.17 | 0.117 | ALPHA-TERPINOLENE | 0.007 | ND | ND |
| LINALOOL | 0.007 | 0.93 | 0.093 | CIS-NEROLIDOL | 0.003 | ND | ND |
| ALPHA-TERPINEOL | 0.007 | 0.52 | 0.052 | GAMMA-TERPINENE | 0.007 | ND | ND |
| BETA-PINENE | 0.007 | 0.52 | 0.052 | TRANS-NEROLIDOL | 0.005 | ND | ND |
| BETA-MYRCENE | 0.007 | 0.46 | 0.046 | | | | |
| OCIMENE | 0.007 | 0.44 | 0.044 | Analyzed by: | Weight: | Extraction date: | Extracted by: |
| FENCHYL ALCOHOL | 0.007 | 0.38 | 0.038 | 4451, 3605, 585, 1440 | 1.0863g | 05/24/24 12:15:40 | 4451 |
| ALPHA-PINENE | 0.007 | 0.32 | 0.032 | | | | |
| 3-CARENE | 0.007 | ND | ND | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | |
| BORNEOL | 0.013 | ND | ND | Analytical Batch : DA073223TER | | Reviewed On : 05/26/24 16:12:37 | Batch Date : 05/24/24 09:37:40 |
| CAMPHENE | 0.007 | ND | ND | Instrument Used : DA-GCMS-008 | | | |
| CAMPHOR | 0.007 | ND | ND | Analyzed Date : 05/24/24 12:16:39 | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | Dilution : 10 | | | |
| CEDROL | 0.007 | ND | ND | Reagent : 022224.07 | | | |
| EUCALYPTOL | 0.007 | ND | ND | Consumables : 947.109; 7931220; CE123 | | | |
| FENCHONE | 0.007 | ND | ND | Pipette : DA-063 | | | |
| GERANIOL | 0.007 | ND | ND | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | |
| GUAIOL | 0.007 | ND | ND | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | |
| NEROL | 0.007 | ND | ND | | | | |
| PULEGONE | 0.007 | ND | ND | | | | |
| SABINENE | 0.007 | ND | ND | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | | | |
| VALENCENE | 0.007 | ND | ND | | | | |
| Total (%) | | | 1.235 | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/27/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40523011-018

Harvest/Lot ID: 0001 3428 6436 8104

Batch# : 0001 3428 6436

8104

Sampled : 05/23/24

Ordered : 05/23/24

Sample Size Received : 26 gram

Total Amount : 500 units

Completed : 05/27/24 Expires: 05/27/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | 0.320 | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | 0.320 | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3379, 585, 1440 Weight: 0.9629g Extraction date: 05/24/24 15:50:39 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA073235PES Reviewed On : 05/27/24 10:29:15 Instrument Used : DA-LCMS-003 (PES) Batch Date : 05/24/24 10:29:47 Analyzed Date : 05/24/24 15:53:01 Dilution : 250 Reagent : 051724.R14; 052224.R03; 052224.R04; 051724.R13; 042324.R01; 052224.R01; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHIACARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/27/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40523011-018
Harvest/Lot ID: 0001 3428 6436 8104
Batch# : 0001 3428 6436 8104
Sample Size Received : 26 gram
Total Amount : 500 units
Completed : 05/27/24 Expires: 05/27/25
Sample Method : SOP.T.20.010
Ordered : 05/23/24

Page 4 of 5

| | | | | | |
|---|------------------|---------------|---|-------------------|---------------|
|  | Microbial | PASSED |  | Mycotoxins | PASSED |
|---|------------------|---------------|---|-------------------|---------------|

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--|-----|-------|-------------|-------------|--------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | 4000 | PASS | 100000 |
| Analyzed by: 3390, 4044, 585, 1440 Weight: 0.8676g Extraction date: 05/24/24 12:09:40 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA073212MIC Reviewed On : 05/26/24 10:37:18 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 05/24/24 09:11:25 Analyzed Date : 05/24/24 16:05:29 | | | | | |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--|-------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3379, 585, 1440 Weight: 0.9629g Extraction date: 05/24/24 15:50:39 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA073236MYC Reviewed On : 05/27/24 10:27:08 Instrument Used : N/A Batch Date : 05/24/24 10:31:18 Analyzed Date : 05/24/24 15:51:47 Dilution : 250 Reagent : 051724.R14; 052224.R03; 052224.R04; 051724.R13; 042324.R01; 052224.R01; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 | | | | | |

| | | | | | |
|---|--|--|--|--|--|
| Dilution : N/A Reagent : 042324.45; 050324.05; 051024.R14; 030724.35 Consumables : 7573002038 Pipette : N/A | | | | | |
| Analyzed by: 3390, 4520, 585, 1440 Weight: 0.8676g Extraction date: 05/24/24 12:09:40 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA073214TYM Reviewed On : 05/26/24 16:10:37 Instrument Used : Incubator (25-27°C) DA-097 Batch Date : 05/24/24 09:13:07 Analyzed Date : 05/24/24 16:10:20 | | | | | |
| Dilution : N/A Reagent : 042324.45; 050324.05; 041124.R12 Consumables : N/A Pipette : N/A | | | | | |

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| | | |
|---|---------------------|---------------|
|  | Heavy Metals | PASSED |
|---|---------------------|---------------|

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|-------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |

| | | | | | |
|--|--|--|--|--|--|
| Analyzed by: 1022, 585, 1440 Weight: 0.2291g Extraction date: 05/24/24 11:20:34 Extracted by: 4056,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA073225HEA Reviewed On : 05/25/24 13:31:00 Instrument Used : DA-ICPMS-004 Batch Date : 05/24/24 09:38:58 Analyzed Date : 05/24/24 14:34:01 Dilution : 50 Reagent : 051824.R03; 052024.R08; 051724.R17; 052024.R06; 052024.R07; 030424.01; 051424.R13 Consumables : 179436; 120123CH01; 210508058 Pipette : DA-061; DA-191; DA-216 | | | | | |
|--|--|--|--|--|--|

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40523011-018

Harvest/Lot ID: 0001 3428 6436 8104

Batch#: 0001 3428 6436
8104

Sampled : 05/23/24

Ordered : 05/23/24

Sample Size Received : 26 gram

Total Amount : 500 units

Completed : 05/27/24 Expires: 05/27/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|------------------------------|------------|----------------------|-------------------|
| Analyzed by: 1879, 585, 1440 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|------------------------------|------------|----------------------|-------------------|

Analysis Method : SOP.T.40.090
Analytical Batch : DA073257FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 05/24/24 21:13:07
Reviewed On : 05/24/24 21:25:45
Batch Date : 05/24/24 20:47:24

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.472 | PASS | 0.65 |

| | | | |
|------------------------------|-----------------|------------------------------------|--------------------|
| Analyzed by: 4512, 585, 1440 | Weight: 1.0962g | Extraction date: 05/25/24 07:59:19 | Extracted by: 4512 |
|------------------------------|-----------------|------------------------------------|--------------------|

Analysis Method : SOP.T.40.019
Analytical Batch : DA073249WAT
Instrument Used : DA-028 Rotronic HygroPalm
Analyzed Date : 05/25/24 08:00:06
Reviewed On : 05/25/24 13:29:42
Batch Date : 05/24/24 10:52:21

Dilution : N/A
Reagent : 022024.29
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Result | P/F | Action Level |
|------------------|------|-------|--------|------|--------------|
| Moisture Content | 1.00 | % | 11.83 | PASS | 15 |

| | | | |
|------------------------------|----------------|------------------------------------|--------------------|
| Analyzed by: 4512, 585, 1440 | Weight: 0.507g | Extraction date: 05/25/24 09:12:34 | Extracted by: 4512 |
|------------------------------|----------------|------------------------------------|--------------------|

Analysis Method : SOP.T.40.021
Analytical Batch : DA073248MOI
Reviewed On : 05/25/24 13:27:59

Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser
Analyzed Date : 05/25/24 09:17:19
Batch Date : 05/24/24 10:51:15

Dilution : N/A
Reagent : 092520.50; 020124.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.