



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample:** DA40523011-024  
**Harvest/Lot ID:** 0001 3428 6436 6862  
**Batch#:** 0001 3428 6436 6862  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility:** FL - Indiantown (3734)  
**Source Facility:** FL - Indiantown (3734)  
**Seed to Sale#** 0001 3428 6436 6862  
**Batch Date:** 05/14/24  
**Sample Size Received:** 15.5 gram  
**Total Amount:** 940 units  
**Retail Product Size:** 0.5 gram  
**Retail Serving Size:** 0.5 gram  
**Servings:** 1  
**Ordered:** 05/15/24  
**Sampled:** 05/23/24  
**Completed:** 05/27/24  
**Sampling Method:** SOP.T.20.010

May 27, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

# Sunnyside\*

## PASSED

Pages 1 of 6

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**PASSED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**

### MISC.



### Cannabinoid

## PASSED



Total THC

**89.484%**

Total THC/Container : 447.42 mg



Total CBD

**0.412%**

Total CBD/Container : 2.06 mg



Total Cannabinoids

**93.409%**

Total Cannabinoids/Container : 467.05 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.403	0.093	0.412	ND	0.316	1.424	ND	0.603	0.460	ND	0.698
mg/unit	447.02	0.47	2.06	ND	1.58	7.12	ND	3.02	2.30	ND	3.49
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1036g

Extraction date:  
05/24/24 12:45:50

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA073211POT

Instrument Used : DA-LC-003

Analyzed Date : 05/24/24 12:47:32

Reviewed On : 05/26/24 10:43:57

Batch Date : 05/24/24 09:08:26

Dilution : 400

Reagent : 052424.R01; 060723.24; 052324.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 05/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Pnpl  
Pineapple  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40523011-024

Harvest/Lot ID: 0001 3428 6436 6862

Batch# : 0001 3428 6436  
6862

Sampled : 05/23/24

Ordered : 05/23/24

Sample Size Received : 15.5 gram

Total Amount : 940 units

Completed : 05/27/24 Expires: 05/27/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	16.17	3.234		GERANIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	3.60	0.719		GERANYL ACETATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.76	0.551		ISOPULEGOL	0.007	ND	ND	
ALPHA-PINENE	0.007	2.67	0.533		NEROL	0.007	ND	ND	
BETA-PINENE	0.007	1.08	0.216		OCIMENE	0.007	ND	ND	
LIMONENE	0.007	0.88	0.175		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.58	0.116		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-HUMULENE	0.007	0.58	0.116		TRANS-NEROLIDOL	0.005	ND	ND	
FARNESENE	0.001	0.43	0.085		Analysis by:	Weight:	Extraction date:	Extracted by:	
LINALOOL	0.007	0.40	0.079		4451, 3605, 585, 1440	0.2292g	05/24/24 12:25:34	4451	
CARYOPHYLLENE OXIDE	0.007	0.31	0.062		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PHELLANDRENE	0.007	0.24	0.048		Analytical Batch : DA073226TER			Reviewed On : 05/26/24 16:11:18	
ALPHA-TERPINEOL	0.007	0.24	0.048		Instrument Used : DA-GCMS-004			Batch Date : 05/24/24 09:39:29	
FENCHYL ALCOHOL	0.007	0.23	0.046		Analyzed Date : 05/24/24 12:25:59				
VALENCENE	0.007	0.23	0.046		Dilution : 10				
ALPHA-CEDRENE	0.005	0.21	0.042		Reagent : 022224.07				
HEXAHYDROTHYMOL	0.007	0.20	0.040		Consumables : 947.109; 7931220; CE0123				
GUAJOL	0.007	0.19	0.038		Pipette : DA-063				
ISOBORNEOL	0.007	0.19	0.037		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	0.17	0.034						
ALPHA-TERPINOLENE	0.007	0.17	0.033						
PULEGONE	0.007	0.16	0.032						
CAMPHENE	0.007	0.16	0.031						
EUCALYPTOL	0.007	0.15	0.030						
GAMMA-TERPINENE	0.007	0.15	0.029						
SABINENE	0.007	0.13	0.025						
ALPHA-TERPINENE	0.007	0.12	0.023						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
Total (%)			3.234						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Pnpl  
Pineapple  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40523011-024

Harvest/Lot ID: 0001 3428 6436 6862

Batch# : 0001 3428 6436  
6862

Sampled : 05/23/24

Ordered : 05/23/24

Sample Size Received : 15.5 gram

Total Amount : 940 units

Completed : 05/27/24 Expires: 05/27/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2901g	Extraction date: 05/24/24 15:48:43	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA073231PES		Reviewed On : 05/27/24 23:37:41			
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 05/24/24 10:26:15			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 05/24/24 15:53:04					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 051724.R14; 052224.R03; 052224.R04; 051724.R13; 042324.R01; 052224.R01; 040423.08					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.2901g	Extraction date: 05/24/24 15:48:43	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA073234VOL		Reviewed On : 05/27/24 09:47:26			
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 05/24/24 10:28:39			
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 05/24/24 17:48:02					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 052224.R04; 040423.08; 052224.R40; 052224.R41					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Pnpl  
Pineapple  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crecolabs.com

Sample : DA40523011-024

Harvest/Lot ID: 0001 3428 6436 6862

Batch# : 0001 3428 6436  
6862

Sampled : 05/23/24

Ordered : 05/23/24

Sample Size Received : 15.5 gram

Total Amount : 940 units

Completed : 05/27/24 Expires: 05/27/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0281g

Extraction date:  
05/27/24 10:35:54

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA073255SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 05/24/24 15:17:38

Reviewed On : 05/27/24 11:51:11  
Batch Date : 05/24/24 14:46:19

Dilution : 1  
Reagent : 030420.09  
Consumables : G201.062; G201.167  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Pnppl

Pineapple

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40523011-024

Harvest/Lot ID: 0001 3428 6436 6862

Batch# : 0001 3428 6436  
6862

Sampled : 05/23/24  
Ordered : 05/23/24


Sample Size Received : 15.5 gram


Total Amount : 940 units


Completed : 05/27/24 Expires: 05/27/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.862g	Extraction date: 05/24/24 11:56:51	Extracted by: 3621	Reviewed On : 05/26/24 10:52:31 Batch Date : 05/24/24 09:15:00			
Analytical Batch : DA073215MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021							
Analysis Date : 05/24/24 16:05:30							
Dilution : N/A							
Reagent : 042324.45; 050324.05; 051024.R14; 030724.35							
Consumables : 7573002038							
Pipette : N/A							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 0.862g	Extraction date: 05/24/24 11:56:51	Extracted by: 3621	Reviewed On : 05/26/24 16:16:06 Batch Date : 05/24/24 09:17:47			
Analytical Batch : DA073216TYM							
Instrument Used : Incubator (25-27°C) DA-097							
Analysis Date : 05/24/24 16:10:21							
Dilution : N/A							
Reagent : 042324.45; 050324.05; 041124.R12							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							

	<b>Mycotoxins</b>	<b>PASSED</b>				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analysis by: 3379, 585, 1440	Weight: 0.2901g	Extraction date: 05/24/24 15:48:43	Extracted by: 3379	Reviewed On : 05/27/24 23:21:10 Batch Date : 05/24/24 10:28:36		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analytical Batch : DA073233MYC						
Instrument Used : N/A						
Analysis Date : 05/24/24 15:51:43						
Dilution : 250						
Reagent : 051724.R14; 052224.R03; 052224.R04; 051724.R13; 042324.R01; 052224.R01; 040423.08						
Consumables : 326250IW						
Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	<b>Heavy Metals</b>	<b>PASSED</b>				
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	<0.100	PASS	0.5	
Analysis by: 1022, 4056, 585, 1440	Weight: 0.2126g	Extraction date: 05/24/24 12:09:23	Extracted by: 4056	Reviewed On : 05/26/24 10:51:45 Batch Date : 05/24/24 11:04:04		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA073251HEA						
Instrument Used : DA-ICPMS-004						
Analysis Date : 05/24/24 17:22:12						
Dilution : 50						
Reagent : 051824.R03; 052024.R08; 051724.R17; 052024.R06; 052024.R07; 030424.01; 051424.R13						
Consumables : 179436; 120123CH01; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/27/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Pnpl  
Pineapple  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40523011-024

Harvest/Lot ID: 0001 3428 6436 6862

Batch# : 0001 3428 6436  
6862

Sampled : 05/23/24

Ordered : 05/23/24

Sample Size Received : 15.5 gram

Total Amount : 940 units

Completed : 05/27/24 Expires: 05/27/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA073257FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/24/24 21:13:07

Reviewed On : 05/24/24 21:25:40

Batch Date : 05/24/24 20:47:24

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.449	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 1.0657g	Extraction date: 05/25/24 07:45:31	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA073250WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 05/25/24 07:59:46

Reviewed On : 05/25/24 13:25:23

Batch Date : 05/24/24 10:52:58

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
05/27/24