

COMPLIANCE FOR RETAIL

Kaycha Labs

Good News Punch Disposable Vape 300mg

Punch

Matrix: Derivative Type: Distillate

Sample: DA40523011-026 Harvest/Lot ID: 0001 3428 6436 4769

Batch#: 0001 3428 6436 4769

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734) Source Facility: FL - Indiantown (3734)

Seed to Sale# 0001 3428 6436 4769

Batch Date: 05/10/24

Sample Size Received: 15.3 gram

Total Amount: 738 units

Retail Product Size: 0.3 gram Retail Serving Size: 0.3 gram

Servings: 1

PASSED

Ordered: 05/10/24

Completed: 05/27/24

Sampled: 05/23/24

Sampling Method: SOP.T.20.010

May 27, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 6

SAFETY RESULTS







Heavy Metals PASSED



Microbials **PASSED**

Certificate of Analysis



Mycotoxins Residuals **PASSED** Solvents



PASSED



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes TESTED

PASSED

CBC

0.422

1.27

0.001



Cannabinoid

Total THC

Total THC/Container: 259.63 mg

86.542%



0.1119a

Total CBD

Extraction date:

05/24/24 12:45:51

PASSED

Total CBD/Container: 0.98 mg



Total Cannabinoids

Extracted by:

1665.3335

Total Cannabinoids/Container: 274.79 mg

D9-THC THCA CRD CRDA D8-THC CRG CRGA THCV CRDV 0.096 1.031 0.561 86,458 0.325 ND 0.435 2.267 ND ND 3.09 259.37 0.29 0.98 ND 1.31 6.80 ND 1.68 ND mg/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD %

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA073211POT

Instrument Used: DA-LC-003 Analyzed Date : 05/24/24 12:47:32

Analyzed by: 3335, 1665, 585, 1440

Reagent: 052424.R01; 060723.24; 052324.R01 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 05/26/24 10:44:04

Batch Date: 05/24/24 09:08:26

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 05/27/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Good News Punch Disposable Vape 300mg

Punch

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40523011-026 Harvest/Lot ID: 0001 3428 6436 4769

Sampled: 05/23/24 Ordered: 05/23/24

Batch#:0001 3428 6436 Sample Size Received: 15.3 gram Total Amount: 738 units

Completed: 05/27/24 Expires: 05/27/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	14.24	4.746			ISOBORNEOL	0.007	ND	ND		
/ALENCENE	0.007	3.92	1.308			ISOPULEGOL	0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	2.91	0.970			NEROL	0.007	ND	ND		
IMONENE	0.007	1.67	0.557			OCIMENE	0.007	ND	ND		
LPHA-HUMULENE	0.007	0.95	0.318			SABINENE	0.007	ND	ND		
LPHA-BISABOLOL	0.007	0.82	0.273			SABINENE HYDRATE	0.007	ND	ND		
ETA-MYRCENE	0.007	0.64	0.213			CIS-NEROLIDOL	0.003	ND	ND		
INALOOL	0.007	0.45	0.149			TRANS-NEROLIDOL	0.005	ND	ND		
ETA-PINENE	0.007	0.39	0.129			Analyzed by:	Weight:	Extrac	tion date:		Extracted by:
ARYOPHYLLENE OXIDE	0.007	0.30	0.100		Ï	4451, 3605, 585, 1440	0.2087g		/24 12:25:3	5	4451
ENCHYL ALCOHOL	0.007	0.29	0.098		İ	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.	.061A.FL				
LPHA-PINENE	0.007	0.24	0.079		İ	Analytical Batch : DA073226TER				5/26/24 16:11:24 24/24 09:39:29	
ERANYL ACETATE	0.007	0.23	0.076		İ	Instrument Used: DA-GCMS-004 Analyzed Date: 05/24/24 12:25:59		Batci	1 Date : 05/.	24/24 09:39:29	
LPHA-TERPINEOL	0.007	0.18	0.061		İ	Dilution: 10					
UAIOL	0.007	0.18	0.060		İ	Reagent: 022224.07					
ARNESENE	0.001	0.15	0.050			Consumables: 947.109; 7931220; CE0123					
EXAHYDROTHYMOL	0.007	0.13	0.044			Pipette : DA-063					
LPHA-TERPINOLENE	0.007	0.12	0.040			Terpenoid testing is performed utilizing Gas Chromat	ography Mass Spectro	metry. For all	Flower samp	les, the Total Terpenes %	is dry-weight corrected.
AMMA-TERPINENE	0.007	0.11	0.038								
ULEGONE	0.007	0.11	0.035								
-CARENE	0.007	0.10	0.034								
LPHA-CEDRENE	0.005	0.10	0.033								
LPHA-PHELLANDRENE	0.007	0.10	0.032								
LPHA-TERPINENE	0.007	0.08	0.026								
AMPHENE	0.007	0.07	0.023								
ORNEOL	0.013	ND	ND								
AMPHOR	0.007	ND	ND								
EDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
otal (%)			4.746								

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/27/24



Kaycha Labs

Good News Punch Disposable Vape 300mg

Punch ____

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** jenna mlsna@crescolabs.com Sample : DA40523011-026 Harvest/Lot ID: 0001 3428 6436 4769

Batch#:0001 3428 6436

Sampled: 05/23/24 Ordered: 05/23/24 Sample Size Received: 15.3 gram
Total Amount: 738 units

Completed: 05/27/24 Expires: 05/27/25 Sample Method: SOP.T.20.010 Page 3 of 6



Pesticides

PA	SS	ED
----	----	----

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
CEPHATE	0.010	1.1	0.1	PASS	ND	PROPOXUR		0.010		0.1		
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010			PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
DSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZE	NE (DCND) *	0.010		0.15	PASS	ND
ILORANTRANILIPROLE	0.010		1	PASS	ND		NE (PCNB) *	0.010		0.13	PASS	ND
HLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *						
ILORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010	1.1.	0.1	PASS	ND	Analyzed by:	Weight:	Extract	ion date:		Extracte	d hv:
METHOATE	0.010		0.1	PASS	ND	3379, 585, 1440	0.2345q		4 15:48:44		3379	a by.
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.1				SOP.T.40.101	.FL (Gainesville),
OFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
OXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA0732311				n:05/27/24		
NHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-(Batch Date	:05/24/24 10	:26:15	
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : 05/24/24 15:	55:04					
ENPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 051724.R14; 05222	24 RN3: N52224 RN4	· 051724 R1	3· 042324 B0	11 · 052224 RC	11 - 040423 08	
PRONIL	0.010		0.1	PASS	ND	Consumables: 326250IW	24.1105, 052224.1104	, 031/24.1(1	3, 042324.110	71, 032224.110	71, 040425.00	
LONICAMID	0.010		0.1	PASS	ND	Pipette: DA-093; DA-094; DA	-219					
LUDIOXONIL	0.010	1.1	0.1	PASS	ND	Testing for agricultural agents i	s performed utilizing	Liquid Chrom	natography Tr	iple-Quadrupo	le Mass Spectror	netry in
EXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER	120-39.					
IAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	l by:
IIDACLOPRID	0.010	1.1.	0.4	PASS	ND	450, 585, 1440	0.2345g		15:48:44		3379	
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.1						
LATHION	0.010		0.2	PASS	ND	Analytical Batch : DA073234\ Instrument Used : DA-GCMS-				:05/27/24 09:4 5/24/24 10:28		
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date: 05/24/24 17:		Ба	con pace 10.	J, = 1/27 10.20		
THIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
ETHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 052224.R04; 04042	23.08; 052224.R40:	052224.R41				
EVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14						
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA	-218					
ALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents i	s performed utilizing	Gas Chromat	ography Trip	le-Quadrupole	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 05/27/24



Kaycha Labs

Good News Punch Disposable Vape 300mg

Punch

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40523011-026 Harvest/Lot ID: 0001 3428 6436 4769

Batch#: 0001 3428 6436

Sampled: 05/23/24 Ordered: 05/23/24

Sample Size Received: 15.3 gram

Total Amount: 738 units Completed: 05/27/24 Expires: 05/27/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

1,1-DICHLOROETHENE 1,2-DICHLOROETHANE	0.800	ppm	8	PASS PASS	ND	
•	0.200	ppm	2		ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		Extracted by:		

Reviewed On: 05/27/24 11:51:33

Batch Date: 05/24/24 14:46:19

850, 585, 1440 0.0263g 05/27/24 10:35:55

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA073255SOL Instrument Used: DA-GCMS-002 Analyzed Date: 05/24/24 15:17:38

Dilution: 1 Reagent: 030420.09

Consumables: G201.062; G201.167 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/27/24



Kaycha Labs

Good News Punch Disposable Vape 300mg

Punch

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40523011-026 Harvest/Lot ID: 0001 3428 6436 4769

Batch#: 0001 3428 6436

Sampled: 05/23/24 Ordered: 05/23/24

Sample Size Received: 15.3 gram

Total Amount: 738 units Completed: 05/27/24 Expires: 05/27/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA073233MYC

Analyzed Date: 05/24/24 15:51:43

Pipette: DA-093; DA-094; DA-219

Instrument Used : N/A

Consumables: 326250IW

Dilution: 250

040423.08

Metal

ARSENIC

CADMIUM

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Action

Level

1.1

0.2

0.2

0.2

0.5

Result

ND

ND

ND

ND

Reviewed On: 05/27/24 23:21:28

Batch Date: 05/24/24 10:28:36

Extracted by:

Analyte	LOD) Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fail
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction da	ite:		Extra
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 1440	0.2345g	05/24/24 15:			3379
Analyzed by:	Weight:	Extraction	date:	Extracte	ed by:	Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville)				lle),	

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 4044, 585, 1440 05/24/24 11:56:51 0.871g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA073215MIC

Reviewed On: 05/26/24

Batch Date: 05/24/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:15:00

Weight:

0.871g

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 05/24/24 16:05:30

Dilution: N/A

Reagent: 042324.45; 050324.05; 051024.R14; 030724.35

Consumables: 7573002038

3390, 4451, 585, 1440

Pipette: N/A Analyzed by

accordance wi	th F.S. Rule 64ER20-39.	
Hg	Heavy Metals	PASSED

LOD

0.080

0.020

0.020

0.020

0.020

Units

ppm

ppm

ppm

mag

ppm

Reagent: 051724.R14; 052224.R03; 052224.R04; 051724.R13; 042324.R01; 052224.R01;

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in

Dilution: N/A	
Analyzed Date : 05/24/24 16:10:21	
Instrument Used : Incubator (25-27*C) DA-097	Batch Date: 05/24/24 09:17:47
Analytical Batch : DA073216TYM	Reviewed On: 05/26/24 16:16:08
Analysis Method: SOP. 1.40.208 (Gainesville), SOP. 1.	40.209.FL

Extraction date

05/24/24 11:56:51

Reagent: 042324.45; 050324.05; 041124.R12 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

TOTAL CONTAMINANT LOAD METALS

Extracted by:

3621

MERCURY LEAD Analyzed by: 1022, 4056, 585, 1440

Weight:

Extraction date: 0.2812g 05/24/24 13:19:33 Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 05/26/24 10:51:46 Batch Date: 05/24/24 11:04:04

Analyzed Date: 05/24/24 17:22:12

Dilution: 50 Reagent: 051824.R03; 052024.R08; 051724.R17; 052024.R06; 052024.R07; 030424.01;

051424.R13

Consumables: 179436; 120123CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Analytical Batch : DA073251HEA Instrument Used : DA-ICPMS-004

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 05/27/24



Kaycha Labs

Good News Punch Disposable Vape 300mg

Punch

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: jenna mlsna@crescolahs.com Sample : DA40523011-026 Harvest/Lot ID: 0001 3428 6436 4769

Batch#: 0001 3428 6436

Sampled: 05/23/24 Ordered: 05/23/24

Sample Size Received: 15.3 gram Total Amount: 738 units Completed: 05/27/24 Expires: 05/27/25

Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA073257FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 05/24/24 21:25:38 Batch Date: 05/24/24 20:47:24

Analyzed Date: 05/24/24 21:13:07

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.513	PASS	0.85
Analyzed by:	Weight:	Fx	traction	date:	Fx	tracted by:

4512, 585, 1440 05/25/24 07:45:31 Analysis Method: SOP.T.40.019 Analytical Batch: DA073250WAT

Reviewed On: 05/25/24 13:25:26 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 05/24/24 10:52:58

Analyzed Date: 05/25/24 07:59:46

Dilution: N/A Reagent: 022024.29 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/27/24

pass/fail does not include the MU. Any calculated totals may contain rounding errors