

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Pssn Frt Passion Fruit Matrix: Derivative Type: Distillate



PASSED

MISC.

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA40528004-004 Harvest/Lot ID: 0001 3428 6436 5453 Batch#: 0001 3428 6436 5453 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6436 5453 Batch Date: 05/10/24 Sample Size Received: 15.5 gram Total Amount: 940 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram Servings: 1 Ordered: 05/13/24 Sampled: 05/28/24 Completed: 05/31/24 Sampling Method: SOP.T.20.010

Pages 1 of 6

May 31, 2024 | Sunnyside

indiantown, FL, 34956, US



SAFETY RESULTS

Pesticio PASS	des Hea	Hg wy Metals ASSED	Microbials PASSED	ې Mycoto PASS		Residuals Solvents PASSED	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes TESTED
Ä	Cannab	oinoid								F	PASSED
	7 81	THC .616 THC/Container			30	tal CBD .302% al CBD/Container			86	I Cannabinoids)
%	D9-THC 81.532	тнса 0.096	свр 0.302	CBDA ND	D8-ТНС 0.535	св д 2.117	CBGA ND	сви 0.965	тнсv 0.534	CBDV ND	свс 0.404
70 mg/unit	407.66	0.48	1.51	ND	2.68	10.59	ND	4.83	2.67	ND	2.02
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585	, 1440			Weight: 0.102g		Extraction date: 05/29/24 13:09:07				Extracted by: 3335	
Analytical Batch Instrument Used	I: SOP.T.40.031, SOP.T.40.031, SOP.T.40.031, SOP.T.40.03 I: DA-LC-003 05/29/24 13:14:59	DP.T.30.031				Reviewed On : 05 Batch Date : 05/2					
Consumables : 9	24.R02; 060723.24; 947.109; 120123CH 9; DA-108; DA-078	052424.R04 01; CE0123; R1KB1	.4270								

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/31/24



..... Good News Vape Cartridge 500mg Pssn Frt Passion Fruit Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40528004-004 Harvest/Lot ID: 0001 3428 6436 5453 Batch#:0001 3428 6436 5453

Sampled : 05/28/24 Ordered : 05/28/24

Sample Size Received : 15.5 gram Total Amount : 940 units Completed : 05/31/24 Expires: 05/31/25 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	6.18	1.236		ALPHA-CEDRENE		0.005	ND	ND		
IMONENE	0.007	2.12	0.423		ALPHA-HUMULENE		0.007	ND	ND		
ETA-MYRCENE	0.007	1.10	0.220		ALPHA-PHELLANDRENE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	0.72	0.144		ALPHA-TERPINENE		0.007	ND	ND		
LPHA-BISABOLOL	0.007	0.60	0.119		ALPHA-TERPINEOL		0.007	ND	ND		
LPHA-PINENE	0.007	0.59	0.117		ALPHA-TERPINOLENE		0.007	ND	ND		
INALOOL	0.007	0.57	0.113		CIS-NEROLIDOL		0.003	ND	ND		
ETA-PINENE	0.007	0.38	0.075		TRANS-NEROLIDOL		0.005	ND	ND		
AMMA-TERPINENE	0.007	0.13	0.025		Analyzed by:	Weight:		Extraction d	ate:	E	xtracted by:
CARENE	0.007	ND	ND		3605, 585, 1440	0.2192g		05/29/24 12	:24:02		605
DRNEOL	0.013	ND	ND		Analysis Method : SOP.T.30.061/						
AMPHENE	0.007	ND	ND		Analytical Batch : DA073332TER Instrument Used : DA-GCMS-008					5/30/24 10:11:23 29/24 09:55:28	
AMPHOR	0.007	ND	ND		Analyzed Date : 05/29/24 12:24:			Batch	Date: US/	29/24 09:55:28	
ARYOPHYLLENE OXIDE	0.007	ND	ND		Dilution : 10						
EDROL	0.007	ND	ND		Reagent : 022224.07						
JCALYPTOL	0.007	ND	ND		Consumables : 947.109; 793122	0; CE0123					
ARNESENE	0.007	ND	ND		Pipette : DA-063						
INCHONE	0.007	ND	ND		Terpenoid testing is performed utilizi	ng Gas Chromatography	Mass Spect	rometry. For all I	Hower samp	ples, the Total Terpenes % is dry-v	veight corrected.
ENCHYL ALCOHOL	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
UAIOL	0.007	ND	ND								
EXAHYDROTHYMOL	0.007	ND	ND								
OBORNEOL	0.007	ND	ND								
OPULEGOL	0.007	ND	ND								
EROL	0.007	ND	ND								
CIMENE	0.007	ND	ND								
	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
ULEGONE ;ABINENE ;ABINENE HYDRATE /ALENCENE	0.007	ND ND	ND ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/31/24

PASSED

TESTED



..... Good News Vape Cartridge 500mg Pssn Frt Passion Fruit Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna mlsna@crescolabs.com Sample : DA40528004-004 Harvest/Lot ID: 0001 3428 6436 5453

Batch#:0001 3428 6436 5453 Sampled : 05/28/24 Ordered : 05/28/24

Sample Size Received : 15.5 gram Total Amount : 940 units Completed : 05/31/24 Expires: 05/31/25 Sample Method : SOP.T.20.010

Page 3 of 6

R 0 P

Pesticides

Pesticide	LOD	Units	Action	Pass/Fail	Result	De estada.	1.00	Hulte	0 at 1 a 11	D//!!	Basselt
			Level			Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	P.P.	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	maa	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND					PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		ppm	0.1		
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0,010	ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *				PASS	
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.1		ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extract	ion date:		Extracted I	
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440 0.2955g		4 17:44:12		4056,450	.,.
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville			SOP.T.40.101),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA073344PES			n:05/30/24 1		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:05/29/24 11:	:30:56	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : N/A					
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 052224.R04: 040423.08: 052424.R1	7. 052024 POA	1. 052824 P01	052024 P31	· 052024 P02	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	7,052524.1104	F, 052024.It01	, 052524.1151	, 032324.1102	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizir	ng Liquid Chron	natography Tri	ple-Quadrupol	e Mass Spectror	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted b	y:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.2955g		17:44:12		4056,450	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch :DA073345VOL Instrument Used :DA-GCMS-010		eviewed On : atch Date : 05			
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :05/29/24 19:29:27	В	atte :05	/29/24 11:33:	.05	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 052224.R04: 040423.08: 052224.R4(): 052224.R41				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401	.,				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizir	ng Gas Chroma	tography Triple	e-Quadrupole I	Mass Spectrome	try in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/31/24



Good News Vape Cartridge 500mg Pssn Frt Passion Fruit Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40528004-004 Harvest/Lot ID:0001 3428 6436 5453 Batch# : 0001 3428 6436 Sample 5453 Sampled : 05/28/24 Complet

Ordered : 05/28/24

428 6436 5453 36 Sample Size Received :15.5 gram Total Amount :940 units Completed : 05/31/24 Expires: 05/31/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
FOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0273g	Extraction date: 05/30/24 12:23:32		Extracte 3605,85	
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA073369SOL Instrument Used : DA-GCMS-002 Analyzed Date : 05/30/24 15:09:20			Dn : 05/30/24 20:15:43 : 05/29/24 12:37:32		
Dilution 1					

Dilution : 1 Reagent : 030420.09 Consumables : R2017.120; G201.100

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/31/24

PASSED



Good News Vape Cartridge 500mg Pssn Frt Passion Fruit Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40528004-004 Harvest/Lot ID: 0001 3428 6436 5453 Batch# : 0001 3428 6436 Sample

5453 Sampled : 05/28/24 Ordered : 05/28/24 Sample Size Received : 15.5 gram Total Amount : 940 units Completed : 05/31/24 Expires: 05/31/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ5	Microk	oial			PAS	SED	သို့	My	/cotox	ins			PAS	SED
Analyte		LOD) Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREIIS			Not Present	PASS	Level	AFLATOXIN I	2		0.002	2 ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXIN			0.002	1.1.	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	1-1-	ND	PASS	0.02
	A SPECIFIC GENE	=		Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02
ECOLI SHIGE		-		Not Present	PASS			-			1.1.			
	T AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 144)	Weight: 0.2955g	Extraction 0 05/29/24 1			xtracted 056,450	by:
Analyzed by: 520, 4044, 58	5, 1440	Weight: 0.93g	Extraction da 05/29/24 10:		Extracte 3621	d by:	Analysis Metho SOP.T.30.102.				T.40.101.FI	L (Gainesv	ille),	
Analysis Metho	od : SOP.T.40.0560 h : DA073318MIC	C, SOP.T.40.0		40.209.FL	ed On : 05	/31/24	Analytical Batc Instrument Use Analyzed Date	n:DA073 d:N/A		Rev	ewed On : 0 h Date : 05,			
DA-020,fisherb sotemp Heat B Analyzed Date Dilution : N/A	: 05/29/24 15:36:	at Block DA-0 23	149,Fisher Scie		55			326250IV 3; DA-09 ng utilizing	N 4; DA-219 g Liquid Chromat					
consumables : Pipette : N/A	324.26; 051024.R1 7572002025	14; 030724.3	15				accordance with							
Analyzed by: 3390, 585, 144	Weig 0 0.93		raction date: /29/24 10:22:2	1	Extracted 3621	by:	Hg	Не	avy M	etals			PAS	SED
	od:SOP.T.40.208 h:DA073319TYM		Reviewed Or	0.FL 1:05/31/24 17: 05/29/24 08:35			Metal			LOD	Units	Result	Pass / Fail	Action Level
	: 05/29/24 17:53:	31	battii bate :	05/25/24 00.55			TOTAL CONT	AMINAN	T LOAD META	ALS 0.080) ppm	ND	PASS	1.1
ilution : N/A							ARSENIC			0.020) ppm	ND	PASS	0.2
	324.26; 041124.R1	12					CADMIUM			0.020) ppm	ND	PASS	0.2
onsumables :							MERCURY			0.020) ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.020) ppm	ND	PASS	0.5
	mold testing is perfo F.S. Rule 64ER20-39		MPN and tradition	onal culture based	l techniques	; in	Analyzed by: 1022, 585, 144)	Weight: 0.2633g	Extraction d 05/29/24 11			xtracted & 056,1022	
							Analysis Metho Analytical Bato Instrument Use Analyzed Date	n:DA073 d:DA-IC	330HEA PMS-004	Revie	wed On : 05 Date : 05/2			
							Dilution : 50	24.002		F1704 D17 0F	2024 000.0	050004.01	0. 02042	4.01

Reagent: 051824.R03; 052824.R13; 051724.R17; 052824.R08; 052824.R10; 030424.01; 051424.R13 Consumables: 179436; 120123CH01; 210508058

Consumables : 179436; 120123CH01; 21050805 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/31/24



..... Good News Vape Cartridge 500mg Pssn Frt Passion Fruit Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

> Filth/Foreign **Material**

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna mlsna@crescolabs.com Sample : DA40528004-004 Harvest/Lot ID: 0001 3428 6436 5453 Batch#:0001 3428 6436 5453

Sample Size Received : 15.5 gram Sampled : 05/28/24 Ordered : 05/28/24

PASSED

Total Amount : 940 units Completed : 05/31/24 Expires: 05/31/25 Sample Method : SOP.T.20.010

Analyte Filth and Forei	gn Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Leve
Analyzed by: 1879, 585, 1440		Weight: NA	Extraction N/A	on date:	Extr N/A	acted by:
Analysis Method Analytical Batch Instrument Used Analyzed Date : (: DA073371FIL : Filth/Foreign	Material Micro	oscope			9/24 13:52:21 24 13:28:24
Dilution : N/A Reagent : N/A Consumables : N	/A					
Filth and foreign m				spection utilizi	ng naked ey	/e and microscope
Pipette : N/A Filth and foreign m technologies in acc	ordance with F.S		39.	spection utilizi		re and microscope
Filth and foreign m	Water	. Rule 64ER20-	vity Units	spection utilizi Result 0.480		

Analysis Method : SOP.T.40.019 Reviewed On: 05/30/24 09:19:30 Analytical Batch : DA073339WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 05/29/24 10:27:56 Analyzed Date : 05/30/24 08:15:39 Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/31/24

PASSED

Page 6 of 6