



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40531007-004
Harvest/Lot ID: 0001 3428 6437 0084
Batch#: 0001 3428 6437 0084
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0001 3428 6437 1857
Batch Date: 05/20/24
Sample Size Received: 56 gram
Total Amount: 573 units
Retail Product Size: 14 gram
Retail Serving Size: 14 gram
Servings: 1
Ordered: 05/23/24
Sampled: 05/31/24
Completed: 06/04/24
Sampling Method: SOP.T.20.010

Jun 04, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

19.868%

Total THC/Container : 2781.52 mg



Total CBD

0.061%

Total CBD/Container : 8.54 mg



Total Cannabinoids

22.926%

Total Cannabinoids/Container : 3209.64 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.672	21.889	ND	0.070	0.044	0.067	0.156	ND	ND	ND	0.028
mg/unit	94.08	3064.46	ND	9.80	6.16	9.38	21.84	ND	ND	ND	3.92
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
1665, 585, 1440

Weight:
0.2183g

Extraction date:
06/03/24 10:58:59

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA073535POT

Instrument Used : DA-LC-002

Analyzed Date : 06/03/24 11:00:04

Reviewed On : 06/04/24 12:25:02

Batch Date : 06/02/24 22:48:23

Dilution : 400

Reagent : 052924.R01; 032123.11; 052324.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Blue Pave (I)
Blue Pave
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40531007-004

Harvest/Lot ID: 0001 3428 6437 0084

Batch# : 0001 3428 6437
0084

Sample Size Received : 56 gram

Total Amount : 573 units

Completed : 06/04/24 Expires: 06/04/25

Ordered : 05/31/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	173.32	1.238		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	36.54	0.261		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	30.10	0.215		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	23.94	0.171		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	16.10	0.115		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	14.84	0.106		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	12.18	0.087		CIS-NEROLIDOL	0.003	ND	ND	
FENCHYL ALCOHOL	0.007	10.08	0.072		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	9.80	0.070						
TRANS-NEROLIDOL	0.005	7.98	0.057		Analyzed by:	Weight:	Extraction date:	Extracted by:	
BETA-PINENE	0.007	7.14	0.051		3605, 585, 1440	1.0743g	06/01/24 15:59:36	1879	
ALPHA-PINENE	0.007	4.62	0.033		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA073500TER				Reviewed On : 06/03/24 21:33:19
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-009				Batch Date : 06/01/24 12:46:13
CAMPHENE	0.007	ND	ND		Analyzed Date : N/A				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 022224.07				
CEDROL	0.007	ND	ND		Consumables : 947.109; 7931220; CE0123				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-063				
FARNESENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			1.238						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Blue Pave (I)
Blue Pave
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40531007-004

Harvest/Lot ID: 0001 3428 6437 0084

Batch# : 0001 3428 6437

0084

Sampled : 05/31/24

Ordered : 05/31/24

Sample Size Received : 56 gram

Total Amount : 573 units

Completed : 06/04/24 Expires: 06/04/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.9284g	Extraction date: 06/03/24 18:25:42	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA073521PES		Reviewed On : 06/04/24 15:38:17			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 06/02/24 13:29:43			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 052424.R17; 052924.R04; 052924.R05; 052924.R01; 052924.R31; 052924.R02; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9284g	Extraction date: 06/03/24 18:25:42	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA073523VOL		Reviewed On : 06/04/24 15:28:58			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 06/02/24 13:31:45			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 06/03/24 18:36:32					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 052924.R05; 040423.08; 052224.R40; 052224.R41					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Blue Pave (I)
Blue Pave
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40531007-004

Harvest/Lot ID: 0001 3428 6437 0084

Batch# : 0001 3428 6437
0084

Sampled : 05/31/24
Ordered : 05/31/24



Sample Size Received : 56 gram


Total Amount : 573 units

Completed : 06/04/24 Expires: 06/04/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2				0.002	ppm	ND	PASS	0.02						
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1				0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A				0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1				0.002	ppm	ND	PASS	0.02						
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2				0.002	ppm	ND	PASS	0.02						
ECOLI SHIGELLA				Not Present	PASS																
TOTAL YEAST AND MOLD		10	CFU/g	25000	PASS	100000	Analyzed by: 3379, 585, 1440		Weight: 0.9284g	Extraction date: 06/03/24 18:25:42		Extracted by: 450,585									
Analyzed by: 3390, 585, 1440		Weight: 0.9781g		Extraction date: 06/01/24 11:37:16		Extracted by: 4044		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)													
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA073522MYC									Reviewed On : 06/04/24 15:36:56						
Analytical Batch : DA073475MIC						Instrument Used : N/A									Batch Date : 06/02/24 13:31:43						
Analyzed Date : 06/03/24 17:49:54						Analyzed Date : N/A															
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250															
Analyzed Date : 06/03/24 17:49:54						Reagent : 052424.R17; 052924.R04; 052924.R05; 052824.R01; 052924.R31; 052924.R02; 040423.08															
						Consumables : 326250IW															
						Pipette : DA-093; DA-094; DA-219															
Dilution : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Reagent : 050324.01; 052024.30; 051024.R14; 030724.36																					
Consumables : 7572002024																					
Pipette : N/A																					
Analyzed by: 4351, 3390, 585, 1440		Weight: 0.9781g		Extraction date: 06/01/24 11:37:16		Extracted by: 4044															
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																					
Analytical Batch : DA073478TYM						Reviewed On : 06/03/24 21:24:35															
Instrument Used : Incubator (25-27°C) DA-096						Batch Date : 06/01/24 09:34:16															
Analyzed Date : 06/01/24 12:54:56																					
Dilution : N/A																					
Reagent : 050324.01; 052024.30; 041124.R12																					
Consumables : N/A																					
Pipette : N/A																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																					

	Heavy Metals					PASSED				
Metal		LOD	Units	Result	Pass / Fail	Action Level				
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1				
ARSENIC		0.020	ppm	ND	PASS	0.2				
CADMIUM		0.020	ppm	ND	PASS	0.2				
MERCURY		0.020	ppm	ND	PASS	0.2				
LEAD		0.020	ppm	ND	PASS	0.5				
Analyzed by: 1022, 585, 1440		Weight: 0.2957g	Extraction date: 06/01/24 14:25:38		Extracted by: 4056					



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2957g Extraction date: 06/01/24 14:25:38 Extracted by: 4056					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA073493HEA Reviewed On : 06/03/24 21:20:58 Batch Date : 06/01/24 12:24:38					
Instrument Used : DA-ICPMS-004 Analyzed Date : 06/03/24 16:36:17					
Dilution : 50 Reagent : 052924.R44; 052824.R13; 053024.R03; 052824.R08; 052824.R10; 030424.01; 051424.R13 Consumables : 179436; 120123CH01; 210508058 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Blue Pave (I)
Blue Pave
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40531007-004

Harvest/Lot ID: 0001 3428 6437 0084

Batch# : 0001 3428 6437
0084

Sampled : 05/31/24

Ordered : 05/31/24

Sample Size Received : 56 gram

Total Amount : 573 units

Completed : 06/04/24 Expires: 06/04/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.48	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4512, 585, 1440	Weight: 0.504g	Extraction date: 06/02/24 08:50:18	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA073495FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 06/03/24 00:22:17						Analysis Method : SOP.T.40.021 Analytical Batch : DA073488MOI Reviewed On : 06/03/24 11:11:13 Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser Analyzed Date : 06/02/24 11:34:58					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.522	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.8902g	Extraction date: 06/02/24 09:21:08	Extracted by: 4512		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA073489WAT			Reviewed On : 06/03/24 21:28:15		
Instrument Used : DA-028 Rotronic HygroPalm			Batch Date : 06/01/24 11:33:16		
Analyzed Date : 06/02/24 09:48:31					
Dilution : N/A					
Reagent : 022024.29					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/04/24