

Kaycha Labs

Cresco Premium Flower 3.5g - Sunset Sherbet x OZ Kush (I)

Sunset Sherbet X OZ Kush

Matrix: Flower Type: Flower-Cured



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample:DA40531007-014

Harvest/Lot ID: 0001 3428 6436 5632

Batch#: 0001 3428 6436 5632

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 0001 3428 6437 0290

Batch Date: 05/21/24

Sample Size Received: 84 gram

Total Amount: 6322 units

Retail Product Size: 3.5 gram

Retail Serving Size: 3.5 gram

Servings: 1

Ordered: 05/21/24 Sampled: 05/31/24

Completed: 06/04/24

Sampling Method: SOP.T.20.010

PASSED

indiantown, FL, 34956, US

22205 Sw Martin Hwv

Jun 04, 2024 | Sunnyside



SAFETY RESULTS

Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Sunnyside

Residuals Solvents **NOT TESTED**



Filth **PASSED**



Water Activity **PASSED**



Pages 1 of 5

Moisture **PASSED**





Terpenes TESTED

PASSED



Cannabinoid



Total THC

Total THC/Container: 710.05 mg



Total CBD

Total CBD/Container: 1.47 mg



Total Cannabinoids

Total Cannabinoids/Container: 836.57

									9			
		-										
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС	
%	0.623	22.422	ND	0.049	0.027	0.098	0.629	ND	ND	ND	0.054	
mg/unit	21.81	784.77	ND	1.72	0.95	3.43	22.02	ND	ND	ND	1.89	
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	
	%	%	%	%	%	%	%	%	%	%	%	
alyzed by:			Weigl			Extraction date:			Extracted by:			
65, 585, 1440			0.208	16g	06/03	/24 10:59:31			1665			

Reviewed On: 06/04/24 12:25:21

Batch Date: 06/02/24 22:48:23

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA073535POT

Instrument Used: DA-LC-002

Analyzed Date: 06/03/24 11:00:04

Dilution: 400

Reagent: 052924.R01; 032123.11; 052324.R01 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Cresco Premium Flower 3.5g - Sunset Sherbet x OZ Kush (I) Sunset Sherbet X OZ Kush

Matrix: Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40531007-014 Harvest/Lot ID: 0001 3428 6436 5632

Batch#:0001 3428 6436

Sampled: 05/31/24 Ordered: 05/31/24

Sample Size Received: 84 gram Total Amount : 6322 units

Completed: 06/04/24 Expires: 06/04/25 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	65.94	1.884			VALENCENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	20.69	0.591			ALPHA-CEDRENE		0.005	ND	ND	
LIMONENE	0.007	14.28	0.408			ALPHA-PHELLANDRENE		0.007	ND	ND	
ALPHA-HUMULENE	0.007	9.14	0.261			ALPHA-TERPINENE		0.007	ND	ND	
BETA-MYRCENE	0.007	5.67	0.162			ALPHA-TERPINOLENE		0.007	ND	ND	
LINALOOL	0.007	4.27	0.122			CIS-NEROLIDOL		0.003	ND	ND	
BETA-PINENE	0.007	3.01	0.086			GAMMA-TERPINENE		0.007	ND	ND	
ALPHA-PINENE	0.007	2.17	0.062		ï	TRANS-NEROLIDOL		0.005	ND	ND	
FENCHYL ALCOHOL	0.007	2.03	0.058			Analyzed by:	Weight:		Extraction d	ato.	Extracted by:
ALPHA-BISABOLOL	0.007	1.86	0.053			3605, 585, 1440	1.1427g		06/01/24 16		1879
ALPHA-TERPINEOL	0.007	1.68	0.048			Analysis Method : SOP.T.30.061A.FL,	, SOP.T.40.061A.FL				
OCIMENE	0.007	1.16	0.033			Analytical Batch : DA073500TER					06/03/24 21:33:51
3-CARENE	0.007	ND	ND			Instrument Used : DA-GCMS-009 Analyzed Date : N/A			Batch	Date: 06	5/01/24 12:46:13
BORNEOL	0.013	ND	ND			Dilution: 10					
CAMPHENE	0.007	ND	ND			Reagent: 022224.07					
CAMPHOR	0.007	ND	ND			Consumables: 947.109; 7931220; Cl	E0123				
CARYOPHYLLENE OXIDE	0.007	ND	ND			Pipette : DA-063					
CEDROL	0.007	ND	ND			Terpenoid testing is performed utilizing G	ias Chromatography I	lass Specti	rometry. For all	Flower san	nples, the Total Terpenes % is dry-weight corrected.
EUCALYPTOL	0.007	ND	ND								
FARNESENE	0.007	ND	ND								
FENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND								
Total (%)			1.884								

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Cresco Premium Flower 3.5g - Sunset Sherbet x OZ Kush (I) Sunset Sherbet X OZ Kush

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

LOD Unite

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** ienna mlsna@crescolabs.com Sample : DA40531007-014 Harvest/Lot ID: 0001 3428 6436 5632

Pacc/Eail Pacult

Batch#:0001 3428 6436

5632 Sampled: 05/31/24 Ordered: 05/31/24 Sample Size Received: 84 gram
Total Amount: 6322 units
Completed: 06/04/24 Expires: 06/04/25
Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Dage/Eail Beauth

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nnm	5	PASS	ND			0.010		Level	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	OXAMYL		0.010		0.5		ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PERMETHRINS	0.010		0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEOUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND					0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010				
BIFENAZATE	0.010		0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
	0.010		0.3	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CARBOFURAN CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEOUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CHLORFENAPYR *				0.5		ND
DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050			PASS	
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted b	y:
ETHOPROPHOS	0.010		0.1	PASS	ND	3379, 585, 1440	1.0547g		18:21:50		450,585	
ETOFENPROX	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.101 SOP.T.40.102.FL (Davie)	L.FL (Gainesville), SC	JP.1.30.102	2.FL (Davie), S	OP.1.40.101.	·L (Gainesville),	
LI OI LIII NOX			0.1	PASS	ND	Analytical Batch : DA073524PE	ς		Paviawad O	• 06/04/24 1	1.47.14	
ETOYAZOLE	0.010	ppm				Analytical Batch : DA073524PES						
ETOXAZOLE FENHEXAMID	0.010		0.1	PASS	ND							
FENHEXAMID	0.010	ppm	0.1		ND							
FENHEXAMID FENOXYCARB	0.010 0.010	ppm ppm	0.1	PASS		Instrument Used : DA-LCMS-00: Analyzed Date : N/A Dilution : 250	3 (PES)		Batch Date :	06/02/24 13:3	33:08	
FENHEXAMID FENOXYCARB FENPYROXIMATE	0.010 0.010 0.010	ppm ppm ppm	0.1	PASS PASS	ND ND	Instrument Used: DA-LCMS-00: Analyzed Date: N/A Dilution: 250 Reagent: 052424.R17; 052924	3 (PES)		Batch Date :	06/02/24 13:3	33:08	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL	0.010 0.010 0.010 0.010	ppm ppm ppm ppm	0.1 0.1 0.1 0.1	PASS PASS PASS	ND ND ND ND	Instrument Used : DA-LCMS-00. Analyzed Date : N/A Dilution : 250 Reagent : 052424.R17; 052924 Consumables : 326250IW	3 (PES) .R04; 052924.R05; (Batch Date :	06/02/24 13:3	33:08	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID	0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm	0.1 0.1 0.1	PASS PASS PASS PASS	ND ND ND	Instrument Used: DA-LCMS-00. Analyzed Date: N/A Dilution: 250 Reagent: 052424.R17; 052924 Consumables: 326250IW Pipette: DA-093; DA-094; DA-2	3 (PES) .R04; 052924.R05; 0	052824.R0	Batch Date :	06/02/24 13:3 L; 052924.R02	33:08	otovin
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL	0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS	ND ND ND ND	Instrument Used : DA-LCMS-00: Analyzed Date : N/A Dilution : 250 Reagent : 052424.R17; 052924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is p	.R04; 052924.R05; 0	052824.R0	Batch Date :	06/02/24 13:3 L; 052924.R02	33:08	etry in
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX	0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND	Instrument Used : DA-LCMS-00 Analyzed Date : N/A Dilution : 250 Reagent : 05242.4R.17; 052924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is accordance with F.S. Rule 64ER2C	.R04; 052924.R05; 0 19 performed utilizing Lio 1-39.	052824.R03	Batch Date: 1; 052924.R31 atography Trip	06/02/24 13:3 L; 052924.R02	33:08 2; 040423.08 • Mass Spectrom	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL	0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND	Instrument Used : DA-LCMS-00: Analyzed Date : N/A Dilution : 250 Reagent : 052424.R17; 052924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is p	.R04; 052924.R05; 0	052824.R0	Batch Date: 1; 052924.R31 atography Trip n date:	06/02/24 13:3 L; 052924.R02	33:08	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND	Instrument Used : DA-LCMS-00. Analyzed Date : N/A Dilution : 250 Reagent : 05242.4.R17; 052924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is paccordance with F.S. Rule 64ER20 Analyzed by:	3 (PES) .R04; 052924.R05; (19 performed utilizing Lid39. Weight: 1.0547g	052824.R03 quid Chrom Extractio 06/03/24	Batch Date: 1; 052924.R31 atography Trip n date: 18:21:50	06/02/24 13:3 L; 052924.R02 ole-Quadrupole	2; 040423.08 Mass Spectrom Extracted by 450,585	
FENHEXAMID FENOXYCARB FENDYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used : DA-LCMS-00. Analyzed Date : N/A Dilution : 250 Reagent : 05242.4.R17; 052924 Consumables : 326250lW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is paccordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analysis Method : SOP.T.30.153 Analytical Batch : DA073526VO	3 (PES) .R04; 052924.R05; 0 19 performed utilizing Lio-39. Weight: 1.0547g L.L (Gainesville), SC	052824.R03 quid Chrom Extractio 06/03/24 DP.T.30.153 Re	Batch Date: 1; 052924.R31 atography Trip n date: 18:21:50 LA.FL (Davie), viewed On:	06/02/24 13:3 L; 052924.R02 ble-Quadrupole SOP.T.40.151 06/04/24 10:4	33:08 2; 040423.08 • Mass Spectrom Extracted by 450,585 FL 7:46	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used: DA-LCMS-00 Analyzed Date: N/A Dilution: 250 Reagent: 05242.4.R17; 052924 Consumables: 326250IW Pipette: DA-093; DA-094; DA-2 Testing for agricultural agents is accordance with F.S. Rule 64ER2C Analyzed by: 450, 585, 1440 Analysis Method: SOP.T.30.15; Analytical Batch: DA073526VO Instrument Used: DA0735C6VMS-00	R04; 052924.R05; 0 19 performed utilizing Lid 3-39. Weight: 1.0547g LFL (Gainesville), SOOL	052824.R03 quid Chrom Extractio 06/03/24 DP.T.30.153 Re	Batch Date: 1; 052924.R31 atography Trip n date: 18:21:50 1A.FL (Davie),	06/02/24 13:3 L; 052924.R02 ble-Quadrupole SOP.T.40.151 06/04/24 10:4	33:08 2; 040423.08 • Mass Spectrom Extracted by 450,585 FL 7:46	
FENHEXAMID FENOXYCARB FENDYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.4	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used : DA-LCMS-00. Analyzed Date : N/A Dilution : 250 Reagent : 052424.R17; 052924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is accordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analysis Method : SOP.T.30.151 Analytical Batch : DA073526V0 Instrument Used : DA-GCMS-00 Analyzed Date : 05/03/24 18:37	R04; 052924.R05; 0 19 performed utilizing Lid 3-39. Weight: 1.0547g LFL (Gainesville), SOOL	052824.R03 quid Chrom Extractio 06/03/24 DP.T.30.153 Re	Batch Date: 1; 052924.R31 atography Trip n date: 18:21:50 LA.FL (Davie), viewed On:	06/02/24 13:3 L; 052924.R02 ble-Quadrupole SOP.T.40.151 06/04/24 10:4	33:08 2; 040423.08 • Mass Spectrom Extracted by 450,585 FL 7:46	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALI IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.4 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used : DA-LCMS-00. Analyzed Date : N/A Dilution : 250 Reagent : 05242.4.R17; 052924 Consumables : 326250lW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is paccordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analysis Method : SOP.T.30.15: Analytical Batch : DA073526VO Instrument Used : DA-GCMS-00 Analyzed Date : 06/03/24 18:37 Dilution : 250	3 (PES) .R04; 052924.R05; 0 19 performed utilizing Lio-39. Weight: 1.05479 LIL (Gainesville), SO LIL (137)	052824.R01 quid Chrom Extractio 06/03/24 DP.T.30.151 Re Ba	Batch Date: 1; 052924.R31 atography Trip n date: 18:21:50 LA.FL (Davie), viewed On:	06/02/24 13:3 L; 052924.R02 ble-Quadrupole SOP.T.40.151 06/04/24 10:4	33:08 2; 040423.08 • Mass Spectrom Extracted by 450,585 FL 7:46	
FENHEXAMID FENOXYCARB FENDYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHICARB	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used : DA-LCMS-00. Analyzed Date : N/A Dilution : 250 Reagent : 052424.R17; 052924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is accordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analysis Method : SOP.T.30.151 Analytical Batch : DA073526V0 Instrument Used : DA-GCMS-00 Analyzed Date : 05/03/24 18:37	3 (PES) .R04; 052924.R05; 0 19 performed utilizing Lid .3-39. Weight: 1.0547g L.FL (Gainesville), SO L 1 :37	052824.R01 quid Chrom Extractio 06/03/24 DP.T.30.151 Re Ba	Batch Date: 1; 052924.R31 atography Trip n date: 18:21:50 LA.FL (Davie), viewed On:	06/02/24 13:3 L; 052924.R02 ble-Quadrupole SOP.T.40.151 06/04/24 10:4	33:08 2; 040423.08 • Mass Spectrom Extracted by 450,585 FL 7:46	
FENHEXAMID FENOXYCARB FENDYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOZARB METHOMYL	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used: DA-LCMS-00. Analyzed Date: N/A Dilution: 250 Reagent: 052424.R17; 052924 Consumables: 326250IW Pipette: DA-093; DA-094; DA-2 Testing for agricultural agents is; accordance with F.S. Rule 64ER2C Analyzed by: 450, 585, 1440 Analysis Method: SOP.T.30.15; Analytical Batch: DA073526VC Instrument Used: DA-GCMS-00 Analyzed Date: 06/03/24 18:37 Dilution: 250 Reagent: 052924.R05; 040423	3 (PES) .R04; 052924.R05; 0 19 performed utilizing Lio-3-39. Weight: 1.0547g 1.FL (Gainesville), SO 11 :37 .08; 052224.R40; 05	052824.R01 quid Chrom Extractio 06/03/24 DP.T.30.151 Re Ba	Batch Date: 1; 052924.R31 atography Trip n date: 18:21:50 LA.FL (Davie), viewed On:	06/02/24 13:3 L; 052924.R02 ble-Quadrupole SOP.T.40.151 06/04/24 10:4	33:08 2; 040423.08 • Mass Spectrom Extracted by 450,585 FL 7:46	
FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB METHOMYL MEVINPHOS	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Instrument Used : DA-LCMS-00. Analyzed Date : N/A Dilution : 250 Reagent : 05242.4R17; 052924 Consumables : 326250IW Pipette : DA-093; DA-094; DA-2 Testing for agricultural agents is paccordance with F.S. Rule 64ER20 Analyzed by: 450, 585, 1440 Analysis Method : SOP.T. 30.151 Analytical Batch : DA073526VO Instrument Used : DA-CCMS-00 Analyzed Date : 06/03/24 18:37 Dilution : 250 Reagent : 052924.R05; 040423 Consumables : 326250IW; 1477	3 (PES) .R04; 052924.R05; 0 19 .Boerformed utilizing Lid .3-39. .Weight: 1.0547gFt. (Gainesville), SC	052824.R0: quid Chrom Extractio 06/03/24 OP.T.30.15: Re Ba	Batch Date: 1; 052924.R31 atography Trip n date: 18:21:50 1A.FL (Davie), viewed On : (tch Date: 06)	06/02/24 13:3 L; 052924.R02 DIE-Quadrupole SOP.T.40.151 16/04/24 10:4' 02/24 13:34:5	33:08 Mass Spectrom Extracted by 450,585 .FL 7:46	y:

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Cresco Premium Flower 3.5g - Sunset Sherbet x OZ Kush (I) Sunset Sherbet X OZ Kush

Matrix: Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40531007-014 Harvest/Lot ID: 0001 3428 6436 5632

Batch#:0001 3428 6436

Sampled: 05/31/24 **Ordered**: 05/31/24 Sample Size Received: 84 gram Total Amount : 6322 units Completed: 06/04/24 Expires: 06/04/25

Sample Method: SOP.T.20.010

Page 4 of 5



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Е
TOTAL YEAST AND MOLD	10	CFU/g	160	PASS	100000	3379, 585, 1440	1.0547g	0

Analyzed by: Weight: **Extraction date:** Extracted by: 1.038g 3390, 585, 1440 06/01/24 11:37:19

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Weight:

Analytical Batch: DA073475MIC **Reviewed On:** 06/03/24

21:25:58 Batch Date: 06/01/24

Extracted by:

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:03:47

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 06/03/24 17:49:54

Reagent: 050324.01; 052024.30; 051024.R14; 030724.36

Consumables: 7572002024

Pipette: N/A Analyzed by:

0						
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN	B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN	B1	0.002	ppm	ND	PASS	0.02
OCHRATOXII	N A	0.002	ppm	ND	PASS	0.02
AFLATOXIN	G1	0.002	maa	ND	PASS	0.02

0.002 PASS ppm **Extraction date:** Extracted by: 06/03/24 18:21:50 450,585 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville).

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA073525MYC Reviewed On: 06/04/24 10:13:59 Batch Date: 06/02/24 13:34:52 Instrument Used: N/A

Analyzed Date : N/A

Dilution: 250 Reagent: 052424.R17; 052924.R04; 052924.R05; 052824.R01; 052924.R31; 052924.R02;

040423.08 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

4351, 3390, 585, 1440	1.038g	06/01/24 11:37:19	4044
Analysis Method: SOP.T.40.2 Analytical Batch: DA073478 Instrument Used: Incubator	ГҮМ	Reviewed On : 0	06/03/24 21:24:47 /01/24 09:34:16
Analyzed Date : 06/01/24 12:		Jucen Bute 1 00	
Dilution: N/A Reagent: 050324.01; 05202- Consumables: N/A Pipette: N/A	4.30; 041124.F	12	
Total yeast and mold testing is p accordance with F.S. Rule 64ER2		g MPN and traditional culture b	pased techniques in

Extraction date

	LOD	Units	Result	Pass / Fail	Action Level
NT LOAD METALS	0.080	ppm	ND	PASS	1.1
	0.020	ppm	ND	PASS	0.2
	0.020	ppm	ND	PASS	0.2
	0.020	ppm	ND	PASS	0.2
	0.020	ppm	ND	PASS	0.5
Weight:			Extracted by:		by:
	Weight:	NT LOAD METALS 0.080 0.020 0.020 0.020 0.020 0.020 Weight: Extraction da	NT LOAD METALS 0.080 ppm 0.020 ppm 0.020 ppm 0.020 ppm 0.020 ppm 0.020 ppm 0.020 ppm	NT LOAD METALS 0.080 ppm ND 0.020 ppm ND Weight: Extraction date:	Fail NT LOAD METALS

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 06/03/24 21:21:09 Analytical Batch: DA073493HEA Instrument Used : DA-ICPMS-004 Batch Date: 06/01/24 12:24:38 Analyzed Date: 06/03/24 16:36:17

Dilution: 50

Reagent: 052924.R44; 052824.R13; 053024.R03; 052824.R08; 052824.R10; 030424.01;

051424.R13

Consumables: 179436; 120123CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Cresco Premium Flower 3.5g - Sunset Sherbet x OZ Kush (I) Sunset Sherbet X OZ Kush

Matrix: Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40531007-014 Harvest/Lot ID: 0001 3428 6436 5632

Batch#:0001 3428 6436

Sampled: 05/31/24 Ordered: 05/31/24

Sample Size Received: 84 gram Total Amount : 6322 units

Completed: 06/04/24 Expires: 06/04/25 Sample Method: SOP.T.20.010

Page 5 of 5

Result

13.33

P/F

PASS



Analyzed by: 1879, 585, 1440

Filth/Foreign **Material**

Weight:

NA

PASSED



Analyzed by: 4512, 585, 1440

Consumables : N/A

Analysis Method: SOP.T.40.021

Analytical Batch: DA073488MOI

Analyzed Date: 06/02/24 11:34:58

Reagent: 092520.50; 020124.02

Moisture

0.510g

Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser

PASSED

15

4512

Reviewed On: 06/03/24

Action Level

Analyte LOD Units Result P/F Action Level Analyte Filth and Foreign Material 0.100 % ND PASS 1 **Moisture Content**

> Extracted by: N/A N/A

> > Reviewed On: 06/03/24 00:37:04 Batch Date: 06/01/24 12:37:47

Analytical Batch : DA073495FIL
Instrument Used : Filth/Foreign Material Microscope Analyzed Date: 06/03/24 00:22:17

Analysis Method: SOP.T.40.090

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Extracted by: 4512

Reviewed On: 06/03/24 21:29:21

Batch Date: 06/01/24 11:33:16

LOD Units Result P/F **Action Level** Analyte PASS Water Activity 0.010 aw 0.482 0.65

Extraction date: 06/02/24 09:21:11 Analyzed by: 4512, 585, 1440 Weight: 0.9265g

Analysis Method: SOP.T.40.019 Analytical Batch: DA073489WAT Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 06/02/24 09:48:31

Dilution: N/A Reagent: 022024.29 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Pipette: DA-066 Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39

LOD

1.00 %

Units

Extraction date

Instrument Used: DA-003 Moisture Analyzer, DA-046 Moisture Batch Date: 06/01/24 11:30:41

06/02/24 08:50:17

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha