



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample:** DA40531007-016  
**Harvest/Lot ID:** 0001 3428 6433 3418  
**Batch#:** 0001 3428 6433 3418  
**Cultivation Facility:** FL - Indiantown (3734)  
**Processing Facility:** FL - Indiantown (3734)  
**Source Facility:** FL - Indiantown (3734)  
**Seed to Sale#** 0001 3428 6436 3492  
**Batch Date:** 05/09/24  
**Sample Size Received:** 16 gram  
**Total Amount:** 407 units  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Ordered:** 05/09/24  
**Sampled:** 05/31/24  
**Completed:** 06/04/24  
**Sampling Method:** SOP.T.20.010

Jun 04, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

# Sunnyside\*

## PASSED

Pages 1 of 6

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**PASSED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**

### MISC.



### Cannabinoid

## PASSED



Total THC

**80.337%**

Total THC/Container : 803.37 mg



Total CBD

**0.226%**

Total CBD/Container : 2.26 mg



Total Cannabinoids

**92.403%**

Total Cannabinoids/Container : 924.03 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.511	91.022	ND	0.258	0.051	0.435	ND	ND	ND	ND	0.126
mg/unit	5.11	910.22	ND	2.58	0.51	4.35	ND	ND	ND	ND	1.26
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.0992g

Extraction date:  
06/03/24 10:52:53

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA073538POT

Instrument Used : DA-LC-003

Analyzed Date : 06/03/24 10:53:05

Reviewed On : 06/04/24 09:23:51

Batch Date : 06/02/24 22:56:34

Dilution : 400

Reagent : 052924.R01; 060723.24; 052324.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 06/04/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Bubble Hash 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Bubble Hash



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40531007-016

Harvest/Lot ID: 0001 3428 6433 3418

Batch# : 0001 3428 6433  
3418

Sampled : 05/31/24

Ordered : 05/31/24

Sample Size Received : 16 gram

Total Amount : 407 units

Completed : 06/04/24 Expires: 06/04/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	50.46	5.046		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	15.19	1.519		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	8.16	0.816		ALPHA-BISABOLOL	0.007	ND	ND	
LINALOOL	0.007	5.79	0.579		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-HUMULENE	0.007	4.85	0.485		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	3.74	0.374		ALPHA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	3.66	0.366		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	1.61	0.161		GAMMA-TERPINENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.005	1.09	0.109		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	1.04	0.104		3605, 585, 1440	0.2037g	06/01/24 16:55:13	1879	
FENCHYL ALCOHOL	0.007	1.03	0.103		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINEOL	0.007	1.03	0.103		Analytical Batch : DA0735027ER			Reviewed On : 06/04/24 09:23:54	
BORNEOL	0.013	0.80	0.080		Instrument Used : DA-GCMS-004			Batch Date : 06/01/24 12:47:01	
CARYOPHYLLENE OXIDE	0.007	0.71	0.071		Analyzed Date : N/A				
FENCHONE	0.007	0.48	0.048		Dilution : 10				
CAMPHENE	0.007	0.43	0.043		Reagent : 022224.07				
OCIMENE	0.007	0.43	0.043		Consumables : 947.109; 7931220; CE0123				
ALPHA-TERPINOLENE	0.007	0.42	0.042		Pipette : DA-063				
3-CARENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			5.046						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/04/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Bubble Hash 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Bubble Hash



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40531007-016

Harvest/Lot ID: 0001 3428 6433 3418

Batch# : 0001 3428 6433  
3418

Sampled : 05/31/24  
Ordered : 05/31/24

Sample Size Received : 16 gram

Total Amount : 407 units

Completed : 06/04/24 Expires: 06/04/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	3379, 585, 1440	Weight:	0.2927g	Extraction date:	06/03/24 18:30:09
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),			Extracted by:	450,585
DIMETHOATE	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA073515PES			Reviewed On :	06/04/24 15:32:43
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)			Batch Date :	06/02/24 13:16:12
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed Date :	N/A				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent :	052424.R17; 052924.R04; 052924.R05; 052924.R01; 052924.R31; 052924.R02; 040423.08				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	450, 585, 1440	Weight:	0.2927g	Extraction date:	06/03/24 18:30:09
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	450,585
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA073517VOL			Reviewed On :	06/04/24 15:31:22
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	06/02/24 13:19:50
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	06/03/24 18:32:00				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution :	250				
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent :	052924.R05; 040423.08; 052224.R40; 052224.R41				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW; 14725401				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/04/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Bubble Hash 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Bubble Hash



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crecolabs.com

Sample : DA40531007-016

Harvest/Lot ID: 0001 3428 6433 3418

Batch# : 0001 3428 6433  
3418

Sampled : 05/31/24

Ordered : 05/31/24

Sample Size Received : 16 gram

Total Amount : 407 units

Completed : 06/04/24 Expires: 06/04/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
3605, 585, 1440

Weight:  
0.0216g

Extraction date:  
06/03/24 12:35:28

Extracted by:  
3605

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA07350850L  
Instrument Used : DA-GCMS-002  
Analyzed Date : 06/03/24 12:36:45

Reviewed On : 06/03/24 15:59:36  
Batch Date : 06/01/24 17:40:10

Dilution : 1  
Reagent : 030420.09  
Consumables : 27296; 172723  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/04/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Bubble Hash 1g - Metaverse (S)

Metaverse

Matrix : Derivative

Type: Bubble Hash



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crezolabs.com

Sample : DA40531007-016

Harvest/Lot ID: 0001 3428 6433 3418

Batch# : 0001 3428 6433 3418

Sampled : 05/31/24

Ordered : 05/31/24



Sample Size Received : 16 gram


Total Amount : 407 units

Completed : 06/04/24 Expires: 06/04/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02								
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02								
ECOLI SHIGELLA				Not Present	PASS																
TOTAL YEAST AND MOLD		10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440		Weight: 0.2927g	Extraction date: 06/03/24 18:30:09		Extracted by: 450,585									
Analyzed by: 3390, 585, 1440		Weight: 0.8262g		Extraction date: 06/01/24 11:37:20		Extracted by: 4044		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)													
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA073516MYC						Reviewed On : 06/04/24 09:07:15									
Analytical Batch : DA073475MIC						Instrument Used : N/A						Batch Date : 06/02/24 13:19:47									
Analyzed Date : 06/03/24 17:49:54						Analyzed Date : N/A															
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250															
Analyzed Date : 06/03/24 17:49:54						Reagent : 052424.R17; 052924.R04; 052924.R05; 052824.R01; 052924.R31; 052924.R02; 040423.08															
						Consumables : 326250IW															
						Pipette : DA-093; DA-094; DA-219															
Dilution : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Reagent : 050324.01; 052024.30; 051024.R14; 030724.36																					
Consumables : 7572002024																					
Pipette : N/A																					
Analyzed by: 4351, 3390, 585, 1440						Weight: 0.8262g						Extraction date: 06/01/24 11:37:20		Extracted by: 4044							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																					
Analytical Batch : DA073478TYM						Reviewed On : 06/03/24 21:24:49															
Instrument Used : Incubator (25-27°C) DA-096						Batch Date : 06/01/24 09:34:16															
Analyzed Date : 06/01/24 12:54:56																					
Dilution : N/A																					
Reagent : 050324.01; 052024.30; 041124.R12																					
Consumables : N/A																					
Pipette : N/A																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																					

	Heavy Metals					PASSED				
Metal		LOD	Units	Result	Pass / Fail	Action Level				
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1				
ARSENIC		0.020	ppm	ND	PASS	0.2				
CADMIUM		0.020	ppm	ND	PASS	0.2				
MERCURY		0.020	ppm	ND	PASS	0.2				
LEAD		0.020	ppm	ND	PASS	0.5				
Analyzed by: 1022, 585, 1440		Weight: 0.2296g		Extraction date: 06/01/24 14:51:57		Extracted by: 4056				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/04/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FloraCal Bubble Hash 1g - Metaverse (S)  
Metaverse  
Matrix : Derivative  
Type: Bubble Hash



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40531007-016

Harvest/Lot ID: 0001 3428 6433 3418

Batch# : 0001 3428 6433  
3418

Sampled : 05/31/24

Ordered : 05/31/24

Sample Size Received : 16 gram

Total Amount : 407 units

Completed : 06/04/24 Expires: 06/04/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA073495FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/03/24 00:22:17

Reviewed On : 06/03/24 00:37:01

Batch Date : 06/01/24 12:37:47

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.499	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.4918g	Extraction date: 06/02/24 13:09:17	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA073490WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/02/24 13:10:02

Reviewed On : 06/03/24 21:23:04

Batch Date : 06/01/24 11:34:49

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/04/24