



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40603002-012
Harvest/Lot ID: 0001 3428 6436 6766
Batch#: 0001 3428 6436 6766
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 0001 3428 6437 4299
Batch Date: 05/22/24
Sample Size Received: 16 gram
Total Amount: 3449 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 05/29/24
Sampled: 06/03/24
Completed: 06/06/24
Sampling Method: SOP.T.20.010

Jun 06, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

78.489%

Total THC/Container : 784.89 mg



Total CBD

0.155%

Total CBD/Container : 1.55 mg



Total Cannabinoids

90.126%

Total Cannabinoids/Container : 901.26 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	8.655	79.629	ND	0.177	0.555	0.263	0.650	ND	ND	ND	0.197
mg/unit	86.55	796.29	ND	1.77	5.55	2.63	6.50	ND	ND	ND	1.97
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 3335, 585, 1440

Weight:
0.1064g

Extraction date:
06/04/24 12:33:17

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA073582POT

Instrument Used : DA-LC-003

Analyzed Date : 06/04/24 12:58:04

Reviewed On : 06/05/24 09:39:28

Batch Date : 06/04/24 10:40:09

Dilution : 400

Reagent : 052924.R01; 071222.01; 052824.R06

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/06/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Budder Wax 1g - Dirty Lem (I)
Dirty Lemons
Matrix : Derivative
Type: Wax



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40603002-012

Harvest/Lot ID: 0001 3428 6436 6766

Batch# : 0001 3428 6436
6766

Sampled : 06/03/24

Ordered : 06/03/24

Sample Size Received : 16 gram

Total Amount : 3449 units

Completed : 06/06/24 Expires: 06/06/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	33.86	3.386		NEROL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	9.58	0.958		PULEGONE	0.007	ND	ND	
GUAIOL	0.007	3.83	0.383		SABINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.52	0.352		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.70	0.270		VALENENE	0.007	ND	ND	
LIMONENE	0.007	2.26	0.226		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	2.06	0.206		ALPHA-PHELLANDRENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.63	0.163		CIS-NEROLIDOL	0.003	ND	ND	
TRANS-NEROLIDOL	0.005	1.42	0.142		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FARNESENE	0.001	1.29	0.129		3605, 585, 1440	0.2156g	06/04/24 14:39:48	3605	
ALPHA-TERPINEOL	0.007	0.95	0.095		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	0.80	0.080		Analytical Batch : DA073578TER			Reviewed On : 06/05/24 18:48:17	
BETA-MYRCENE	0.007	0.73	0.073		Instrument Used : DA-GCMS-004			Batch Date : 06/04/24 10:31:37	
ALPHA-TERPINOLENE	0.007	0.42	0.042		Analyzed Date : 06/04/24 14:40:10				
BETA-PINENE	0.007	0.41	0.041		Dilution : 10				
OCIMENE	0.007	0.40	0.040		Reagent : 022224.07				
EUCALYPTOL	0.007	0.39	0.039		Consumables : 947.109; 7931220; CE0123				
FENCHONE	0.007	0.39	0.039		Pipette : DA-063				
GAMMA-TERPINENE	0.007	0.33	0.033		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-PINENE	0.007	0.28	0.028						
ALPHA-TERPINENE	0.007	0.25	0.025						
CAMPHENE	0.007	0.22	0.022						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
Total (%)			3.386						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/06/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Budder Wax 1g - Dirty Lem (I)
Dirty Lemons
Matrix : Derivative
Type: Wax



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40603002-012

Harvest/Lot ID: 0001 3428 6436 6766

Batch# : 0001 3428 6436
6766

Sampled : 06/03/24

Ordered : 06/03/24

Sample Size Received : 16 gram

Total Amount : 3449 units

Completed : 06/06/24 Expires: 06/06/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2816g	Extraction date: 06/04/24 15:30:44	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA073556PES			Reviewed On : 06/05/24 12:59:30		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/04/24 10:11:29		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 06/04/24 15:35:57					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 052924.R05; 040423.08					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 14725401					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 0.2816g	Extraction date: 06/04/24 15:30:44	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA073558VOL			Reviewed On : 06/05/24 10:42:13		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date : 06/04/24 10:13:14		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 06/04/24 15:43:39					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 052924.R05; 040423.08; 052224.R40; 052224.R41					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/06/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Budder Wax 1g - Dirty Lem (I)
Dirty Lemons
Matrix : Derivative
Type: Wax



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crecolabs.com

Sample : DA40603002-012

Harvest/Lot ID: 0001 3428 6436 6766

Batch# : 0001 3428 6436
6766

Sampled : 06/03/24

Ordered : 06/03/24

Sample Size Received : 16 gram

Total Amount : 3449 units

Completed : 06/06/24 Expires: 06/06/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	<2500.000
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 3605, 585, 1440

Weight:
0.0202g

Extraction date:
06/04/24 12:14:56

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA073583SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 06/04/24 13:13:54

Reviewed On : 06/05/24 09:38:55
Batch Date : 06/04/24 10:41:15

Dilution : 1
Reagent : 030420.09
Consumables : 27296; 30395
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/06/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Budder Wax 1g - Dirty Lem (I)
Dirty Lemons
Matrix : Derivative
Type: Wax



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crecolabs.com

Sample : DA40603002-012

Harvest/Lot ID: 0001 3428 6436 6766

Batch# : 0001 3428 6436
6766

Sampled : 06/03/24
Ordered : 06/03/24



Sample Size Received : 16 gram


Total Amount : 3449 units

Completed : 06/06/24 Expires: 06/06/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02								
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02								
ECOLI SHIGELLA				Not Present	PASS		Analyzed by: 3379, 585, 1440		Weight: 0.2816g	Extraction date: 06/04/24 15:30:44		Extracted by: 3379									
TOTAL YEAST AND MOLD		10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)														
Analyzed by: 4520, 585, 1440		Weight: 0.9551g	Extraction date: 06/04/24 13:10:30		Extracted by: 4520		Analytical Batch : DA073560MYC Instrument Used : N/A Analyzed Date : 06/04/24 15:35:42														
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA073553MIC						Reviewed On : 06/05/24 18:24:37 Batch Date : 06/04/24 10:08:07															
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/04/24 13:25:20						Dilution : 250 Reagent : 052924.R05; 040423.08 Consumables : 14725401 Pipette : N/A															
Dilution : N/A Reagent : 052024.29; 052024.33; 051024.R14; 030724.36 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Analyzed by: 3390, 585, 1440						Weight: 0.9551g		Extraction date: 06/04/24 13:10:30		Extracted by: 4520											
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA073557TYM Instrument Used : Incubator (25-27°C) DA-096 Analyzed Date : 06/05/24 11:33:20						Reviewed On : 06/06/24 18:13:15 Batch Date : 06/04/24 10:12:43															
Dilution : N/A Reagent : 052024.29; 052024.33; 041124.R12 Consumables : N/A Pipette : N/A																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																					

	Heavy Metals					PASSED				
Metal		LOD	Units	Result	Pass / Fail	Action Level				
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1				
ARSENIC		0.020	ppm	ND	PASS	0.2				
CADMIUM		0.020	ppm	ND	PASS	0.2				
MERCURY		0.020	ppm	ND	PASS	0.2				
LEAD		0.020	ppm	<0.100	PASS	0.5				
Analyzed by: 1022, 1665, 585, 1440		Weight: 0.2287g	Extraction date: 06/04/24 12:38:56		Extracted by: 1022					



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	<0.100	PASS	0.5
Analized by: 1022, 1665, 585, 1440	Weight: 0.2287g	Extraction date: 06/04/24 12:38:56	Extracted by: 1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA073581HEA		Reviewed On : 06/05/24 09:54:36			
Instrument Used : DA-ICPMS-004		Batch Date : 06/04/24 10:37:54			
Analized Date : 06/04/24 17:55:28					
Dilution : 50					
Reagent : 052924.R44; 060324.R06; 053024.R03; 060324.R04; 060324.R05; 030424.01; 051424.R13					
Consumables : 179436; 120123CH01; 210508058					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/06/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Budder Wax 1g - Dirty Lem (I)
Dirty Lemons
Matrix : Derivative
Type: Wax



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: jenna.mlsna@crescolabs.com

Sample : DA40603002-012

Harvest/Lot ID: 0001 3428 6436 6766

Batch# : 0001 3428 6436
6766

Sampled : 06/03/24

Ordered : 06/03/24

Sample Size Received : 16 gram

Total Amount : 3449 units

Completed : 06/06/24 Expires: 06/06/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA073623FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/05/24 10:08:39

Reviewed On : 06/05/24 18:55:30

Batch Date : 06/05/24 10:02:56

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.481	PASS	0.85

Analyzed by: 4531, 4512, 585, 1440	Weight: 0.2138g	Extraction date: 06/05/24 07:52:14	Extracted by: 4531,4512
---------------------------------------	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA073593WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date : 06/05/24 07:52:39

Reviewed On : 06/05/24 08:01:15

Batch Date : 06/04/24 11:47:31

Dilution : N/A

Reagent : 051624.01

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/06/24