

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

### Kaycha Labs

Sunnyside Chews 300mg 10pk Blk Chrry 2:1 Black Cherry Matrix: Edible



# **Certificate of Analysis**

# COMPLIANCE FOR RETAIL

#### Type: Soft Chew Sample:DA40606009-001 Harvest/Lot ID: 0001 3428 6437 4987 Batch#: 0001 3428 6437 4987 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6437 6314 Batch Date: 05/30/24 Sample Size Received: 328 units Total Amount: 1299 units Retail Product Size: 42.3705 gram Retail Serving Size: 41 gram Servings: 1 Ordered: 06/04/24 Sampled: 06/06/24 Completed: 06/10/24

Pages 1 of 5

Sampling Method: SOP.T.20.010

PASSED

MISC.

# Jun 10, 2024 | Sunnyside

indiantown, FL, 34956, US

Chews

Hybrid



#### SAFETY RESULTS

Pestic PASS	ides	Heavy Metals PASSED	Microbials PASSED	Mycotox PASSE		Residuals Solvents PASSED	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes NOT TESTED
Ä	Cann	abinoid								I	PASSED
		otal THC <b>0.262%</b> otal THC/Container	-		) 0.	al CBD 502% CBD/Container			30.	al Cannabinoids 806% Cannabinoids/Cont	
	D9-ТНС	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	CBC
%	0.262	ND	0.502	ND	ND	0.013	ND	0.003	0.002	0.003	0.021
mg/unit LOD	111.0 0.001	1 ND 0.001	212.70 0.001	ND 0.001	ND 0.001	5.51 0.001	ND 0.001	1.27 0.001	0.85 0.001	1.27 0.001	8.90 0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 58	35, 1440			Weight: 3.6079g		Extraction date: 06/07/24 12:50:39				xtracted by: 665,3335	
Analysis Metho Analytical Bato Instrument Use Analyzed Date	ch : DA073718 ed : DA-LC-007					Reviewed On : 06 Batch Date : 06/0					
	947.109; 2806	23.11; 060724.R01 670723; CE0123; R1KB14 A-078	4270								

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

# Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/10/24



Sunnyside Chews 300mg 10pk Blk Chrry 2:1 Black Cherry Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40606009-001 Harvest/Lot ID: 0001 3428 6437 4987

Batch#:0001 3428 6437 4987 Sampled:06/06/24 Ordered:06/06/24 Sample Size Received : 328 units Total Amount : 1299 units Completed : 06/10/24 Expires: 06/10/25 Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	T. D.	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN		ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010		3	PASS	ND				1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE		ppm			
ACEPHATE	0.010	ppm	3	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010		2	PASS	ND	PYRIDABEN		ppm	3	PASS	ND
ACETAMIPRID	0.010	1.1.1	3	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	T. D.	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		3	PASS	ND	THIAMETHOXAM		ppm	1	PASS	ND
CARBARYL	0.010	1.1.1	0.5	PASS	ND	TRIFLOXYSTROBIN		ppm	3	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		0.010		0.2	PASS	ND
CHLORANTRANILIPROLE	0.010		3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *				PASS	
CHLORMEQUAT CHLORIDE	0.010		3	PASS	ND	PARATHION-METHYL *	0.010		0.1		ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070		3	PASS	ND
CLOFENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	1.1.1	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
DIAZINON	0.010		3	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weig	ht: E	xtraction date	a:	Extract	ed by:
DIMETHOATE	0.010		0.1	PASS	ND	<b>4056, 3379, 585, 1440</b> 1.006		6/07/24 17:58:		450	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville)	, SOP.T.30.10	2.FL (Davie), S	OP.T.40.101.	FL (Gainesville)	,
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		1.5	PASS	ND	Analytical Batch : DA073748PES		Reviewed Or			
FENHEXAMID	0.010		3	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Analyzed Date :06/07/24 18:06:19		Batch Date :	06/07/24 11:0	02:39	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010		2	PASS	ND	Reagent : 060524.R07; 040423.08; 052424.R17	: 060524.R06	: 060624.R15:	052924.R31:	060524.R04	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW		,			
FLONICAMID	0.010		2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		3	PASS	ND	Testing for agricultural agents is performed utilizin	g Liquid Chron	natography Trip	le-Quadrupole	e Mass Spectron	netry in
HEXYTHIAZOX	0.010		2	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight: 450, 585, 1440 1.0064g		ion date: 4 17:58:13		Extracted 450	l by:
IMIDACLOPRID	0.010		1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville)			COD T 40 161		
KRESOXIM-METHYL	0.010		1	PASS	ND	Analytical Batch : DA073749VOL		eviewed On :0			
MALATHION	0.010		2	PASS	ND	Instrument Used :DA-GCMS-010		atch Date : 06/			
METALAXYL	0.010		3	PASS	ND	Analyzed Date :06/07/24 18:27:21					
METHIOCARB	0.010		0.1	PASS PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1		ND	Reagent : 060524.R07; 040423.08; 060324.R01	; 060324.R02				
MEVINPHOS	0.010	T. D.	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		3 0.5	PASS	ND ND	Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizin	a Cae Chrome	tography Tri-l-	Quadrupal - *	lace Coostre	ter in
NALED	0.010	ppm	0.5	PASS	ND	accordance with F.S. Rule 64ER20-39.	y das chroma	lography Triple	-quaurupole N	lass spectrome	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## PASSED

PASSED



Sunnyside Chews 300mg 10pk Blk Chrry 2:1 Black Cherry Matrix : Edible Type: Soft Chew



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com 
 Sample : DA40606009-001

 Harvest/Lot ID: 0001 3428 6437 4987

 Batch# : 0001 3428 6437
 Sample

 4987
 Total And Sample

Sampled : 06/06/24 Ordered : 06/06/24 Sample Size Received : 328 units Total Amount : 1299 units Completed : 06/10/24 Expires: 06/10/25 Sample Method : SOP.T.20.010

Page 3 of 5

# Ä

# **Residual Solvents**

LOD	Units	Action Level	Pass/Fail	Result		
0.800	ppm	8	PASS	ND		
0.200	ppm	2	PASS	ND		
75.000	ppm	750	PASS	ND		
12.500	ppm	125	PASS	ND		
0.100	ppm	1	PASS	ND		
50.000	ppm	500	PASS	ND		
0.200	ppm	2	PASS	ND		
500.000	ppm		TESTED	ND		
40.000	ppm	400	PASS	ND		
500.000	ppm	5000	PASS	ND		
6.000	ppm	60	PASS	ND		
50.000	ppm	500	PASS	ND		
0.500	ppm	5	PASS	ND		
500.000	ppm	5000	PASS	ND		
25.000	ppm	250	PASS	ND		
25.000	ppm	250	PASS	ND		
75.000	ppm	750	PASS	ND		
15.000	ppm	150	PASS	ND		
15.000	ppm	150	PASS	ND		
500.000	ppm	5000	PASS	ND		
2.500	ppm	25	PASS	ND		
Weight:         Extraction date:         Extracted by:           1440         0.0237g         06/07/24 15:17:04         4451						
Reviewed On : 06/10/24 13:48:23 Batch Date : 06/07/24 13:02:39						
	0.200 75.000 12.500 0.100 50.000 0.200 500.000 40.000 500.000 6.000 500.000 0.500 500.000 25.000 25.000 25.000 15.000 15.000 15.000 15.000 25.000	0.200 ppm 75.000 ppm 12.500 ppm 0.100 ppm 50.000 ppm 0.200 ppm 500.000 ppm 40.000 ppm 500.000 ppm 500.000 ppm 500.000 ppm 50.000 ppm 25.000 ppm 25.000 ppm 25.000 ppm 25.000 ppm 15.000 ppm 15.000 ppm 15.000 ppm 15.000 ppm 15.000 ppm 15.000 ppm 500.000 ppm 15.000 ppm 15.000 ppm 15.000 ppm 25.000 ppm 15.000 ppm 15.000 ppm 15.000 ppm 25.000 ppm 15.000 ppm 15.000 ppm 15.000 ppm 25.000 ppm 15.000 ppm 15.000 ppm 15.000 ppm 25.000 ppm 15.000 ppm 15.000 ppm 25.000 ppm 15.000 ppm 25.000 ppm 15.000 ppm 25.000 ppm 15.000 ppm 25.000 ppm 25.000 ppm 15.000 ppm 25.000 ppm	0.200       ppm       2         75.000       ppm       750         12.500       ppm       125         0.100       ppm       1         50.000       ppm       2         0.200       ppm       2         500.000       ppm       2         500.000       ppm       400         500.000       ppm       60         500.000       ppm       5000         6.000       ppm       500         0.500       ppm       500         0.500       ppm       500         0.500       ppm       250         25.000       ppm       250         25.000       ppm       250         75.000       ppm       150         15.000       ppm       150         15.000       ppm       250         25.000       ppm       250         15.000       ppm       150         15.000       ppm       250         25.000       ppm       25         Weight:       Extraction date:       0.0237g         06/07/24 15:17:04	0.200       ppm       2       PASS         75.000       ppm       750       PASS         12.500       ppm       125       PASS         0.100       ppm       1       PASS         0.200       ppm       500       PASS         0.100       ppm       1       PASS         0.200       ppm       500       PASS         0.200       ppm       2       PASS         0.200       ppm       2       PASS         0.200       ppm       2       PASS         0.200       ppm       2       PASS         0.200       ppm       400       PASS         500.000       ppm       5000       PASS         6.000       ppm       500       PASS         500.000       ppm       500       PASS         500.000       ppm       250       PASS         25.000       ppm       150       PASS         15.000       ppm       150       PASS         15.000       ppm       250       PASS         500.000       ppm       250       PASS         500.000       ppm       250		

Dilution : 1 Reagent : 030420.09 Consumables : 27296; 30395 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/10/24



Sunnyside Chews 300mg 10pk Blk Chrry 2:1 Black Cherry Matrix : Edible Type: Soft Chew



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40606009-001 Harvest/Lot ID: 0001 3428 6437 4987 Batch# : 0001 3428 6437 Sample

4987 Sampled : 06/06/24 Ordered : 06/06/24 Sample Size Received : 328 units Total Amount : 1299 units Completed : 06/10/24 Expires: 06/10/25 Sample Method : SOP.T.20.010

Page 4 of 5

🔥 Micro	obial			PAS	SED	သို့	Мус	otox	ins	1			PAS	SED
Analyte	LOD	) Units	Result	Pass / Fail	Action Level	Analyte				LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	Level	AFLATOXIN I	32			0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN I				0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS	5		Not Present	PASS		OCHRATOXI				0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN (	51			0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GI	ENE		Not Present	PASS		AFLATOXIN (	52			0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:		Weigh	ht:	Extractio	on date:		Extract	ad by:
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		5, 1440	1.006			4 17:58:13	3	450	eu by.
Analyzed by: 3390, 4044, 585, 1440	Weight: 0.9798g	Extraction 06/07/24 1		Extracte 4044	ed by:	Analysis Metho SOP.T.30.102.					.40.101.FL	(Gainesv	ille),	
Analysis Method :         SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL           Analytical Batch :         DA073706MIC           Reviewed On :         06/10/24           09:10:50         09:10:50				SOP.T.30.102.FL (Davie)         Reviewed On: 06/10/24 09:10:00           Analytical Batch: DA073750MYC         Reviewed On: 06/10/24 09:10:00           Instrument Used: N/A         Batch Date: 06/07/24 11:05:45           Analyzed Date: 06/07/24 18:06:26         Batch Date: 06/07/24 11:05:45										
Biosystems Thermocycler DA DA-020,fisherbrand Isotemp I Isotemp Heat Block DA-021 <b>Analyzed Date</b> : 06/07/24 19:1 Dilution: N/A Reagent: 052024.24; 052024 Consumables: N/A Pipette: N/A	Heat Block DA-0 02:44	949,Fisher Sci	entific	42		Reagent : 0605 060524.R04 Consumables : Pipette : DA-09 Mycotoxins test accordance with	326250IW 93; DA-094; D ing utilizing Liq n F.S. Rule 64EF	A-219 uid Chromato 220-39.	tography	with Triple		le Mass Spe	ectrometry	in
Analyzed by: 4044, 4531, 585, 1440	Weight: 0.9798g	Extraction 06/07/24 1		Extracte 4044	ed by:	[ Hg ]	Heav	/у М	eta	ls			PAS	SED
Analysis Method : SOP.T.40.2 Analytical Batch : DA073708T Instrument Used : Incubator (	ΥM	Revi	9.FL ewed On : 06/10, h Date : 06/07/24			Metal				LOD	Units	Result	Fail	Action Level
Analyzed Date : 06/07/24 14:						TOTAL CONT	AMINANT LO	DAD META	ALS	0.080	ppm	ND	PASS	5
Dilution : N/A						ARSENIC				0.020	ppm	ND	PASS	1.5
eagent : 052024.24; 052024	4.26; 041124.R1	.2				CADMIUM				0.020	ppm	ND	PASS	0.5
Consumables : N/A						MERCURY				0.020	ppm	ND	PASS	3
Pipette : N/A						LEAD				0.020	ppm	ND	PASS	0.5
Total yeast and mold testing is pe accordance with F.S. Rule 64ER2		MPN and tradit	ional culture based	technique:	s in	Analyzed by: 1022, 585, 144		Veight: 0.279g		<b>ction dat</b> 7/24 12:3			<b>tracted b</b> 022,1879	y:
						Analysis Metho Analytical Bato Instrument Use Analyzed Date	h:DA073740 d:DA-ICPMS	HEA -004	P.T.40.0	Review		/10/24 09: 7/24 10:52		
						Dilution : 50 Reagent : 0529 060524.R41	24.R44; 0603				324.R04; 0	060324.R0	5; 03042	4.01;

Consumables : 179436; 120423CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/10/24



Sunnyside Chews 300mg 10pk Blk Chrry 2:1 Black Cherry Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Filth/Foreign

**Material** 

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40606009-001 Harvest/Lot ID: 0001 3428 6437 4987 Batch# : 0001 3428 6437 Sample 4987 Total Ar

PASSED

Sampled : 06/06/24 Ordered : 06/06/24 Sample Size Received : 328 units Total Amount : 1299 units Completed : 06/10/24 Expires: 06/10/25 Sample Method : SOP.T.20.010

# Homogeneity

Amount of tests conducted : 14

PAS	S	E	D

PASSED

Page 5 of 5

Analyte		LOD	Units	Result	P/F	Action Leve
Filth and Foreig	In Material	0.100	%	ND	PASS	1
Analyzed by: 1879, 585, 1440	W N	<b>eight:</b> A	<b>Extractio</b> N/A	on date:	<b>Extr</b> N/A	acted by:
Analysis Method : Analytical Batch : nstrument Used : Analyzed Date : 0	DA073696FIL Filth/Foreign Ma		oscope			7/24 08:03:45 24 16:08:39
Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A Filth and foreign ma		- norformed b		nontion utilia		a and microscope
technologies in acco				spection utilizi	пд пакед еу	/e and microscope
$\bigcirc$	Water	Activ	ity		ΡΑ	SSED
Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	<b>Result</b> 0.652	P/F PASS	Action Level
Analyzed by:	Weigh		traction d			tracted by:

Analyte	LOD	Units	Pass/Fail	Result	Action Level	
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.828	25	
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	1.900	25	
Analyzed by	Average Weight	Extra	ction date :	Extracted By :		
4351, 3702, 585, 1440	4.229g	06/07	ļ 4	4351		
Analysis Method : SOP.T.30.111.F Analytical Batch : DA073697HOM Instrument Used : DA-LC-001 (Ho Analyzed Date : 06/07/24 13:49:1	mo)	Revie	wed On : 06/10 Date : 06/07/2			
Dilution : 40 Reagent : 060724.R05; 030322.0 Consumables : 947.109; LCJ0311 Pipette : DA-055; DA-063; DA-06	R; 120423CH			5; CE0123	; R1KB14270	
Homogeneity testing is performed uti accordance with F.S. Rule 64ER20-39		ormance L	iquid Chromatog	raphy with I	UV detection in	

# Value Design of the second secon

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/10/24