

COMPLIANCE FOR RETAIL

Kaycha Labs

Sunnyside Chews 100mg 10pk Sour Grapefruit

Sour Grapefruit Matrix: Edible Type: Soft Chew



Sample:DA40606009-003 Harvest/Lot ID: 0001 3428 6437 5516

Batch#: 0001 3428 6437 5516

Cultivation Facility: FL - Indiantown (3734) Source Facility: FL - Indiantown (3734)

Seed to Sale# 0001 3428 6437 7150

Batch Date: 05/31/24

Sample Size Received: 410 gram

Total Amount: 1608 units Retail Product Size: 41.4979 gram

Retail Serving Size: 41 gram

Servings: 1

Ordered: 06/05/24 Sampled: 06/06/24

Completed: 06/10/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

Sunnyside

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US

Chews



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **PASSED**



Filth **PASSED**



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes NOT **TESTED**

PASSED



Cannabinoid

Jun 10, 2024 | Sunnyside

Total THC 0.242%

Total THC/Container: 100.43 mg



Total CBD ND

Total CBD/Container: 0.00 mg

Reviewed On: 06/10/24 09:21:05

Batch Date: 06/07/24 09:44:26



Total Cannabinoids .250%

Total Cannabinoids/Container: 103.75



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA073718POT Instrument Used: DA-LC-007 Analyzed Date: 06/07/24 12:56:10

Dilution: 40

Dilution: 40
Reagent: 052924.R01; 032123.11; 060724.R01
Consumables: 947.109; 280670723; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 06/10/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Kaycha Labs

Sunnyside Chews 100mg 10pk Sour Grapefruit

Sour Grapefruit Matrix : Edible



Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** ienna mlsna@crescolabs.com Sample : DA40606009-003 Harvest/Lot ID: 0001 3428 6437 5516

Batch#:0001 3428 6437

5516 Sampled : 06/06/24 Ordered : 06/06/24 Sample Size Received: 410 gram
Total Amount: 1608 units

Completed: 06/10/24 Expires: 06/10/25 Sample Method: SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

| esticide | | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Resu |
|-----------------------------------|-------|-------|-----------------|--------------|----------|---|----------------|--------------|------------------------------|------------------|----------|
| TAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | | 30 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TAL DIMETHOMORPH | 0.010 | | 3 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TAL PERMETHRIN | 0.010 | | 1 | PASS | ND | PHOSMET | | ppm | 0.2 | PASS | ND |
| TAL PYRETHRINS | 0.010 | | 1 | PASS | ND | PIPERONYL BUTOXIDE | | ppm | 3 | PASS | ND |
| TAL SPINETORAM | 0.010 | | 3 | PASS | ND | PRALLETHRIN | | ppm | 0.4 | PASS | ND |
| TAL SPINOSAD | 0.010 | 1.1 | 3 | PASS | ND | | | ppm | 1 | PASS | ND |
| AMECTIN B1A | 0.010 | | 0.3 | PASS | ND | PROPICONAZOLE | | | 0.1 | PASS | |
| EPHATE | 0.010 | 1.1. | 3 | PASS | ND | PROPOXUR | | ppm | | | ND |
| EQUINOCYL | 0.010 | | 2 | PASS | ND | PYRIDABEN | | ppm | 3 | PASS | ND |
| ETAMIPRID | 0.010 | | 3 | PASS | ND | SPIROMESIFEN | | ppm | 3 | PASS | ND |
| DICARB | 0.010 | | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 3 | PASS | ND |
| DXYSTROBIN | 0.010 | | 3 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| ENAZATE | 0.010 | 1.1 | 3 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| ENTHRIN | 0.010 | 1.1 | 0.5 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| SCALID | 0.010 | | 3 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 1 | PASS | ND |
| RBARYL | 0.010 | | 0.5 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND |
| RBOFURAN | 0.010 | | 0.1 | PASS PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | | 0.2 | PASS | ND |
| LORANTRANILIPROLE | 0.010 | | 3 | PASS | ND | PARATHION-METHYL * | 0.010 | | 0.1 | PASS | ND |
| LORMEQUAT CHLORIDE | 0.010 | | 3 | | ND ND | CAPTAN * | 0.010 | | 3 | PASS | ND |
| LORPYRIFOS | 0.010 | | 0.1 | PASS PASS | ND ND | | 0.070 | | 0.1 | PASS | ND |
| PENTEZINE | 0.010 | | 0.5 | PASS | ND ND | CHLORDANE * | | | | | |
| JMAPHOS | 0.010 | | 0.1 | PASS | ND ND | CHLORFENAPYR * | 0.010 | | 0.1 | PASS | ND |
| INOZIDE | | | 3 | PASS | ND ND | CYFLUTHRIN * | 0.050 | | 1 | PASS | ND |
| ZINON | 0.010 | | 0.1 | PASS | ND ND | CYPERMETHRIN * | 0.050 | PPM | 1 | PASS | ND |
| HLORVOS IETHOATE | 0.010 | | 0.1 | PASS | ND ND | Analyzed by: Weig | | xtraction d | ate: | Extrac | ed by: |
| IOPROPHOS | 0.010 | | 0.1 | PASS | ND | 4056, 3379, 585, 1440 1.039 | | 6/07/24 17:5 | | 450 | |
| DEENPROX | 0.010 | | 0.1 | PASS | ND | Analysis Method :SOP.T.30.101.FL (Gainesville) | , SOP.T.30.10 | 2.FL (Davie) | , SOP.T.40.101 | FL (Gainesville |), |
| XAZOLE | 0.010 | | 1.5 | PASS | ND | SOP.T.40.102.FL (Davie) Analytical Batch : DA073748PES | | Daview | On:06/10/24 | 10.16.16 | |
| IHEXAMID | 0.010 | | 3 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | on:06/10/24 e:06/07/24 11 | | |
| IOXYCARB | 0.010 | | 0.1 | PASS | ND | Analyzed Date : 06/07/24 18:06:19 | | | | | |
| NOXYCARB NPYROXIMATE | 0.010 | | 2 | PASS | ND | Dilution: 250 | | | | | |
| RONIL | 0.010 | | 0.1 | PASS | ND | Reagent: 060524.R07; 040423.08; 052424.R17 | ; 060524.R06 | ; 060624.R1 | 5; 052924.R31 | ; 060524.R04 | |
| DNICAMID | 0.010 | | 2 | PASS | ND | Consumables: 326250IW | | | | | |
| JDIOXONIL | 0.010 | | 3 | PASS | ND | Pipette: DA-093; DA-094; DA-219 | - 1114 Ch | | | In Mana Caract | |
| CYTHIAZOX | 0.010 | | 2 | PASS | ND | Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39. | g Liquid Chror | natography i | ripie-Quadrupo | ie mass Spectroi | netry in |
| AZALIL | 0.010 | 1.1. | 0.1 | PASS | ND | Analyzed by: Weight: | Extract | ion date: | | Extracte | d bv: |
| DACLOPRID | 0.010 | 1.1 | 1 | PASS | ND | 450, 585, 1440 1.0392g | | 4 17:58:14 | | 450 | ~ , . |
| ESOXIM-METHYL | 0.010 | | 1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville) | , SOP.T.30.15 | 1A.FL (Davi | e), SOP.T.40.15 | 1.FL | |
| LATHION | 0.010 | | 2 | PASS | ND | Analytical Batch : DA073749VOL | | | :06/10/24 10: | | |
| TALAXYL | 0.010 | | 3 | PASS | ND | Instrument Used : DA-GCMS-010 | B | atch Date : | 06/07/24 11:04 | :19 | |
| THIOCARB | 0.010 | | 0.1 | PASS | ND | Analyzed Date : 06/07/24 18:27:21 | | | | | |
| THOMYL | 0.010 | | 0.1 | PASS | ND | Dilution: 250 | . 060224 002 | | | | |
| VINPHOS | 0.010 | | 0.1 | PASS | ND | Reagent: 060524.R07; 040423.08; 060324.R01 Consumables: 326250IW; 14725401 | , 000324.R02 | | | | |
| | | ppm | 3 | PASS | ND | Pipette : DA-080: DA-146: DA-218 | | | | | |
| CLOBUTANIL | | | | | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 06/10/24



Kaycha Labs

Sunnyside Chews 100mg 10pk Sour Grapefruit

Sour Grapefruit Matrix: Edible Type: Soft Chew



Certificate of Analysis

PASSED

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40606009-003 Harvest/Lot ID: 0001 3428 6437 5516

Batch#: 0001 3428 6437

Sampled: 06/06/24 Ordered: 06/06/24 Sample Size Received: 410 gram Total Amount: 1608 units

Completed: 06/10/24 Expires: 06/10/25 Sample Method: SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|--------------------------------------|------------------------|---------------------------------|--------------|-----------|-----------------------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| ETHANOL | 500.000 | ppm | | TESTED | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |
| Analyzed by: 4451, 850, 585, 1440 | Weight: 0.0246g | Extraction d 06/07/24 15 | | | Extracted by: 1451 |

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA073751SOL Instrument Used: DA-GCMS-002

Analyzed Date : $06/07/24\ 15:17:46$ Dilution: 1

Reagent: 030420.09 Consumables : 27296; 30395 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 06/07/24 13:02:39

Reviewed On: 06/10/24 13:48:25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/10/24



Kaycha Labs

Sunnyside Chews 100mg 10pk Sour Grapefruit

Sour Grapefruit Matrix: Edible



Type: Soft Chew

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40606009-003 Harvest/Lot ID: 0001 3428 6437 5516

Batch#: 0001 3428 6437

Sampled: 06/06/24 **Ordered**: 06/06/24 Sample Size Received: 410 gram Total Amount: 1608 units Completed: 06/10/24 Expires: 06/10/25 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

Extracted by:



Mycotoxins

PASSED

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | |
|--------------------------|-----|-------|-------------|----------------|-----------------|---|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | - |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | 4 |

Analyzed by: Weight: **Extraction date:** Extracted by: 0.979g 3390, 4044, 585, 1440 06/07/24 12:41:45

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA073706MIC

Reviewed On: 06/10/24 Batch Date: 06/07/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:26:42

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 06/07/24 19:02:44

Reagent: 052024.24; 052024.26; 060524.R52; 030724.36

Consumables : N/A Pipette: N/A

Consumables : N/A

| | | · ASSED | | | | |
|-------|-----------------------|--------------------------------|--|---|--|--|
| LOD | Units | Result | Pass / Fail | Action Level | | |
| 0.002 | ppm | ND | PASS | 0.02 | | |
| 0.002 | ppm | ND | PASS | 0.02 | | |
| 0.002 | ppm | ND | PASS | 0.02 | | |
| | LOD 0.002 0.002 | LOD Units 0.002 ppm 0.002 ppm | LOD Units Result 0.002 ppm ND 0.002 ppm ND | LOD Units Result Fail 0.002 ppm ND PASS 0.002 ppm ND PASS 0.002 ppm ND PASS | | |

| Analyzed by: 4056, 3379, 585, 1440 | Weight: 1.0392g | Extraction 06/07/24 | on date: 1 17:58:14 | | Extract 450 | ted by: | |
|---------------------------------------|------------------------|------------------------|------------------------|----|----------------|---------|--|
| AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 | |
| AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 | |
| OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 | |
| AFLATOXIN BI | | 0.002 | ppm | ND | PASS | 0.02 | |

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA073750MYC Reviewed On: 06/10/24 09:10:01 Instrument Used : N/A Batch Date: 06/07/24 11:05:45 **Analyzed Date:** 06/07/24 18:06:26

Dilution: 250

Reagent: 060524.R07; 040423.08; 052424.R17; 060524.R06; 060624.R15; 052924.R31; 060524.R04

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

1022,1879

| Analyzed by: 4044, 4531, 585, 1440 | Weight: 0.979g | Extraction date: 06/07/24 12:41:45 | Extracted by 4044 |
|--|---------------------|------------------------------------|----------------------|
| Analysis Method: SOP.T.40.20 Analytical Batch: DA073708T Instrument Used: Incubator (4 Analyzed Date: 06/07/24 14:5 | /M 12*C) DA- 328 | Reviewed On: 06 | , ., |
| Dilution: N/A Reagent: 052024.24; 052024 | .26; 041124.R | 12 | |

Pipette: N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Metal | | LOD | Units | Result | Pass / Fail | Action Level |
|-----------------|---------------|----------------|-------|--------|----------------|-----------------|
| TOTAL CONTAMINA | NT LOAD METAL | 0.080 | ppm | ND | PASS | 5 |
| ARSENIC | | 0.020 | ppm | ND | PASS | 1.5 |
| CADMIUM | | 0.020 | ppm | ND | PASS | 0.5 |
| MERCURY | | 0.020 | ppm | ND | PASS | 3 |
| LEAD | | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: | Weight: | Extraction dat | e: | E | tracted b | v: |

06/07/24 12:49:01

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

0.2568g

Analytical Batch : DA073740HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 06/09/24 12:00:08 Reviewed On: 06/10/24 09:09:09 Batch Date: 06/07/24 10:52:56

Dilution: 50

1022, 585, 1440

Reagent: 052924.R44; 060324.R06; 053024.R03; 060324.R04; 060324.R05; 030424.01; 060524.R41

Consumables: 179436; 120423CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/10/24



Kaycha Labs

Sunnyside Chews 100mg 10pk Sour Grapefruit

Sour Grapefruit Matrix: Edible Type: Soft Chew



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40606009-003 Harvest/Lot ID: 0001 3428 6437 5516

Batch#: 0001 3428 6437

Sampled: 06/06/24 **Ordered**: 06/06/24 Sample Size Received: 410 gram Total Amount : 1608 units Completed: 06/10/24 Expires: 06/10/25

Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED

Homogeneity

PASSED

Level

Amount of tests conducted: 18

| Analyte Filth and Foreign Material | LOD 0.100 | Units % | Result ND | P/F PASS | Action Level |
|---------------------------------------|------------------|----------------|---------------------|--------------|--------------|
| Analyzed by: 1879, 585, 1440 | Weight: NA | Extraction N/A | on date: | Extra N/A | acted by: |

Analysis Method: SOP.T.40.090

Analytical Batch : DA073696FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 06/07/24 08:03:45 Batch Date: 06/06/24 16:08:39 Analyzed Date: 06/07/24 07:47:30

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 06/10/24 08:46:40

Batch Date: 06/07/24 10:12:36

Analyte LOD Units Pass/Fail Result Action

TOTAL THC - HOMOGENEITY 0.001 % **PASS** 8.327 25

Average **Extracted By** Analyzed by Extraction date : Weight 4351, 1665, 585, 1440 4.228g 06/07/24 13:12:47

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.Fl

Analytical Batch : DA073699HOM Instrument Used : DA-LC-001 (Homo) Reviewed On: 06/10/24 09:14:31 Batch Date: 06/07/24 09:08:05 Analyzed Date : 06/07/24 13:49:22

Reagent: 060724.R06; 030322.03; 020124.02; 060724.R02

Consumables: 947.109; LCJ0311R; 120423CH01; 250346; 1008994465; CE0123; R1KB14270

Pipette: DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.635 0.85 Extraction date: 06/07/24 16:46:32 Analyzed by: 4512, 585, 1440 Weight: 7.4501g Extracted by: 4512

Analysis Method: SOP.T.40.019 Analytical Batch: DA073725WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 06/07/24 16:53:48

Dilution: N/A Reagent: 022024.29 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical

procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 06/10/24