

Certificate of Analysis

COMPLIANCE FOR RETAIL



Kaycha Labs

Remedi RSO 1g - Prple Octane (I) Purple Octane

> Matrix: Derivative Type: Full Extract Cannabis Oil

> > Sample:DA40606009-007

Harvest/Lot ID: 0001 3428 6436 4072

Batch#: 0001 3428 6436 4072

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734) Source Facility: FL - Indiantown (3734)

Seed to Sale# 0001 3428 6437 2992

Batch Date: 05/22/24

Sample Size Received: 16 gram Total Amount: 1397 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

> Servings: 1 Ordered: 05/23/24 Sampled: 06/06/24

> > **PASSED**

Completed: 06/10/24

Sampling Method: SOP.T.20.010

Jun 10, 2024 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pages 1 of 6

SAFETY RESULTS







Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins Residuals **PASSED** Solvents **PASSED**



PASSED



Water Activity **PASSED**



Moisture **NOT TESTED**





Terpenes TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container: 787.98 mg

78.798%



Total CBD 0.170%

Total CBD/Container: 1.70 mg


Reviewed On: 06/10/24 09:12:14

Batch Date: 06/07/24 09:37:15



Total Cannabinoids 3.043%

Total Cannabinoids/Container: 830.43



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA073713POT

Instrument Used: DA-LC-003 Analyzed Date: 06/07/24 13:11:13

Reagent: 052924.R01; 041124.41; 060724.R01 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Remedi RSO 1g - Prple Octane (I) Purple Octane

Matrix : Derivative

Type: Full Extract Cannabis Oil



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** ienna.mlsna@crescolabs.com Sample : DA40606009-007 Harvest/Lot ID: 0001 3428 6436 4072

Batch#:0001 3428 6436

Sampled: 06/06/24 Ordered: 06/06/24 Sample Size Received: 16 gram
Total Amount: 1397 units

Completed: 06/10/24 Expires: 06/10/25 Sample Method: SOP.T.20.010 Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | : % | Result (%) | | Terpenes | | LOD (%) | mg/unit | t % | Result (%) |
|---------------------|------------|---------|-------|------------|---|--|--------------------|------------|------------------|-------------|---|
| TOTAL TERPENES | 0.007 | 34.80 | 3.480 | | | NEROL | | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 5.33 | 0.533 | | | PULEGONE | | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 4.50 | 0.450 | | | SABINENE | | 0.007 | ND | ND | |
| GUAIOL | 0.007 | 3.12 | 0.312 | | | VALENCENE | | 0.007 | ND | ND | |
| ALPHA-TERPINEOL | 0.007 | 2.58 | 0.258 | | | ALPHA-CEDRENE | | 0.005 | ND | ND | |
| FENCHYL ALCOHOL | 0.007 | 2.41 | 0.241 | | | ALPHA-PHELLANDRENE | | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 2.25 | 0.225 | | | ALPHA-TERPINENE | | 0.007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 2.19 | 0.219 | | | CIS-NEROLIDOL | | 0.003 | ND | ND | |
| FARNESENE | 0.007 | 1.50 | 0.150 | | | Analyzed by: | Weight: | | Extraction of | late: | Extracted by: |
| ALPHA-BISABOLOL | 0.007 | 1.45 | 0.145 | | | 3605, 585, 1440 | 0.2247g | | 06/07/24 13 | | 3605 |
| BORNEOL | 0.013 | 1.44 | 0.144 | | | Analysis Method : SOP.T.30.061A.FL | , SOP.T.40.061A.FI | - | | | |
| TRANS-NEROLIDOL | 0.005 | 0.94 | 0.094 | | | Analytical Batch : DA073728TER | | | | | 06/10/24 09:53:57 |
| BETA-MYRCENE | 0.007 | 0.76 | 0.076 | | Ï | Instrument Used: DA-GCMS-009 Analyzed Date: 06/07/24 13:29:00 | | | Batc | h Date : Ut | 5/07/24 10:23:21 |
| CARYOPHYLLENE OXIDE | 0.007 | 0.73 | 0.073 | | | Dilution: 10 | | | | | |
| ALPHA-TERPINOLENE | 0.007 | 0.70 | 0.070 | | | Reagent : 022224.09 | | | | | |
| BETA-PINENE | 0.007 | 0.70 | 0.070 | | | Consumables: 947.109; 7931220; C | E0123 | | | | |
| OCIMENE | 0.007 | 0.65 | 0.065 | | | Pipette : DA-063 | | | | | |
| ALPHA-PINENE | 0.007 | 0.64 | 0.064 | | | Terpenoid testing is performed utilizing G | ias Chromatography | Mass Spect | rometry. For all | Flower sam | ples, the Total Terpenes % is dry-weight corrected. |
| FENCHONE | 0.007 | 0.61 | 0.061 | | | | | | | | |
| CAMPHENE | 0.007 | 0.59 | 0.059 | | | | | | | | |
| SABINENE HYDRATE | 0.007 | 0.59 | 0.059 | | | | | | | | |
| GAMMA-TERPINENE | 0.007 | 0.58 | 0.058 | | | | | | | | |
| EUCALYPTOL | 0.007 | 0.54 | 0.054 | | | | | | | | |
| 3-CARENE | 0.007 | ND | ND | | | | | | | | |
| CAMPHOR | 0.007 | ND | ND | | | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | | | |
| Total (%) | | | 3.480 | | | | | | | | |

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Remedi RSO 1g - Prple Octane (I)

Purple Octane Matrix : Derivative

Type: Full Extract Cannabis Oil



Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** ienna.mlsna@crescolabs.com Sample : DA40606009-007 Harvest/Lot ID: 0001 3428 6436 4072

Batch#: 0001 3428 6436

Sampled: 06/06/24 Ordered: 06/06/24 Sample Size Received: 16 gram
Total Amount: 1397 units

Completed: 06/10/24 Expires: 06/10/25 Sample Method: SOP.T.20.010 PASSED

Page 3 of 6



Pesticides

PASSED

| esticide | | Units | Action Level | Pass/Fail | Result | Pesticide | LOD Un | | ction evel | Pass/Fail | Resu |
|------------------------------------|-------|-------|-----------------|-----------|--------|---|-----------------|---------------------------------|---------------|------------------------|----------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | P. P. | 5 | PASS | ND | OXAMYL | 0.010 pp | m 0. | .5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.010 | | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 pp | om 0. | .1 | PASS | ND |
| OTAL PERMETHRIN | 0.010 | | 0.1 | PASS | ND | PHOSMET | 0.010 pp | m 0. | .1 | PASS | ND |
| OTAL PYRETHRINS | 0.010 | | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 pp | | | PASS | ND |
| OTAL SPINETORAM | 0.010 | | 0.2 | PASS | ND | PRALLETHRIN | 0.010 pp | | .1 | PASS | ND |
| OTAL SPINOSAD | 0.010 | 1.1 | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 pp | | .1 | PASS | ND |
| BAMECTIN B1A | 0.010 | | 0.1 | PASS | ND | | | | .1 | PASS | ND |
| CEPHATE | 0.010 | | 0.1 | PASS | ND | PROPOXUR | 0.010 pp | | | | |
| CEQUINOCYL | 0.010 | | 0.1 | PASS | ND | PYRIDABEN | 0.010 pp | | .2 | PASS | ND |
| CETAMIPRID | 0.010 | | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 pp | | .1 | PASS | ND |
| LDICARB | 0.010 | | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 pp | om 0. | .1 | PASS | ND |
| ZOXYSTROBIN | 0.010 | | 0.1 | PASS | ND | SPIROXAMINE | 0.010 pp | om 0. | .1 | PASS | ND |
| FENAZATE | 0.010 | | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 pp | m 0. | .1 | PASS | ND |
| FENTHRIN | 0.010 | | 0.1 | PASS | ND | THIACLOPRID | 0.010 pp | om 0. | .1 | PASS | ND |
| OSCALID | 0.010 | | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 pp | | .5 | PASS | ND |
| ARBARYL | 0.010 | | 0.5 | PASS | ND | TRIFLOXYSTROBIN | 0.010 pp | | .1 | PASS | ND |
| ARBOFURAN | 0.010 | | 0.1 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 PPI | | .15 | PASS | ND |
| ILORANTRANILIPROLE | 0.010 | | 1 | PASS | ND | | 0.010 PPI | | .1 | PASS | ND |
| ILORMEQUAT CHLORIDE | 0.010 | | 1 | PASS | ND | PARATHION-METHYL * | | | | | ND ND |
| ILORPYRIFOS | 0.010 | | 0.1 | PASS | ND | CAPTAN * | 0.070 PPI | | .7 | PASS | |
| OFENTEZINE | 0.010 | | 0.2 | PASS | ND | CHLORDANE * | 0.010 PPI | | .1 | PASS | ND |
| UMAPHOS | 0.010 | | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 PPI | M 0. | .1 | PASS | ND |
| MINOZIDE | 0.010 | | 0.1 | PASS | ND | CYFLUTHRIN * | 0.050 PPI | M 0. | .5 | PASS | ND |
| AZINON | 0.010 | | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 PPI | M 0. | .5 | PASS | ND |
| CHLORVOS | 0.010 | P. P. | 0.1 | PASS | ND | Analyzed by: Weight: | Extrac | tion date: | | Extracted | d bv: |
| METHOATE | 0.010 | | 0.1 | PASS | ND | 4056, 3379, 585, 1440 0.252g | | 24 17:48:56 | | 450,585 | , . |
| HOPROPHOS | 0.010 | | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), 9 | SOP.T.30.102.FL | L (Davie), SOP | P.T.40.101. | FL (Gainesville) |), |
| OFENPROX | 0.010 | | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| OXAZOLE | 0.010 | | 0.1 | PASS | ND | Analytical Batch : DA073741PES | | viewed On : | | | |
| NHEXAMID | 0.010 | | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 06/07/24 18:06:13 | Bat | tch Date : 06 | /0//24 10:5 | 04:07 | |
| NOXYCARB | 0.010 | | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| NPYROXIMATE | 0.010 | | 0.1 | PASS | ND | Reagent: 060524.R07; 040423.08; 052424.R17; 0 | 060524.R06: 06 | 0624.R15: 05 | 2924.R31: | 060524.R04 | |
| PRONIL | 0.010 | | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| ONICAMID | 0.010 | | 0.1 | PASS | ND | Pipette: DA-093; DA-094; DA-219 | | | | | |
| UDIOXONIL | 0.010 | | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing | iquid Chromato | graphy Triple- | -Quadrupole | e Mass Spectron | netry in |
| EXYTHIAZOX | 0.010 | | 0.1 | PASS | ND | accordance with F.S. Rule 64ER20-39. | | | | | |
| IAZALIL | 0.010 | | 0.1 | PASS | ND | Analyzed by: Weight: | Extraction da | | | Extracted b 450.585 | y: |
| IDACLOPRID | 0.010 | | 0.4 | PASS | ND | 450, 585, 1440 0.252g | 06/07/24 17:4 | | DT 40 151 | | |
| ESOXIM-METHYL | 0.010 | | 0.1 | PASS | ND | Analysis Method: SOP.T.30.151.FL (Gainesville), S Analytical Batch: DA073742VOL | | rt (Davie), S0 wed On : 06/1 | | | |
| ALATHION | 0.010 | | 0.2 | PASS | ND | Instrument Used : DA-GCMS-010 | | Date: 06/07 | | | |
| TALAXYL | 0.010 | | 0.1 | PASS | ND | Analyzed Date : 06/07/24 18:45:13 | | | | | |
| ETHIOCARB | 0.010 | | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| ETHOMYL | 0.010 | | 0.1 | PASS | ND | Reagent: 060524.R07; 040423.08; 052224.R40; 0 |)52224.R41 | | | | |
| EVINPHOS | 0.010 | | 0.1 | PASS | ND | Consumables: 326250IW; 14725401 | | | | | |
| YCLOBUTANIL | 0.010 | | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| ALED | 0.010 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39. | Gas Chromatogra | aphy Triple-Qເ | uadrupole N | lass Spectrome | try in |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Remedi RSO 1g - Prple Octane (I)

Purple Octane Matrix: Derivative

Type: Full Extract Cannabis Oil



Certificate of Analysis

PASSED

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: ienna.mlsna@crescolabs.com Sample : DA40606009-007 Harvest/Lot ID: 0001 3428 6436 4072

Batch#: 0001 3428 6436

Sampled: 06/06/24 Ordered: 06/06/24 Sample Size Received: 16 gram Total Amount: 1397 units Completed: 06/10/24 Expires: 06/10/25

Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result | |
|--------------------------------------|------------------------|---------------------------------|--------------|-----------|-----------------------|--|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND | |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND | |
| ACETONE | 75.000 | ppm | 750 | PASS | ND | |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND | |
| BENZENE | 0.100 | ppm | 1 | PASS | ND | |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND | |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND | |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND | |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | 304.011 | |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND | |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND | |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND | |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND | |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND | |
| METHANOL | 25.000 | ppm | 250 | PASS | ND | |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND | |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND | |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND | |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND | |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND | |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND | |
| Analyzed by: 4451, 850, 585, 1440 | Weight: 0.0204g | Extraction 0 06/07/24 15 | | | Extracted by: 4451 | |

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA073751SOL Instrument Used: DA-GCMS-002 **Analyzed Date :** $06/07/24\ 15:17:46$

Dilution: 1 Reagent: 030420.09 Consumables : 27296; 30395 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Reviewed On: 06/10/24 14:44:34

Batch Date: 06/07/24 13:02:39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

Vivian Celestino

Lab Director

Testing 97164



Kaycha Labs

Remedi RSO 1g - Prple Octane (I)

Purple Octane Matrix: Derivative

Type: Full Extract Cannabis Oil



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: ienna mlsna@crescolahs com Sample : DA40606009-007 Harvest/Lot ID: 0001 3428 6436 4072

Batch#:0001 3428 6436

Sampled: 06/06/24 **Ordered**: 06/06/24 Sample Size Received: 16 gram Total Amount: 1397 units Completed: 06/10/24 Expires: 06/10/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Analyte

Mycotoxins

PASSED

Action

Level

Pass /

Fail

Result

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | |
|--------------------------|-----|-------|-------------|----------------|-----------------|---|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | - |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | 4 |

Analyzed by: Weight: Extraction date: Extracted by: 3390, 4044, 585, 1440 06/07/24 12:41:47 0.8978g

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA073706MIC

Reviewed On: 06/10/24

Batch Date: 06/07/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:26:42

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 06/07/24 19:02:44

Dilution: N/A

Reagent: 052024.24; 052024.26; 060524.R52; 030724.36

Consumables : N/A Pipette: N/A

| Analysis Method : SOP T 30 1 | 01 FL (Gaines) | /ille) SOPT | 40 101 FI | Gaines | rille) | |
|------------------------------|----------------|-------------|-----------|---------|----------|------|
| 4056, 3379, 585, 1440 | 0.252g | 06/07/24 | | 450,585 | | |
| Analyzed by: | Weight: | Extractio | n date: | | Extracte | d hv |
| AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.02 |
| | | | | | | |

LOD

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA073744MYC

Reviewed On: 06/10/24 09:25:22 Instrument Used : N/A Batch Date: 06/07/24 10:57:50 **Analyzed Date:** 06/07/24 18:06:20

Dilution: 250

Reagent: 060524.R07; 040423.08; 052424.R17; 060524.R06; 060624.R15; 052924.R31; 060524.R04

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

| Analyzed by: 4044, 4531, 585, 1440 | Weight: 0.8978g | Extraction date: 06/07/24 12:41:47 | Extracted by: 4044 |
|---|------------------------|--|-----------------------|
| Analysis Method : SOP.T.40.2 Analytical Batch : DA073708' Instrument Used : Incubator Analyzed Date : 06/07/24 14: | TYM (42*C) DA- 328 | , SOP.T.40.209.FL Reviewed On: 06 Batch Date: 06/0 | , ., |
| Dilution: N/A Reagent: 052024.24; 05202 Consumables: N/A Pipette: N/A | 4.26; 041124.R | 12 | |
| Total yeast and mold testing is p accordance with F.S. Rule 64ER2 | | MPN and traditional culture b | pased techniques in |

| Metal | | LOD | Units | Result | Pass / Fail | Action Level |
|---------------------------------|------------------------|---------------------------------|-------|--------|----------------|-----------------|
| TOTAL CONTAMINANT | LOAD METAL | S 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 585, 1440 | Weight: 0.2692g | Extraction dat 06/07/24 13:0 | | Ex 10 | y: | |

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 06/10/24 09:24:17 Analytical Batch: DA073734HEA Instrument Used : DA-ICPMS-004 Batch Date: 06/07/24 10:44:17 Analyzed Date: 06/09/24 12:00:24

Dilution: 50

Reagent: 052924.R44; 060324.R06; 053024.R03; 060324.R04; 060324.R05; 030424.01; 060524.R41

Consumables: 179436; 120423CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Remedi RSO 1g - Prple Octane (I) Purple Octane

Matrix: Derivative

Type: Full Extract Cannabis Oil



PASSED

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: jenna mlsna@crescolahs.com Sample : DA40606009-007 Harvest/Lot ID: 0001 3428 6436 4072

Batch#: 0001 3428 6436

Sampled: 06/06/24 Ordered: 06/06/24 Sample Size Received: 16 gram Total Amount: 1397 units Completed: 06/10/24 Expires: 06/10/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Reviewed On: 06/07/24 08:03:39 Batch Date: 06/06/24 16:08:39

Reviewed On: 06/10/24 08:46:43

Batch Date: 06/07/24 10:12:36

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA073696FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 06/07/24 07:47:30

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

| Analyte | | LOD | Units | Result | P/F | Action Level |
|----------------|--------|-------|----------|--------|------|---------------------|
| Water Activity | | 0.010 | aw | 0.587 | PASS | 0.85 |
| Analyzed by: | Weight | Fv | traction | date: | Ev | tracted by: |

4512, 585, 1440 06/07/24 16:46:33 Analysis Method: SOP.T.40.019 Analytical Batch: DA073725WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 06/07/24 16:53:48

Dilution: N/A Reagent: 022024.29 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors Testing 97164

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)