



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40606009-026  
Harvest/Lot ID: 0001 3428 6437 2742  
Batch#: 0001 3428 6437 2742  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale# 0001 3428 6437 2742  
Batch Date: 05/24/24  
Sample Size Received: 26 gram  
Total Amount: 500 units  
Retail Product Size: 1 gram  
Retail Serving Size: 1 gram  
Servings: 1  
Ordered: 05/28/24  
Sampled: 06/06/24  
Completed: 06/10/24  
Sampling Method: SOP.T.20.010

Jun 10, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

Sunnyside\*

PASSED

Pages 1 of 5

### SAFETY RESULTS

  
Pesticides  
**PASSED**

  
Heavy Metals  
**PASSED**

  
Microbials  
**PASSED**

  
Mycotoxins  
**PASSED**

  
Residuals  
Solvents  
**NOT TESTED**

  
Filtration  
**PASSED**

  
Water Activity  
**PASSED**

  
Moisture  
**PASSED**

### MISC.

  
Terpenes  
**TESTED**



### Cannabinoid

**PASSED**



Total THC  
**29.006%**  
Total THC/Container : 290.06 mg



Total CBD  
**0.056%**  
Total CBD/Container : 0.56 mg



Total Cannabinoids  
**33.367%**  
Total Cannabinoids/Container : 333.67 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.576	31.278	ND	0.064	0.047	0.096	0.256	ND	ND	ND	0.050
mg/unit	15.76	312.78	ND	0.64	0.47	0.96	2.56	ND	ND	ND	0.50
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.2077g

Extraction date:  
06/07/24 12:52:12

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA073710POT  
Instrument Used : DA-LC-002  
Analyzed Date : 06/07/24 13:01:09

Reviewed On : 06/10/24 09:13:37  
Batch Date : 06/07/24 09:33:59

Dilution : 400  
Reagent : 052924.R01; 041124.41; 060724.R01  
Consumables : 947.109; 280670723; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

  
Signature  
06/10/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40606009-026  
Harvest/Lot ID: 0001 3428 6437 2742

Batch# : 0001 3428 6437 2742  
Sample Size Received : 26 gram  
Total Amount : 500 units  
Completed : 06/10/24 Expires: 06/10/25  
Ordered : 06/06/24  
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	14.80	1.480	SABINENE HYDRATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	3.30	0.330	VALENCENE	0.007	ND	ND
LIMONENE	0.007	2.30	0.230	ALPHA-CEDRENE	0.005	ND	ND
LINALOOL	0.007	2.30	0.230	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	1.11	0.111	ALPHA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	1.06	0.106	ALPHA-TERPINOLENE	0.007	ND	ND
BETA-MYRCENE	0.007	1.06	0.106	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-TERPINEOL	0.007	1.04	0.104	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	0.99	0.099				
TRANS-NEROLIDOL	0.005	0.69	0.069	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 1.0066g	Extraction date: 06/07/24 13:24:23	Extracted by: 3605
BETA-PINENE	0.007	0.57	0.057	Analytical Batch : DA073726TER			Reviewed On : 06/10/24 09:15:52
ALPHA-PINENE	0.007	0.38	0.038	Instrument Used : DA-GCMS-004			Batch Date : 06/07/24 10:21:55
3-CARENE	0.007	ND	ND	Analysis Date : 06/07/24 13:24:50			
BORNEOL	0.013	ND	ND	Dilution : 10			
CAMPHENE	0.007	ND	ND	Reagent : 022224.09			
CAMPHOR	0.007	ND	ND	Consumables : 947.109; 7931220; CE0123			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Pipette : DA-063			
CEDROL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.001	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
<b>Total (%)</b>			<b>1.480</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/10/24



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA40606009-026

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Harvest/Lot ID: 0001 3428 6437 2742

Batch# : 0001 3428 6437 2742  
Sample Size Received : 26 gram  
Total Amount : 500 units  
Completed : 06/10/24 Expires: 06/10/25  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 4056, 3379, 585, 1440 <b>Weight:</b> 0.8573g <b>Extraction date:</b> 06/07/24 17:53:39 <b>Extracted by:</b> 450,585 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA073733PES <b>Reviewed On :</b> 06/10/24 12:11:10 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 06/07/24 10:44:11 <b>Analyzed Date :</b> 06/07/24 18:20:34 <b>Dilution :</b> 250 <b>Reagent :</b> 060524.R07; 040423.08; 060524.R50; 060524.R06; 052824.R02; 052924.R31; 060524.R04 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440 <b>Weight:</b> 0.8573g <b>Extraction date:</b> 06/07/24 17:53:39 <b>Extracted by:</b> 450,585 <b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) <b>Analytical Batch :</b> DA073735VOL <b>Reviewed On :</b> 06/10/24 11:51:52 <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 06/07/24 10:45:30 <b>Analyzed Date :</b> 06/07/24 18:45:42 <b>Dilution :</b> 250 <b>Reagent :</b> 060524.R07; 040423.08; 060324.R01; 060324.R02 <b>Consumables :</b> 326250IW; 14725401 <b>Pipette :</b> DA-080; DA-146; DA-218					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b> <b>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/10/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40606009-026

Harvest/Lot ID: 0001 3428 6437 2742

Batch# : 0001 3428 6437  
2742

Sampled : 06/06/24

Ordered : 06/06/24

Sample Size Received : 26 gram

Total Amount : 500 units

Completed : 06/10/24 Expires: 06/10/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	27000	PASS	100000

**Analyzed by:** 3390, 4044, 585, 1440  
**Weight:** 1.0869g  
**Extraction date:** 06/07/24 12:44:31  
**Extracted by:** 4044  
**Analysis Method :** SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
**Analytical Batch :** DA073709MIC  
**Reviewed On :** 06/10/24 09:28:25  
**Batch Date :** 06/07/24 09:32:25  
**Instrument Used :** PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021  
**Analyzed Date :** 06/07/24 19:02:42

**Dilution :** N/A  
**Reagent :** 052024.24; 052024.26; 060524.R52; 030724.36  
**Consumables :** N/A  
**Pipette :** N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

**Analyzed by:** 4056, 3379, 585, 1440  
**Weight:** 0.8573g  
**Extraction date:** 06/07/24 17:53:39  
**Extracted by:** 450, 585  
**Analysis Method :** SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
**Analytical Batch :** DA073736MYC  
**Instrument Used :** N/A  
**Analyzed Date :** 06/07/24 18:20:42  
**Reviewed On :** 06/10/24 09:56:09  
**Batch Date :** 06/07/24 10:47:04  
**Dilution :** 250  
**Reagent :** 060524.R07; 040423.08; 060524.R50; 060524.R06; 052824.R02; 052924.R31; 060524.R04  
**Consumables :** 326250IW  
**Pipette :** DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

**Analyzed by:** 4044, 4531, 585, 1440  
**Weight:** 1.0869g  
**Extraction date:** 06/07/24 12:44:31  
**Extracted by:** 4044  
**Analysis Method :** SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
**Analytical Batch :** DA073711TYM  
**Instrument Used :** Incubator (42°C) DA- 328  
**Analyzed Date :** 06/07/24 14:50:56  
**Reviewed On :** 06/10/24 09:31:43  
**Batch Date :** 06/07/24 09:34:48  
**Dilution :** N/A  
**Reagent :** 052024.24; 052024.26; 041124.R12  
**Consumables :** N/A  
**Pipette :** N/A

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

**Analyzed by:** 1022, 585, 1440  
**Weight:** 0.2557g  
**Extraction date:** 06/07/24 11:33:41  
**Extracted by:** 1022  
**Analysis Method :** SOP.T.30.082.FL, SOP.T.40.082.FL  
**Analytical Batch :** DA073731HEA  
**Instrument Used :** DA-ICPMS-004  
**Analyzed Date :** 06/07/24 16:16:22  
**Reviewed On :** 06/10/24 09:54:51  
**Batch Date :** 06/07/24 10:36:32  
**Dilution :** 50  
**Reagent :** 052924.R44; 060324.R06; 053024.R03; 060324.R04; 060324.R05; 030424.01; 060524.R41  
**Consumables :** 179436; 120423CH01; 210508058  
**Pipette :** DA-061; DA-191; DA-216

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: jenna.mlsna@crescolabs.com

Sample : DA40606009-026

Harvest/Lot ID: 0001 3428 6437 2742

Batch# : 0001 3428 6437  
2742

Sampled : 06/06/24

Ordered : 06/06/24

Sample Size Received : 26 gram

Total Amount : 500 units

Completed : 06/10/24 Expires: 06/10/25

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
------------------------------	------------	----------------------	-------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA073696FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 06/07/24 07:47:30  
Reviewed On : 06/07/24 08:03:23  
Batch Date : 06/06/24 16:08:39

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.485	PASS	0.65

Analyzed by: 4512, 585, 1440	Weight: 0.6148g	Extraction date: 06/07/24 17:03:23	Extracted by: 4512
------------------------------	-----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA073724WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : 06/07/24 17:03:51  
Reviewed On : 06/10/24 08:57:02  
Batch Date : 06/07/24 10:11:48

Dilution : N/A  
Reagent : 022024.29  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	13.77	PASS	15

Analyzed by: 4512, 585, 1440	Weight: 0.505g	Extraction date: 06/07/24 15:37:38	Extracted by: 4512
------------------------------	----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.021  
Analytical Batch : DA073723MOI  
Reviewed On : 06/10/24 08:55:58

Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser  
Analyzed Date : 06/07/24 16:07:43  
Batch Date : 06/07/24 10:09:17

Dilution : N/A  
Reagent : 092520.50; 020124.02  
Consumables : N/A  
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.